


Features and benefits

Plastic modular belts (contd.)



	Features	Benefits
	<ul style="list-style-type: none"> • Low temperature resistant material available (PE) 	<ul style="list-style-type: none"> → Suitable for cold store applications up to -70°C / -94°F → Multipurpose use
	<ul style="list-style-type: none"> • High temperature resistant material available (ST) 	<ul style="list-style-type: none"> → Suitable for warm/hot conditions without changing its features up to 240°C / 464°F → Ideal for shrink to wrap applications
	<ul style="list-style-type: none"> • Permanently antistatic belt material (+AS) and electrically conductive material (+EC) available 	<ul style="list-style-type: none"> → No interference with electronic devices → Less dust and dirt attraction → Process reliability → Low maintenance cost
	<ul style="list-style-type: none"> • Easy installation • Simple and fast assembling 	<ul style="list-style-type: none"> → Snap-in assembling method → Replacement of single belt modules → Easy repair
	<ul style="list-style-type: none"> • Nosebar construction suitable 	<ul style="list-style-type: none"> → Smooth transfer of small goods → Products remain perfectly oriented
	<ul style="list-style-type: none"> • Flame retardant modular belts (+FR) available (ISO 340, DIN 22103, DIN 4102, UL 94) 	<ul style="list-style-type: none"> → No spreading of fire to other buildings → Increased safety for people, buildings and installations