


| PART NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

Tube Benders, Lever Type

For soft copper, aluminum, brass, steel and other metal tubing



367-FH-BPD

368-FH-BPD


Triple Header Benders

Calibrated markings for making accurate left-hand, right-hand and offset bends. Ninety degree start requires less effort - making bending fast and easy.

For 1/8", 3/16" and 1/4" (3, 4, and 6 mm) O.D. tubing, 9/16" radius to center of tube.

For 1/4", 5/16" and 3/8" (6 and 8 mm) O.D. tubing, 15/16" radius to center of tube.

Metric Tube Benders



367-FH-BPD

368-FH-BPD

Triple Header Benders

For annealed copper, aluminum, steel, stainless steel and hard copper tubing of bending temper.


Lever type, multiple size benders. Calibrated markings for making accurate left-hand, right-hand, and offset bends. Ninety degree start requires less effort; makes bending fast and easy.

| BENDING RANGE | | | |
|----------------|---------|--------------------------|------|
| Tube O.D. | | Radius to Center of Tube | |
| (Inches) | (mm) | (Inches) | (mm) |
| 1/8, 3/16, 1/4 | 3, 4, 6 | 9/16 | 14.2 |
| 1/4, 5/16, 3/8 | 6, 8 | 15/16 | 17.5 |

Tube Benders, Spring Type

For soft copper and aluminum tubing

K



- 102-F-04-BPD**
- 102-F-05-BPD**
- 102-F-06-BPD**
- 102-F-07-BPD**
- 102-F-08-BPD**
- 102-F-10-BPD**
- 102-F-12-BPD**

For 1/4" to 3/4" O.D. tubing.

Tools allow hand bending of soft tubing to any shape without collapsing walls. Special spring steel, nickel finished. End belled for quick tube removal.

| BENDER | | |
|--------------------|-----------------|--------------|
| TUBE O.D. (INCHES) | LENGTH (INCHES) | WEIGHT (OZ.) |
| 1/4 | 10 | 3 |
| 5/16 | 10 | 3 |
| 3/8 | 10 | 4 |
| 7/16 | 12 | 6 1/4 |
| 1/2 | 12 | 6 1/2 |
| 5/8 | 12 | 8 |
| 3/4 | 12 | 10 |

201-F-BPD

Set of 8 benders for 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4" and 7/8" O.D. tubing.

112-F-BPD

Set of 3 benders for 1/4", 5/16" and 3/8" O.D. tubing.

163-F-BPD

Set of 4 benders for 1/4", 3/8", 1/2" and 5/8" O.D. tubing.