




# WATER HOSE PRODUCTS C A T A L O G



FOR

- COMMERCIAL
- RESIDENTIAL
- RECREATIONAL

Please call Goodyear Rubber Products to order any products shown in this catalog  
1-727-822-4672 or 1-800-367-4673 toll free in the USA  
Email inquiries to: [Sales@GoodyearRubberProducts.com](mailto:Sales@GoodyearRubberProducts.com)

**GOODYEAR**  
RUBBER PRODUCTS INC.

**Call Toll Free: 1-866-711-4673**  
WebSales@GoodyearRubberProducts.com

**We Ship  
World Wide**





## PermaFlow®

*Continuous Flow Premium Rubber/Vinyl Reinforced Garden Hose*

- Special internal grooves assure water flow even if kinked
- Dual reinforcing for high burst pressure
- Maximum wear, abrasion-resistant cover
- Crush-proof machined brass couplings
- Backed by Swan's Lifetime warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
PF5850	5/8"	50'	5	50
PF5875	5/8"	75'	3	44
PF58100	5/8"	100'	3	55



## Soft & Supple®

*Premium Reinforced Rubber/Vinyl Garden Hose*

- Extra tough, five-ply construction
- Exclusive, soft-textured, abrasion-resistant cover
- Dual reinforced, heavy-duty flexibility, kink resistance
- Combines durability of rubber with easy handling of vinyl
- SEAL-TITE® leakproof coupling
- Backed by Swan's Lifetime warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
SS5825	5/8"	25'	5	23
SS5850	5/8"	50'	5	45
SS5875	5/8"	75'	3	40
SS58100	5/8"	100'	2	35
SS3450	3/4"	50'	5	62
SS3475	3/4"	75'	3	56
SS34100	3/4"	100'	3	69



## Supplex® RT

*Professional-Duty Reinforced Garden Hose*

- Heavy-duty four-ply construction
- 500 PSI burst pressure
- Industrial-reinforcing for flexibility
- Excellent kink resistance
- Crush-proof machined brass couplings
- Backed by Swan's Lifetime warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
RT5850	5/8"	50'	5	38
RT5875	5/8"	75'	3	34
RT58100	5/8"	100'	3	45



## Parker Rubber

*100% Rubber Reinforced Garden Hose*

- Professional-grade reinforcement for maximum strength
- Heavy-duty flexibility
- Ultimate kink resistance
- Handles hot water up to 160° F
- Extra heavy-duty, crush-proof, machined brass couplings
- Lifetime warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
PR5825	5/8"	25'	8	46
PR5850	5/8"	50'	4	45





## WeatherFlex®

All-Weather Reinforced Garden Hose

- Four-ply design for lasting durability
- Knit reinforcing for flexibility
- Excellent kink resistance
- Backed by Swan's 5-Year warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
WF5825	5/8"	25'	5	17
WF5850	5/8"	50'	5	31
WF5875	5/8"	75'	3	28
WF58100	5/8"	100'	3	37
WF3450	3/4"	50'	5	44
WF3475	3/4"	75'	3	40
WF34100	3/4"	100'	3	51
WF34250	3/4"	250'*	1	56

\*250' of uncoupled hose consisting of not more than 2 lengths, minimum length 50' each



## RV5 Rubber/Vinyl

All-Weather Reinforced Garden Hose

- Special bonus lengths!
- Four-ply design for lasting strength
- Outstanding durability
- Backed by Swan's 5-Year warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
RV55860	5/8"	60'	5	37
RV55890	5/8"	90'	3	31



## Weather Master®

All-Weather Reinforced Garden Hose

- Five-ply design for outstanding strength
- Dual reinforcing, medium flexibility
- Highly kink resistant
- Backed by Swan's 7-Year warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
WM5850	5/8"	50'	5	32
WM5875	5/8"	75'	3	29
WM58100	5/8"	100'	3	37



## Formula Z7®

All-Weather Rubber/Vinyl Reinforced Garden Hose

- Five-ply design for outstanding strength
- Dual reinforcing, medium flexibility
- Highly kink resistant
- Backed by Swan's 7-Year warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
Z75850	5/8"	50'	5	36
Z75875	5/8"	75'	3	32
Z758100	5/8"	100'	3	42



## Fairlawn®

Reinforced Garden Hose

- Light-duty three-ply design
- Knit reinforcing
- Flexible, easy handling
- Backed by Swan's 2-Year warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
FA5825	5/8"	25'	10	32
FA5850	5/8"	50'	5	26
FA5875	5/8"	75'	3	28
FA58100	5/8"	100'	3	36



## Medallion

Reinforced Garden Hose

- Light-duty three-ply design
- Nylon reinforcing
- Easy handling

Stock No.	I.D.	Lgth.	Units	Lbs.
ME1225	1/2"	25'	10	24
ME1250	1/2"	50'	5	23





## Rubber Contractor Water Hose

### Reinforced Rubber Hose

- Withstands hot water (180°F) use
- 200 PSI working pressure
- Cover resists oil, chemicals, abrasions
- Industrial-style reinforcing
- Heavy-duty, crush-proof, machined brass couplings

Stock No.	I.D.	Lgth.	Units	Lbs.
CW5825	5/8"	25'	10	45
CW5850	5/8"	50'	5	44
CW3425	3/4"	25'	6	41
CW3450	3/4"	50'	3	40
CW0150	1"	50'	2	46

## PVC Contractor Water Reinforced PVC Hose

- Excellent abrasion resistance
- 150 PSI working pressure
- Heavy-duty, crush-proof, machined brass couplings
- Weather and ozone resistant
- Weighs less than rubber

Stock No.	I.D.	Lgth.	Units	Lbs.
39378	5/8"	50'	5	44
39379	3/4"	50'	5	62

## Country Club® RT

### Heavy-Duty Reinforced Hose

- For golf courses, parks, nurseries, and other high-volume water uses
- 500 PSI burst pressure
- Industrial-style reinforcing, premium PVC construction
- Maximum flexibility, kink resistance
- Heavy-duty, 1" NPSH, machined brass couplings

Stock No.	I.D.	Lgth.	Units	Lbs.
CCO150	1"	50'	2	39
CCO1100	1"	100'	1	38



## Hot Water Rubber

### Professional-Duty Reinforced Hose

- Withstands hot water (200°F) use
- Maximum wear, abrasion-resistant cover
- Industrial-style reinforcing for flexibility, high burst strength
- Extra heavy-duty, crush-proof, machined brass couplings

Stock No.	I.D.	Lgth.	Units	Lbs.
HWR5825	5/8"	25	8	46
HWR5850	5/8"	50	4	45

## Sprinkler Hose

### Sprinkler Hose

- Made from 65% Recycled Tire Rubber
- Stripes up for sprinkling
- Stripes down for soaking gardens and flower beds

Stock No.	Lgth.	Units	Lbs.
3TEC25	25'	10	18
3TEC50	50'	10	32

## Soaker Hose

### Low pressure Drip Irrigation Soaker Hose

- 5/8 in. ID, Soaker irrigation hose
- Made from 65% Recycled Tire Rubber
- Water seeps through non-clogging pores even when buried
- For use above ground or buried - fungus resistant
- Easy to clean

Stock No.	I.D.	Lgth.	Units	Lbs.
UER25	5/8"	25'	10	22
UER50	5/8"	50'	5	22
UER75	5/8"	75'	4	27





## Farm & Ranch Pro

*Commercial Heavy-Duty Farm and Ranch Hose*

- Professional-grade reinforcing for maximum strength
- Heavy-duty flexibility
- Ultimate kink resistance
- Heavy-duty, crush-proof, machined brass couplings
- Backed by Swan's 10-Year warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
FR5850	5/8"	50'	5	41
FR58100	5/8"	100'	3	51



## Hose Reel Hose

*Extra Long, All-Weather Reinforced Garden Hose*

- One long 150-ft. length for easy hose reel coiling, uncoiling
- Four-ply design for lasting durability
- Knit reinforcing, medium flexibility
- Excellent kink resistance
- Backed by Swan's 5-Year warranty

Stock No.	I.D.	Lgth.	Units	Lbs.
HR58150	5/8"	150'	2	34



## Marine Camper

*Drinking Water-Safe Hose*

- For boats and RVs
- Lightweight to handle, easy to store
- USFDA-approved tube materials for food contact use
- Nickel-plated brass couplings

Stock No.	I.D.	Lgth.	Units	Lbs.
MC1225	1/2"	25'	5	12
MC1250	1/2"	50'	5	23
MC5825	5/8"	25'	5	18
MC5850	5/8"	50'	5	34



## Easy Storage

*Flatline® Reinforced White Water Hose*

- USFDA-approved tube materials for food contact use
- Coils flat for compact, easy storage
- For pools, patios, cabins, campers, boats
- Drains automatically
- Nickel-plated brass couplings

Stock No.	I.D.	Lgth.	Units	Lbs.
FL5825	5/8"	25'	5	20
FL5850	5/8"	50'	5	38