





# Product Handbook

## Conveyor Belt Splicing Systems

January 2015



2525 Wisconsin Avenue, Downers Grove, Illinois 60515

Phone: 1-630-971-0150 Fax: 1-630-971-1180

Customer Service: 1-800-541-8028

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Table of Contents

<b>CLIPPER® WIRE HOOKS</b> .....	<b>4-30</b>
Clipper® Wire Hook Fastening System Overview .....	4
General Hook Information .....	5
Clipper Hook and Pin Selection Chart .....	6
Clipper Carded Hooks.....	7-14
Unibar® Hooks .....	15-16
Connecting Pins.....	17-19
Clipper® G Series™ Lacing Overview .....	20
Clipper® G Series™ Lacing.....	21
G Series Lacers .....	22-27
Clipper® Patch Fastener Hooks Overview.....	28
Patch Fasteners, Production Lacers .....	29-30
 <b>ALLIGATOR® CONVEYOR BELT LACING</b> .....	 <b>31-34</b>
Alligator® Lacing Fastening System Overview .....	31
Steel Lacing.....	32
316 Stainless Lacing .....	33
Hinge Pins .....	34
 <b>ALLIGATOR® TRANSMISSION BELT LACING</b> .....	 <b>35</b>
 <b>ALLIGATOR® READY SET™ STAPLE BELT FASTENERS</b> .....	 <b>36-40</b>
Alligator® Ready Set Fastening System Overview .....	36
No. 62, No. 125, No. 187 Staple Fasteners .....	37
Hinge Pins .....	38
Installation Tools .....	39-40
MegAlloy® Staple Fasteners.....	40
 <b>ALLIGATOR® RIVET FASTENERS</b> .....	 <b>41-42</b>
Alligator® Rivet Fastening System Overview.....	41
Rivet Fasteners, Hinge Pins, Installation Tools .....	42
 <b>ALLIGATOR® NON-METALLIC FASTENERS</b> .....	 <b>43-45</b>
Alligator® Non-Metallic Fastening System Overview.....	43
Fasteners, Hinge Pins.....	44
Installation Tools .....	44-45
Spiral Lacing .....	45
 <b>ALLIGATOR® V-BELT FASTENERS</b> .....	 <b>46-47</b>
Alligator® V-Belt Fastening System Overview .....	46
Fasteners, Tools.....	47
 <b>LIGHT-DUTY BELT MAINTENANCE TOOLS</b> .....	 <b>48-49</b>
 <b>BELT FABRICATION TOOLS</b> .....	 <b>50-53</b>
Novitool® Overview.....	50
Aero® Splicing Press .....	51
Amigo™ Monolithic Press.....	52
Ply130™ Separator .....	53
PunM™ Punch Press.....	53

## Table of Contents (cont.)

<b>FGP FOOD GRADE PRECLEANER</b> .....	<b>54-56</b>
FGP Food Grade Precleaner Overview.....	54
FGP Food Grade Precleaner.....	55
FGP Food Grade Precleaner Replacement Parts .....	56
<b>TATCH-A-CLEAT® BELT CLEATS</b> .....	<b>57-60</b>
General Cleat Information.....	57
Mechanical Cleats .....	58-59
Bondable Cleats .....	60
<b>FLEXCO® BOLT HINGED FASTENERS</b> .....	<b>61-66</b>
Flexco® Bolt Hinged Fastening System Overview.....	61
No. 375X Fasteners.....	62
No. 550.....	63
Hinge Pins .....	64
Installation Tools .....	65-66
<b>FLEXCO® RIVET HINGED FASTENERS</b> .....	<b>67-79</b>
Flexco® Rivet Hinged Fastening System Overview.....	67
Flexco® R2 Medium-Duty Rivet Hinged Fasteners .....	68
Fasteners .....	69-70
Rivets, Hinge Pins.....	71-75
Installation Tools .....	76-79
<b>FLEXCO® SOLID PLATE FASTENERS</b> .....	<b>80-84</b>
Flexco® Solid Plate Fastening System Overview.....	80
Fasteners .....	81
Installation Tools .....	82-83
Extra Bolts and Nuts, Rip Repair .....	84
<b>FLEXCO® RIVET PLATE FASTENERS</b> .....	<b>85-90</b>
Flexco® Rivet Solid Plate Fastening System Overview .....	85
Fasteners, Rivets.....	86-87
Installation Tools .....	88-90
<b>HEAVY-DUTY BELT MAINTENANCE AND SAFETY TOOLS</b> .....	<b>91-93</b>
Tools and Accessories .....	91
Belt Cutters, Belt Skiver.....	92
Belt Clamps, Belt Lifter.....	93
<b>BELT CONVEYOR PRODUCTS</b> .....	<b>94-96</b>
Belt Positioner™ .....	94
Belt Plows.....	95
Skirt Clamps.....	96
<b>INDEX</b> .....	<b>97-121</b>
By Ordering Number .....	97-112
By Item Code.....	113-121



## How Clipper® Hooks Work

The Clipper® Hook design incorporates a double-staggered grip pattern that gives wire hooks exceptional holding power without degrading the integrity of the belt carcass. The points of the fastener pass through the belt carcass and are formed over, locking the carcass between them.


This low profile splice is highly compatible with conveyor components and compliant with the need for reduced operating noise. Additional splice strength and consistency of splice installation is obtained through precision machine application.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>• Package and Parts Handling</li> <li>• Food Processing</li> <li>• Checkout Counters</li> <li>• Commercial Laundries</li> <li>• Filter Media</li> <li>• Agriculture</li> </ul>	<p>Depending on the application, Clipper® Hooks can be installed with on-site maintenance lacers such as the Roller Lacer®, Roller Lacer® Gold Class™, or Microlacer®, Production Lacers for high volume lacing (Pro 400, Pro 600, Pro 6000, or Electric Hydraulic Lacers), or Specialty Lacers such as the Plier-Tape Lacer, Vice Lacer, Baler Belt Lacer. Please contact Flexco to discuss your application.</p>	<ul style="list-style-type: none"> <li>• Hooks</li> <li>• Connecting Pin</li> <li>• Installation Tool</li> </ul>
How to Specify the Correct Clipper® Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>1. Measure your Belt Thickness (PIW).</li> <li>2. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>3. Using the selection chart on page 6, identify possible hook choices.</li> <li>4. Narrow selections by selecting desired wire diameter. <ul style="list-style-type: none"> <li>• Larger wire diameter provides greater strength and abrasion resistance.</li> <li>• Smaller wire diameter provides less noise and less wear on conveyor components.</li> </ul> </li> <li>5. If multiple choices remain, select either carded or Unibar® style fastener.</li> </ol>	<p><b>Galvanized Steel.</b> For basic applications, galvanized steel is recommended.</p> <p><b>Stainless Steel.</b> Type 430 and Type 316 Stainless Steel offers more resistance than steel to abrasion, acids, chemicals, rusting, and magnetic attraction.</p> <p><b>High Tensile.</b> Added abrasion resistance and fastener retention strength.</p> <p><b>Specialty Metal.</b></p> <ul style="list-style-type: none"> <li>• Coated Steel</li> <li>• Rectangular High Tensile</li> <li>• Monel®</li> <li>• Inconel®</li> <li>• Phosphor Bronze</li> <li>• Hastelloy</li> <li>• Black Oxide</li> </ul>	<p><b>DSS DuraStainless™</b> - stainless spring steel core with filled nylon coating for superior abrasion resistance, flat belts only.</p> <p><b>DL Duralink™</b> - braided stainless cable with filled nylon coating for superior abrasion resistance, crowned pulley or troughed belts.</p> <p><b>NY Nylosteel</b> - spring steel core with nylon coating for use with galvanized or high tensile fasteners, flat or troughed belts.</p> <p><b>NYS Nylostainless</b> - stainless spring steel core with nylon coating for use with stainless steel fasteners, flat belts only.</p> <p><b>NCS Nylon Covered Stainless Steel Cable</b> - braided stainless cable with nylon coating for applications with stainless fasteners, crowned pulley or troughed belts.</p>

Please see page 6 for Clipper Fastener selection chart.




# General Hook Information



## HOW TO SELECT THE PROPER HOOK SIZE

1. Measure the belt thickness and pulley diameter.
2. Determine the possible options that could be used, based on the chart on page 6.
3. Select the proper hook from the specification chart.
4. If hook specifications overlap into more than one size, select the fastener which best meets your needs. **NOTE:** If maximum strength is of primary importance, choose the hook with the largest diameter wire. If low profile is needed select the hook with the smallest diameter wire.
5. Select the type of metal which best fits your application requirements.



## SPECIAL LENGTH CARDS


Clipper® hooks can be ordered in special length cards or Unibar® strips for specific applications. This eliminates time consuming card cutting by hand.

All special length cards are shipped without pins.

Please call Customer Service for pricing and lead times.

## FASTENER MATERIAL CHARACTERISTICS

METAL	MAGNETIC	ABRASION RESISTANCE	CHEMICAL RESISTANCE	RUST RESISTANCE	SPARKING/ NON-SPARKING	AVAILABLE CLIPPER SIZES
Galvanized	Yes	Good	Poor	Good	Sparking	25, 1, 2-7
Coated Steel	Yes	Good	Poor	Poor	Sparking	U2 -U3
Steel	Yes	Good	Poor	Poor	Sparking	U4-U7
High Tensile Steel	Yes	Good to Excellent	Fair	Good	Sparking	1, 2-7
Rectangular High Tensile Steel	Yes	Good to Excellent	Fair	Good	Sparking	4-1/2
430 Stainless Steel	Yes	Good	Fair to Good	Good	Sparking	1, 2-7, UX-1, U2SP - U7
316L Stainless Steel	Slightly	Good	Good to Excellent	Excellent	Sparking	25, 30, 36, 1, 2-7, UX-1, UCM36, UA2, UA3
Monel® 400	Slightly	Fair	Excellent	Excellent	Sparking	25, 1, 2-4
Inconel® 600	No	Fair	Excellent	Excellent even at elevated temp.	Sparking	2-4
Phosphor Bronze	No	Good	Poor	Good	Non-sparking	2-4
Hastelloy C-22	No	Good	Excellent	Excellent	Sparking	36, UCM
Black Oxide	Yes	Good	Poor	Fair	Sparking	25



# Clipper<sup>®</sup> Hook and Pin Selection Chart

FASTENER AND PIN SIZE SELECTION CHART														
Minimum Pulley Diameter	Wire Diameter	Connecting Pin Size	Belt Thickness											
			Up to .047" 3/64"	.063" 1/16"	.093" 3/32"	.125" 1/8"	.156" 5/32"	.187" 3/16"	.219" 7/32"	.25" 1/4"	.281" 9/32"	.313" 5/16"	.343" 11/32"	.39" 25/64"
			1.2 mm	1.6 mm	2.4 mm	3.2 mm	4.0 mm	4.8 mm	5.6 mm	6.4 mm	7.1 mm	7.9 mm	9.0 mm	10.0 mm
15/16" 24 mm	.025"	.065"/1.7 mm	25SP*											
	.025"	.065"/1.7 mm	25											
	.036" x .027"	.065"/1.7 mm	UCM36SL XSP											
	.036" x .027"	.065"/1.7 mm		UCM36SL SP										
	.025"	.065"/1.7 mm		25LP*										
2" 51 mm	.036" x .027"	.065"/1.7 mm	UCM36 XSP											
	.030"	.065"/1.7 mm	30*											
	.036" x .027"	.065"/1.7 mm		UCM36 SP*										
	.036" x .027"	.065"/1.7 mm		36 SP*										
	.040"	.065"/1.7 mm		1 XSP*										
	.030"	.065"/1.7 mm		30P*										
	.040"	.065"/1.7 mm		UX-1 SP*										
	.036" x .027"	.065"/1.7 mm		UCM36*										
	.036" x .027"	.065"/1.7 mm		36*										
	.040"	.065"/1.7 mm		1 SP*										
	.036" x .027"	.065"/1.7 mm				UCM36 LP*								
	.040"	.065"/1.7 mm				1*								
	.040"	.065"/1.7 mm				UX-1*								
	.047"	.093"/2.4 mm				UA2								
	.054"	.093"/2.4 mm				U2 SP								
	.054"	.093"/2.4 mm				2SP								
	.054"	.093"/2.4 mm					U2							
	.054"	.093"/2.4 mm					2							
.047"	.093"/2.4 mm					UA3								
3" 76 mm	.054"	.093"/2.4 mm				U3-1								
	.054"	.093"/2.4 mm				3-1								
	.054"	.093"/2.4 mm				U3-2								
	.054"	.093"/2.4 mm				3								
	.054"	.093"/2.4 mm				U3								
	.054"	.093"/2.4 mm					3-4 1/2							
4" 102 mm	.054"	.109"/2.8 mm				4-2								
	.054"	.125"/3.2 mm				4 1/2-3								
	.054"	.109"/2.8 mm				4								
	.054"	.109"/2.8 mm				U4								
	.054"	.125"/3.2 mm					4 1/2							
5" 127 mm	.054"	.125"/3.2 mm					5							
	.054"	.125"/3.2 mm					U5							
6" 152 mm	.054"	.156"/4.0 mm						6						
	.054"	.156"/4.0 mm						U6						
7" 175 mm	.054"	.156"/4.0 mm							7					
	.054"	.156"/4.0 mm							U7					

\*Long Leg available. Allow for 1" (25 mm) larger minimum pulley diameter.


Hook Abbreviations: SL – Short Leg XSP – Extra Short Point LP – Long Point  
LL – Long Leg SP – Short Point

**GOODYEAR**  
GOODYEARBELTING.COM

**Call Toll Free: 1-866-711-4673**  
**International: +1-727-342-5086**

**We Ship  
World Wide**

# Clipper® Regular (54) Series Carded Hooks



## FASTENERS

### GALVANIZED - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
<b>WITHOUT PINS</b>						
2SP	2SPG	02168	1.2	84	12	144
2	2G	02154	1.2	84	12	144
3-1	3-1G	02196	1.3	84	12	144
3	3G	02182	1.3	84	12	144
3-4-1/2	3-4-1/2G	02206	1.3	84	12	144
4	4G	02216	1.4	84	12	144
4-2	4-2G	02232	1.4	84	12	144
4-1/2	4-1/2G	02300	1.5	84	12	144
5-3	5-3G	02339	1.8	84	12	144
5	5G	02323	1.8	84	12	144
6	6G	02348	2.2	84	12	144
7	7G	02363	2.3	84	12	144
<b>WITH PINS</b>						
2SP	2SPGNY	02169	1.2	84	12	144
2	2GNY	02155	1.2	84	12	144
3-1	3-1GNY	02197	1.3	84	12	144
3	3GNY	02183	1.3	84	12	144
3-4-1/2	3-4-1/2GNY	02210	1.3	84	12	144
4	4GNY	02217	1.4	84	12	144
4-2	4-2GNY	02233	1.4	84	12	144
4-1/2	4-1/2GW	02301	1.4	84	12	144
5-3	5-3GW	02340	1.8	84	12	144
5	5GW	18227	1.8	84	12	144
6	6GW	18228	2.2	84	12	144
7	7GW	02365	2.3	84	12	144

NOTE: For Regular (54) Series Carded Hooks, wire diameter = .054" (1.4 mm).

For extra pin material see pages 17-19.

### HIGH TENSILE - WITHOUT PINS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
2SP	2SPHT	02173	1.2	84	12	144
2	2HT	02161	1.2	84	12	144
3-1	3-1HT	02198	1.3	84	12	144
3	3HT	02189	1.3	84	12	144
3	3HT-WIDE	05362	1.3	84	12	144
4	4HT	02223	1.4	84	12	144
4-2	4-2HT	02295	1.4	84	12	144
4-1/2-3	4-1/2-3HT	02316	1.4	84	12	144
4-1/2	4-1/2HT	02307	1.5	84	12	144
5-3	5-3HT	02342	1.8	84	12	144
5	5HT	02330	1.8	84	12	144
6	6HT	02355	2.2	84	12	144

### RECTANGULAR HIGH TENSILE - WITHOUT PINS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
4-1/2-3	4-1/2-3RHTX	02432	2.3	84	12	144
4-1/2	4-1/2RHTX	02429	2.3	84	12	144

#### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel

Stock Items (non-shaded) standard lead time is 3 working days.


Made To Order Items (shaded) extended lead time, minimum order may apply.

Special Metals and Special Length Cards are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Clipper<sup>®</sup> Regular (54) Series Carded Hooks

## FASTENERS

### 430 STAINLESS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
<b>WITHOUT PINS</b>						
2SP	2SPS	02170	1.2	84	12	144
2	2S	02157	1.2	84	12	144
3-1	3-1S	02195	1.3	84	12	144
3	3S	02185	1.3	84	12	144
4	4S	02219	1.4	84	12	144
4-2	4-2S	02234	1.4	84	12	144
4-1/2	4-1/2S	02303	1.5	84	12	144
5-3	5-3S	02341	1.8	84	12	144
5	5S	02326	1.8	84	12	144
6	6S	02351	2.2	84	12	144
7	7S	02367	2.3	84	12	144
<b>WITH PINS</b>						
2SP	2SPSNYS	02171	1.2	84	12	144
2	2SNYS	02158	1.2	84	12	144
3	3SNYS	02186	1.3	84	12	144
4	4SNYS	02220	1.4	84	12	144
4-2	4-2SNYS	02294	1.4	84	12	144
4-1/2	4-1/2-SW	02304	1.5	84	12	144
5	5SW	02327	1.8	84	12	144
6	6SW	02352	2.2	84	12	144
7	7SW	02368	2.3	84	12	144

NOTE: For Regular (54) Series Carded Hooks, wire diameter = .054" (1.4 mm).

For extra pin material see pages 17-19.

### 316L STAINLESS - WITHOUT PINS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
2SP	2SPSS	02172	1.2	84	12	144
2	2SS	02159	1.2	84	12	144
3-1	3-1SS	02397	1.3	84	12	144
3	3SS	02187	1.3	84	12	144
4	4SS	02221	1.4	84	12	144
4-1/2	4-1/2SS	02305	1.5	84	12	144
5	5SS	02328	1.8	84	12	144
6	6SS	02353	2.2	84	12	144
7	7SS	02370	2.3	84	12	144

### BRONZE - WITHOUT PINS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
2SP	2SPB	02175	1.2	84	12	144
2	2B	02164	1.2	84	12	144
3	3B	02193	1.3	84	12	144
4	4B	02227	1.4	84	12	144

### MONEL<sup>®</sup> - WITHOUT PINS - 12" LENGTHS

HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
2SP	2SPM	02174	1.2	84	12	144
2	2M	02163	1.2	84	12	144
3	3M	02191	1.3	84	12	144
4	4M	02225	1.4	84	12	144
4-1/2	4-1/2M	02310	1.5	84	12	144



# Clipper® Point-of-Purchase Baler Hooks



## POINT-OF-PURCHASE FASTENERS\*

BELT WIDTH	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	PINS PER BOX	MIN. ORDER QTY.
<b>#4½ RECTANGULAR HIGH TENSILE</b>							
4"	4-1/2RHTX(26)W-8	01831	1.1	26	8	4	50
6½"	4-1/2RHTX(41)W-4	01846	1.1	41	4	2	50
7"	4-1/2RHTX(45)W-4	01847	1.1	45	4	2	50
<b>#4½ - 3 POINT RECTANGULAR HIGH TENSILE</b>							
7"	4-1/2-3RHTX(45)W-4	01848	1.1	45	4	2	50
<b>#4½ - 4 POINT RECTANGULAR HIGH TENSILE</b>							
6½"	4-1/2-4RHTX(42)W-4	01849	1.1	42	4	2	50
<b>#3 - 4½ GALVANIZED</b>							
4"	3-4-1/2G(26)W-8	01853	1.1	26	8	4	50
6½"	3-4-1/2G(42)W-4	01854	1.1	42	4	2	50
10"	3-4-1/2G(67)-10POP	02209	1.3	67	10	0	25

For extra pin material see pages 17-19.

\* NOTE: Point-of-Purchase Baler hooks are made to order (shaded) and have a three week lead time. Boxes include pre-cut Duralink™ Pins as indicated.

**Stock Items** (non-shaded) standard lead time is 3 working days.

**Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.


### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Clipper® 1 (40) Series Carded Hooks

## FASTENERS

### GALVANIZED - 6" LENGTHS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
	<b>WITHOUT PINS</b>							
	1XSP (1D)	1XSPG6	02118	0.6	50	24	144	
	1SP (1A)	1SPG6	02267	0.6	50	24	144	
	1	1G6	02072	0.6	50	24	144	
	1LLXSP(1DLL)	1LLXSPG6	02119	0.6	50	24	144	
	1LLSP (1ALL)	1LLSPG6	02268	0.6	50	24	144	
	1LL	1LLG6	02073	0.6	50	24	144	
	<b>WITH PINS</b>							
	1XSP (1D)	1XSPG6NY	02120	0.6	50	24	144	
1SP (1A)	1SPG6NY	02269	0.6	50	24	144		
1	1G6NY	02075	0.6	50	24	144		
1LL	1LLG6NY	02076	0.6	50	24	144		

NOTE: For 1 (40) Series Carded Hooks, wire diameter = .040" (1.0 mm).

For extra pin material see pages 17-19.

### GALVANIZED - 12" LENGTHS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
	<b>WITHOUT PINS</b>							
	1XSP (1D)	1XSPG12	02139	0.6	96	12	144	
	1SP (1A)	1SPG12	02283	0.6	96	12	144	
	1	1G12	02100	0.6	96	12	144	
	1LLXSP (1DLL)	1LLXSPG12	02140	0.6	96	12	144	
	1LLSP (1ALL)	1LLSPG12	02284	0.6	96	12	144	
	1LL	1LLG12	02101	0.6	96	12	144	
	<b>WITH PINS</b>							
	1XSP (1D)	1XSPG12NY	02141	0.6	96	12	144	
1SP (1A)	1SPG12NY	02285	0.6	96	12	144		
1	1G12NY	02102	0.6	96	12	144		
1LL	1LLG12NY	02103	0.6	96	12	144		

### HIGH TENSILE - WITHOUT PINS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
	<b>6" LENGTHS</b>							
	1XSP (1D)	1XSPHT6	02133	0.6	50	24	144	
	1SP (1A)	1SPHT6	02278	0.6	50	24	144	
	1	1HT6	02089	0.6	50	24	144	
	1LL	1LLHT6	02090	0.6	50	24	144	
	<b>12" LENGTHS</b>							
	1XSP (1D)	1XSPHT12	02149	0.6	96	12	144	
	1SP (1A)	1SPHT12	02113	0.6	96	12	144	
	1	1HT12	02242	0.6	96	12	144	
1LLXSP (1DLL)	1LLXSPHT12	02150	0.6	96	12	144		
1LLSP (1ALL)	1LLSPHT12	02114	0.6	96	12	144		
1LL	1LLHT12	02243	0.6	96	12	144		

# Clipper® 1 (40) Series Carded Hooks



## FASTENERS

### 430 STAINLESS - 6" LENGTHS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
	<b>WITHOUT PINS</b>							
	1XSP (1D)	1XSPS6	02126	0.6	50	24	144	
	1SP (1A)	1SPS6	02272	0.6	50	24	144	
	1	1S6	02079	0.6	50	24	144	
	1LL	1LLS6	02080	0.6	50	24	144	
	<b>WITH PINS</b>							
	1XSP (1D)	1XSPS6NYS	02128	0.6	50	24	144	
	1SP (1A)	1SPS6NYS	02274	0.6	50	24	144	
	1	1S6NYS	02081	0.6	50	24	144	
1LL	1LLS6NYS	02082	0.6	50	24	144		

NOTE: For 1 (40) Series Carded Hooks wire diameter = .040" (1.0 mm).


For extra pin material see pages 17-19.


### 430 STAINLESS - 12" LENGTHS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
	<b>WITHOUT PINS</b>							
	1XSP (1D)	1XSPS12	02143	0.6	96	12	144	
	1SP (1A)	1SPS12	02287	0.6	96	12	144	
	1	1S12	02104	0.6	96	12	144	
	1LLXSP (1DLL)	1LLXSPS12	02144	0.6	96	12	144	
	1LLSP (1ALL)	1LLSPS12	02288	0.6	96	12	144	
	1LL	1LLS12	02105	0.6	96	12	144	
	<b>WITH PINS</b>							
	1XSP (1D)	1XSPS12NYS	02145	0.6	96	12	144	
1SP (1A)	1SPS12NYS	02289	0.6	96	12	144		
1	1S12NYS	02106	0.6	96	12	144		


### 316L STAINLESS - WITHOUT PINS

1 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX	
	<b>6" LENGTHS</b>							
	1XSP (1D)	1XSPSS6	02130	0.6	50	24	144	
	1SP (1A)	1SPSS6	02275	0.6	50	24	144	
	1	1SS6	02083	0.6	50	24	144	
	1LL	1LLSS6	02084	0.6	50	24	144	
	<b>12" LENGTHS</b>							
	1XSP (1D)	1XSPSS12	02146	0.6	96	12	144	
	1SP (1A)	1SPSS12	02110	0.6	96	12	144	
	1	1SS12	02239	0.6	96	12	144	
1LLXSP (1DLL)	1LLXSPSS12	02147	0.6	96	12	144		
1LLSP (1ALL)	1LLSPSS12	02111	0.6	96	12	144		
1LL	1LLSS12	02240	0.6	96	12	144		

 **Stock Items** (non-shaded) standard lead time is 3 working days.

 **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.



# Clipper® 36, 30, & AP Series Hooks

## FASTENERS

### 316L STAINLESS - WITHOUT PINS - 12" LENGTHS

36	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	36SP	36SPSS	02382	0.8	120	12	144
	36LLSP	36LLSPSS	02383	1.0	120	12	144
	36	36SS	02378	0.8	120	12	144
	36LL	36LLSS	02379	0.8	120	12	144
	36LLLP	36LLLPSS	02386	0.8	120	12	144

**NOTE: For 36 Series Hooks**  
wire diameter = .036" x .027"  
(0.9 mm x 0.7 mm).

**For 30 Series Hooks**  
wire diameter = .030" (0.8 mm).

**For AP Series Hooks,**  
wire diameter = .047" (1.2 mm).

For extra pin material see pages 17-19.

### HASTELLOY - WITHOUT PINS - 12" LENGTHS

36	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	36SP	36SPH	02384	0.8	120	12	144
	36LLSP	36LLSPH	02385	1.0	120	12	144
	36	36H	02380	0.8	120	12	144
	36LL	36LLH	02381	1.0	120	12	144

### 316L STAINLESS – WITHOUT HINGE PINS – 12" LENGTHS

30	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	30SS	18180	1.0	120	24	288
	30PSS	18181	1.0	120	24	288
	30LSS	18182	1.2	120	24	288
	30LPSS	18183	1.3	120	24	288

### AP CARDED HOOKS LOW PROFILE 316 STAINLESS – WITHOUT HINGE PINS – 12" LENGTHS

4-6	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	4APSS	18904	1.4	84	12	144
	5APSS	18905	1.5	84	12	144
	6APSS	18906	1.8	84	12	144
	6APPSS	18907	1.9	84	12	144

#### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel



# Clipper® 25 Series Hooks



## FASTENERS

### GALVANIZED - 6" LENGTHS

25 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS</b>						
	25	25G6	01746	0.8	85	48	288
	25LP	25LPG6	01985	0.8	85	48	288
	25LL	25LLG6	01748	0.8	85	24	144
	<b>WITH PINS</b>						
	25	25G6NY	01752	0.8	85	48	288
	25LP	25LPG6NY	01987	0.8	85	48	288
	25LL	25LLG6NY	01754	0.8	85	24	144

NOTE: For 25 Series Hooks, wire diameter = .025" (.64 mm).

For extra pin material see pages 17-19.

### GALVANIZED - 12" LENGTHS

25 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS - 12 Cards/Box</b>						
	25	25G12	01810	0.8	179	12	144
	25LP	25LPG12	02006	0.8	179	12	144
	25LL	25LLG12	01811	1.1	179	12	144
	<b>WITH PINS - 12 Cards/Box</b>						
	25	25G12NY	01813	0.8	179	12	144
	25LP	25LPG12NY	02008	0.8	179	12	144
	25LL	25LLG12NY	01814	1.1	179	12	144

### 316L STAINLESS - 6" LENGTHS


25 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS</b>						
	25	25SS6	01764	0.8	85	48	288
	25LP	25LPSS6	01990	0.8	85	48	288
	25LL	25LLSS6	01766	0.8	85	24	144
	<b>WITH PINS</b>						
	25	25SS6NYS	01772	0.8	85	48	288
	25LP	25LPSS6NYS	01993	0.8	85	48	288
	25LL	25LLSS6NYS	01774	0.8	85	24	144


### 316L STAINLESS - 12" LENGTHS

25 SERIES	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	<b>WITHOUT PINS - 12 Cards/Box</b>						
	25	25SS12	01817	0.8	179	12	144
	25LP	25LPSS12	02010	0.8	179	12	144
	25LL	25LLSS12	01818	0.8	179	12	144
	<b>WITH PINS - 12 Cards/Box</b>						
	25	25SS12NYS	01821	0.8	179	12	144
	25LP	25LPSS12NYS	02012	0.8	179	12	144

#### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel

 **Stock Items** (non-shaded) standard lead time is 3 working days.


 **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Clipper® 25 Series Hooks

## PRECUT #25 HOOKS (with Pins)

### GALVANIZED- WITH NYLOSTEEL PINS

25 SERIES	BELT WIDTH		ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	in.	mm.						
	5/8	16	25G5/8NY	01841	0.3	7 & 8	200	125
	3/4	19	25G3/4NY	01859	0.3	8 & 9	200	150
	7/8	22.5	25G7/8NY	01864	0.4	10 & 11	200	175
	1	25.5	25G1NY	01871	0.5	12 & 13	200	200
	1-1/4	32	25G1-1/4NY	01884	0.6	15 & 16	200	250
	1-1/2	38.5	25G1-1/2NY	01891	0.7	19 & 20	200	300
	1-3/4	44.5	25G1-3/4NY	01911	0.8	22 & 23	200	350
	1-7/8	48	25G1-7/8NY	01917	0.9	24 & 25	200	375
	2	51	25G2NY	01926	0.9	26 & 27	200	400
	2-1/4	57.5	25G2-1/4NY	01939	1.1	30 & 31	200	450
	2-1/2	63.5	25G2-1/2NY	01946	1.1	33 & 34	200	500
	2-3/4	70	25G2-3/4NY	01954	1.3	37 & 38	200	550
	3	76.5	25G3NY	01963	1.4	39 & 40	200	600
	3-1/4	83	25G3-1/4NY	01828	0.8	42 & 43	100	325
	3-1/2	89	25G3-1/2NY	01786	0.8	46 & 47	100	350
	4	102	25G4NY	01732	1.0	54 & 55	100	400
	4-1/2	115	25G4-1/2NY	01798	1.2	61 & 62	100	450

NOTE: #25 Hooks are available with Long Point. Contact Customer Service for information.


For extra pin material see pages 17-19.


### 316L STAINLESS STEEL- WITH NYLOSTAINLESS PINS

25 SERIES	BELT WIDTH		ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER CARD	CARDS PER BOX	LACING INCHES PER BOX
	in.	mm.						
	5/8	16	25SS5/8NYS	01845	0.3	7 & 8	200	125
	3/4	19	25SS3/4NYS	01861	0.3	8 & 9	200	150
	1	25.5	25SS1NYS	01879	0.5	12 & 13	200	200
	1-1/4	32	25SS1-1/4NYS	01887	0.6	15 & 16	200	250
	1-1/2	38.5	25SS1-1/2NYS	01898	0.7	19 & 20	200	300
	1-7/8	48	25SS1-7/8NYS	01920	0.9	24 & 25	200	375
	2	51	25SS2NYS	01933	0.9	26 & 27	200	400
	2-1/4	57.5	25SS2-1/4NYS	01941	1.1	30 & 31	200	450
	2-1/2	63.5	25SS2-1/2NYS	01949	1.1	33 & 34	200	500
	2-3/4	70	25SS2-3/4NYS	01958	1.3	37 & 38	200	550
	3	76.5	25SS3NYS	01970	1.4	39 & 40	200	600
	3-1/2	89	25SS3-1/2NYS	01793	0.8	46 & 47	100	350
	4	102	25SS4NYS	01744	1.0	54 & 55	100	400

#### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel

 **Stock Items** (non-shaded) standard lead time is 3 working days.

 **Made To Order Items** (shaded) extended lead time, minimum order may apply.


**Special Metals** and **Special Length** Cards are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Clipper® Unibar® Hooks



## 430 STAINLESS - WITHOUT PINS


UX-1, U2SP-U7	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX	
	<b>6" STRIPS - 24 STRIPS PER BOX</b>							
	UX-1SP	UX1SPS6	01183	0.7	44	24	144	
	UX-1	UX1S6	01178	0.7	44	24	144	
	U3-1	U3-1S6	01143	1.3	38	24	144	
	U3-2	U3-2S6	01230	1.3	38	24	144	
	U3	U3S6	01254	1.3	38	24	144	
	<b>12" STRIPS - 12 STRIPS PER BOX</b>							
	UX-1SP	UX1SPS12	01184	0.7	96	12	144	
	UX-1	UX1S12	01179	0.8	96	12	144	
UX-1LLSP	UX1LLSPS12	01338	1.0	96	12	144		
UX-1LL	UX1LLS12	01336	1.0	96	12	144		
U2SP	U2SPS12	18851	1.2	84	12	144		
U2	U2S12	18400	1.2	84	12	144		
U3	U3S12	01255	1.3	84	12	144		
U3RHTS	U3RHTS12	05340	1.3	84	12	144		
U3-1	U3-1S12	01144	1.3	84	12	144		
U3-1RHTS	U3-1RHTS12	05338	1.3	84	12	144		
U3-2	U3-2S12	01231	1.3	84	12	144		
U3-2RHTS	U3-2RHTS12	05339	1.3	84	12	144		
U4	U4S12	01283	1.7	84	12	144		
U5	U5S12	01305	1.8	84	12	144		
U6	U6S12	18404	1.9	84	12	144		
U7	U7S12	01294	2.0	84	12	144		
<b>24" STRIPS - 10 STRIPS PER BOX</b>								
UX-1SP	UX1SPS24	01355	1.3	188	10	240		
UX-1	UX1S24	01356	1.3	188	10	240		
UX-1LLSP	UX1LLSPS24	01359	1.4	188	10	240		
UX-1LL	UX1LLS24	01360	1.4	188	10	240		
U2SP	U2SPS24	18854	2.0	162	10	240		
U2	U2S24	18477	2.0	162	10	240		
U3-1	U3-1S24	01363	2.2	162	10	240		
U3-1RHTS	U3-1RHTS24	05341	1.3	162	10	240		
U3-2	U3-2S24	01361	2.2	162	10	240		
U3-2RHTS	U3-2RHTS24	05342	1.3	162	10	240		
U3	U3S24	18478	2.2	162	10	240		
U3RHTS	U3RHTS24	05343	1.3	162	10	240		
U4	U4S24	18479	2.5	162	10	240		
U5	U5S24	01351	2.8	162	10	240		

## COATED STEEL™ - WITHOUT PINS

U1-U5	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX	
	<b>6" STRIPS - 24 STRIPS PER BOX</b>							
	U3-1	U3-1C6	01137	1.3	38	24	144	
	U3-2	U3-2C6	01125	1.3	38	24	144	
	U3	U3C6	01250	1.3	38	24	144	
	<b>12" STRIPS - 12 STRIPS PER BOX</b>							
	U2SP	U2SPC12	18850	1.2	84	12	144	
	U2	U2C12	18370	1.2	84	12	144	
	U3-1	U3-1C12	01138	1.3	84	12	144	
	U3-2	U3-2C12	01126	1.4	84	12	144	
U3	U3C12	01251	1.3	84	12	144		
U4	U4C12	01279	1.7	84	12	144		
U5	U5C12	01301	1.8	84	12	144		
U6	U6C12	18374	1.9	84	12	144		
<b>24" STRIPS - 10 STRIPS PER BOX</b>								
U2	U2C24	18453	2.0	162	10	240		
U3-1	U3-1C24	01364	2.2	162	10	240		
U3-2	U3-2C24	01362	2.2	162	10	240		
U3	U3C24	18454	2.2	162	10	240		
U4	U4C24	18455	2.5	162	10	240		
U5	U5C24	01352	2.8	162	10	240		

## STAINLESS RECTANGULAR HIGH TENSILE - WITHOUT PINS

U3	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX	
	<b>12" STRIPS - 12 STRIPS PER BOX</b>							
	U3-1	U3-1RHTS12	05338	1.3	84	12	144	
	U3-2	U3-2RHTS12	05339	1.4	84	12	144	
	U3	U3-RHTS12	05340	1.3	84	12	144	
	<b>24" STRIPS - 10 STRIPS PER BOX</b>							
	U3-1	U3-1RHTS24	05341	2.2	162	10	240	
	U3-2	U3-2RHTS24	05342	2.2	162	10	240	
	U3	U3-RHTS24	05343	2.2	162	10	240	



**NOTE:** For U2SP-U7 Hooks, wire diameter = .054" (1.4 mm).  
 For UX1 Hooks, wire diameter = .040" (1.0 mm).  
 For UCM-36 Hooks, wire diameter = .036" x .027" (0.9 mm x 0.7 mm).

### HOOK SIZE EXPLANATION:


- U3-1 = #3 Leg with #1 point
- U3-2 = #3 Leg with #2 point
- U2 = #2 Leg with #2 point

For extra pin material see pages 17-19.

Call Toll Free: 1-866-711-4673  
 International: +1-727-342-5086

**GOODYEAR**  
 GOODYEARBELTING.COM

**We Ship  
 World Wide**



# Clipper® Unibar® Hooks

## 316L STAINLESS - WITHOUT PINS

For extra pin material see pages 17-19.

UCM36, UX-1, U2-U5	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX	
	<b>6" STRIPS - 24 STRIPS PER BOX</b>							
	UX-1SP	UX1SPSS6	01193	0.7	44	24	144	
	UX-1	UX1SS6	01188	0.8	44	24	144	
	<b>12" STRIPS - 12 STRIPS PER BOX</b>							
	UCM36 SLXSP	UCM36SLXSPSS12	01315	0.8	120	12	144	
	UCM36 SLSP	UCM36SLSPSS12	01313	0.8	120	12	144	
	UCM36 XSP	UCM36XSPSS12	01312	0.8	120	12	144	
	UCM36 SP	UCM36SPSS12	01314	0.8	120	12	144	
	UCM36	UCM36SS12	01309	1.0	120	12	144	
UCM36LP	UCM36LPSS12	01317	0.9	120	12	144		
UCM36LLSP	UCM36LLSPSS12	01318	0.9	120	12	144		
UCM36LL	UCM36LLSS12	01308	1.0	120	12	144		
UX-1SP	UX1SPSS12	01194	0.7	96	12	144		
UX-1	UX1SS12	01189	0.8	96	12	144		
UX-1LLSP	UX1LLSPSS12	01342	1.0	96	12	144		
UX-1LL	UX1LLSS12	01340	1.0	96	12	144		
UA2	UA2SS12	01292	1.1	120	12	144		
UA3	UA3SS12	01293	1.1	120	12	144		
U2	U2SS12	18427	1.2	84	12	144		
U3	U3SS12	01258	1.6	84	12	144		
U4	U4SS12	18429	1.8	84	12	144		
U5	U5SS12	18430	1.8	84	12	144		
<b>24" STRIPS - 10 STRIPS PER BOX</b>								
UX-1SP	UX1SPSS24	01354	1.0	188	10	240		
UX-1	UX1SS24	01353	0.8	188	10	240		
UX-1LLSP	UX1LLSPSS24	01358	1.0	188	10	240		
UX-1LL	UX1LLSS24	01357	1.0	188	10	240		
U2	U2SS24	18507	2.0	162	10	240		
<b>24" STRIPS - 12 STRIPS PER BOX</b>								
UCM36 SLXSP	UCM36SLXSPSS24	01319	1.3	234	12	288		
UCM36 SLSP	UCM36SLSPSS24	01320	1.3	234	12	288		
UCM36 XSP	UCM36XSPSS24	01321	1.4	234	12	288		
UCM36 SP	UCM36SPSS24	01322	1.4	234	12	288		
UCM36	UCM36SS24	01323	1.4	234	12	288		
UCM36LP	UCM36LPSS24	01385	1.4	234	12	288		
UCM36LLSP	UCM36LLSPSS24	01324	1.6	234	12	288		
UCM36LL	UCM36LLSS24	01325	1.6	234	12	288		

## COATED STEEL™ - WITH PINS

U2-U6	HOOK SIZE	ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX	LACING INCHES PER BOX
	<b>12" STRIPS - 12 STRIPS PER BOX</b>						
U2	U2C12W	18540	1.2	84	12	144	
U3	U3C12W	18541	1.4	84	12	144	
U4	U4C12W	18542	1.6	84	12	144	
U5	U5C12W	18543	1.9	84	12	144	
U6	U6C12W	18544	2.1	84	12	144	

### CLIPPER® ORDERING NUMBER REFERENCE

XSP	Extra Short Point
SP	Short Point
LP	Long Point
XLP	Extra Long Point
LL	Long Leg
SL	Short Leg
G	Galvanized
HT	High Tensile
RHTX	Rectangular Wire
S	430 Stainless Steel
SS	316 Stainless Steel

□ **Stock Items** (non-shaded) standard lead time is 3 working days.

▒ **Made To Order Items** (shaded) extended lead time, minimum order may apply.

**Special Metals** and **Special Length** Cards are available.  
Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Clipper<sup>®</sup> Connecting Pins




## CONNECTING PIN SPECIFICATIONS

Pin Diameter	.065" (1/16") 1.7 mm (previously #25)	.093" (3/32") 2.4 mm (previously #13)	.109" (7/64") 2.8 mm (previously #12)	.125" (1/8") 3.2 mm (previously #11)	.156" (5/32") 4.0 mm (previously #9)
Clipper <sup>®</sup> Hook Size	25's, 36's, 1's, UCM36's, UX-1's	2, 3, U2SP, U2 U3-1, U3-2, U3	4 & U4	4 ½, 5, U5	6, 7, U6 & U7

Connecting Pin Types	Abbreviation	Pin Wear Factor	Hook Wear Factor	Rigidity	Magnetic	Flexibility	Composition
Nylosteel	NY	Good	Good	Good	Yes	Good	Nylon & music wire
Nylostainless	NYS	Good	Good	Good	Slightly	Good	Nylon & 300SS spring wire
Nylon Covered Cable	NCS	Good	Good	Average	Slightly	Good	Nylon & 300SS cable
Music Wire	MW	Good	Poor	Excellent	Yes	Poor	High-carbon spring-tempered steel
Cold-Rolled Steel	Smooth - SM Notched - N	Average	Fair	Excellent	Yes	Fair to Poor	Mild cold-rolled steel
Stainless Steel	Smooth - SMS Notched - NS	Average	Fair	Excellent	Slightly	Fair to Poor	302 or 300 stainless steel
Duralink™	DL	Excellent	Excellent	Average	Slightly	Good	Wear-resistant nylon & 300SS cable
Bare Stainless Cable	SMSC	Average	Fair	Average	Slightly	Good	300SS cable
DuraStainless™	DSS	Excellent	Excellent	Good	Slightly	Good	Wear resistant nylon & 300SS spring wire
Nylon Plus	NP	Good	Excellent	Fair	No	Excellent	Nylon

## PINPAK™ 100



(100 ft. of connecting pin with dispenser)


PIN DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.	PIN DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.	PIN DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>NYLOSTEEL</b>				<b>NYLOSTAINLESS</b>				<b>NYLON COVERED CABLE</b>			
.053	NY053-C	18700	1.6	.053	NYS053-C	18701	1.6	.053			
.065	NY065-C	02598	1.6	.065	NYS065-C	02649	1.6	.065	NCS065-C	02751	1.7
.079	NY079-C	18720	1.8	.079	NYS079-C	18721	1.8	.079			
.093	NY093-C	02628	2.0	.093	NYS093-C	02670	2.0	.093	NCS093-C	02767	1.7
.109	NY109-C	02622	2.1	.109	NYS109-C	02664	2.1	.109			
.125	NY125-C	02614	2.2	.125	NYS125-C	02658	2.2	.125	NCS125-C	02762	3.0
.156	NY156-C	02607	2.5	.156	NYS156-C	02652	2.5	.156	NCS156-C	02756	3.3
<b>NYLON PLUS</b>				<b>DURALINK™</b>				<b>DURASTAINLESS™</b>			
.053	NP053-C	02863	1.6					.065	DSS065-C	02826	1.8
.065	NP065-C	02854	1.6	.065	DL065-C	02726	1.8				
.079	NP079-C	02872	1.8					.093	DSS093-C	02830	2.1
.093	NP093-C	02867	2.0	.093	DL093-C	02743	2.1				
.109	NP109-C	02861	2.1	.109	DL109-C	02737	2.2	.109	DSS109-C	02834	2.2
.125	NP125-C	02864	2.2	.125	DL125-C	02732	2.3				
.156	NP156-C	02873	2.5								



**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**




# Clipper® Connecting Pins

## NYLON COVERED LEADER ASSEMBLIES

PIN DIAMETER	ORDERING NUMBER	ITEM CODE	PIN LENGTH	LEADER LENGTH
<b>NYLON COVERED CABLE</b>				
.065	NCS065X10FT-W/10FT	05021	10	10
.065	NCS065X25FT-W/5FT	05022	25	5
.093	NCS093X5FT-W/5FT	05194	5	5
.093	NCS093X10FT-W/10FT	05023	10	10
.093	NCS093X15FT-W/2FT	05195	15	2
.093	NCS093X25FT-W/5FT	05024	25	5
.093	NCS093X25FT-W/10FT	05025	25	10
.093	NCS093X50FT-W/4FT	05196	50	4
<b>DURALINK™</b>				
.065	DL065X25FT-W/5FT	05193	25	5
.093	DL093X10FT-W/10FT	05020	10	10
.093	DL093X25FT-W/5FT	05019	25	5

Other sizes can be custom ordered.



## 12" PRE-CUT PINS

(24 pins per package)

PIN DIAMETER	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
<b>NYLOSTEEL</b>			<b>NYLOSTAINLESS</b>		<b>NYLON PLUS</b>	
.065	NY065-12	02592	NYS065-12	02644	NP065-12	02847
.093	NY093-12	02625	NYS093-12	02668	NP093-12	02865
.109	NY109-12	02619	NYS109-12	02662	NP109-12	02859
.125	NY125-12	02611	NYS125-12	02656	NP125-12	02833
.156	NY156-12	02600	NYS156-12	02650	NP156-12	02832

## CONNECTING PIN TOOLS

DESCRIPTION	ORDERING NUMBER	ITEM CODE
Pin and Cable Cutter	APC-1	50004
Pin and Cable Stripper	CABLE STRIPPER	03241

## .065" PRE-CUT PINS


BELT WIDTH in.	mm.	PINS/PACKAGE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
<b>NYLOSTEEL</b>				<b>NYLOSTAINLESS</b>		
5/8"	16	100			NYS065-5/8-100	02632
3/4"	19	100	NY065-3/4-100	02576		
7/8"	22.5	100	NY065-7/8-100	02574		
1"	25.5	100	NY065-1-100	02577	NYS065-1-100	02637
1 1/4"	32	100	NY065-1-1/4-100	02578	NYS065-1-1/4-100	02633
1 1/2"	38.5	100	NY065-1-1/2-100	02579	NYS065-1-1/2-100	02634
1 3/4"	44.5	100	NY065-1-3/4-100	02580		
1 7/8"	48	100	NY065-1-7/8-100	02581	NYS065-1-7/8-100	02635
2"	51	100	NY065-2-100	02582	NYS065-2-100	02638
2 1/4"	57.5	100	NY065-2-1/4-100	02583	NYS065-2-1/4-100	02639
2 1/2"	63.5	100	NY065-2-1/2-100	02584	NYS065-2-1/2-100	02640
2 3/4"	70	100	NY065-2-3/4-100	02585		
3"	76.5	100	NY065-3-100	02586	NYS065-3-100	02641
3 1/4"	83	50	NY065-3-1/4-50	02587	NYS065-3-1/4-50	02636
3 1/2"	87	50	NY065-3-1/2-50	02588		
4"	102	50	NY065-4-50	02589	NYS065-4-50	02642
4 1/2"	115	50	NY065-4-1/2-50	02590		
6"	152	24	NY065-6-24	02591	NYS065-6-24	02643

**Stock Items** (non-shaded) carried in factory inventory.  
 **Made To Order Items** (shaded) have added lead time.  
**Non-Listed Items** are available.  
 Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



## CONNECTING PINS IN COILS

(25 ft. minimum)

PIN DIAMETER	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
<b>NYLOSTEEL</b>			<b>NYLOSTAINLESS</b>		<b>NYLON COVERED CABLE</b>	
.053	NY053	02594	NYS053	02645	NCS065	02750
.065	NY065	02597	NYS065	02648		
.079	NY079	02595	NYS079	02646		
.093	NY093	02627	NYS093	02669	NCS093	02766
.109	NY109	02621	NYS109	02663	NCS125	02761
.125	NY125	02613	NYS125	02657	NCS156	02755
.156	NY156	02606	NYS156	02651		
<b>DURALINK™</b>			<b>DURASTAINLESS™</b>			
.065	DL065	02725	DSS065	02727		
.079	DL079	04316				
.093	DL093	02742	DSS093	02744		
.109	DL109	02736	DSS109	02738		
.125	DL125	02731				
<b>SMOOTH STEEL</b>			<b>NOTCHED STEEL</b>		<b>SMOOTH SS</b>	
.040					SMS040	02772
.054	SM054	02771	N054	02775	SMS054	02779
.093	SM093	02773	N093	02777	SMS093	02781
<b>NOTCHED SS</b>			<b>NYLON PLUS</b>		<b>BARE SS CABLE</b>	
.053/.054	NS054	02783	NP053	02868	SMSC065	02769
.065			NP065	02853		
.079			NP079	02869		
.093	NS093	02784	NP093	02866	SMSC093	02770
.109			NP109	02860		
.125			NP125	02870		
.156			NP156	02871		


**NOTE:** For coils less than 25 ft., call Flexco Customer Service.

### MUSIC WIRE

PIN DIAMETER	DESCRIPTION	ORDERING NUMBER	ITEM CODE
.043"	Per Foot	MW043	02787
.054"	Per Foot	MW054	02788
.072"	12 Foot Lengths	MW072	02789
.090"	12 Foot Lengths	MW090	02791
.090"	100 Foot Lengths	MW090-100	02790

### STRIPPED LEADERS

DESCRIPTION	ORDERING NUMBER	ITEM CODE
.093 x 123" Nylosteel with 63" Stripped Leader	NY093-123	02629
.093 x 246" Nylosteel with 63" Stripped Leader	NY093-246	02630
.093 x 100" Nylosteel with 63" Stripped Leader	NY093-100	02631
.093 x 123" DuraStainless™ with 63" Stripped Leader	DSS093-123	04093
.093 x 246" DuraStainless™ with 63" Stripped Leader	DSS093-246	04094



## How Clipper® G Series™ Lacing Works

Clipper® G Series™ Lacing is precision-stamped belt lacing from 316L stainless steel, ensuring a consistent 4.00 mm pitch over the entire length of the lace. The staggered leg geometry features four alternating point levels between the top and bottom of the lace which provides varying points of penetration versus

a continuous line, increasing the strength and durability of the splice.


G Series is machine-applied for consistent compression, resulting in a uniform and flat splice, even with belts that are prone to belt wave. Corrugated stainless steel connecting pins prevent migration during use.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>• Food Manufacturing</li> <li>• Agriculture Equipment</li> <li>• Package and Parts Handling</li> <li>• Filter Media</li> <li>• Slider Bed Systems</li> </ul>	<p>Clipper G Series Lacing can be installed with the Pro 600 or 6000 production lacers, Roller Lacer®, Roller Lacer® Gold Class™, or with a Clipper® Microlacer®.</p>	<ul style="list-style-type: none"> <li>• G Series Lacing</li> <li>• Connecting Pin</li> <li>• Installation Tool</li> <li>• G Series Face Strip or Comb</li> </ul>
How to Specify the Correct G Series™ Lacing	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>1. Measure your Belt Thickness.</li> <li>2. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>3. Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Stainless Steel.</b> Type 316 Stainless Steel offers more resistance than galvanized steel to abrasion, acids, chemicals, rusting, and magnetic attraction.</p>	<p><b>CSSP Corrugated Stainless Steel</b> - for all sizes of G Series belt lacing.</p>

### Fastener and Pin Size Selection Chart

Minimum Pulley Diameter	Material Thickness		Connecting Pin Size		Belt Thickness				
	in.	mm	in.	mm	.059" (1.5 mm)	.078" (2.0 mm)	.098" (2.5 mm)	.118" (3.0 mm)	.138" (3.5 mm)
1.6" (40 mm)	.019	.50	.047	1.20	G005A				
	.029	.75	.055	1.40		G005			
2.0" (50 mm)	.019	.50	.047	1.20		G006A			
	.029	.75	.055	1.40			G006		






## LACING


### AISI 316 STAINLESS LACING WITH PINS

	SIZE	ORDERING NUMBER	ITEM CODE	WT. PER BOX LBS.	STRIPS PER BOX	STRIP LENGTH	
						in.	mm
						<b>G005, G006</b>	G005A
G005A-SS-600W-8/BX	05493	0.97	8	24"	600		
G005A-SS-900W-8/BX	05494	1.46	8	36"	900		
G005A-SS-1200W-8/BX	05495	1.94	8	48"	1200		
G005A-SS-1500W-8/BX	05496	2.34	8	60"	1500		
G005	G005-SS-300W-12/BX	05497	0.71	12	12"		300
	G005-SS-600W-8/BX	05498	1.15	8	24"		600
	G005-SS-900W-8/BX	05499	1.74	8	36"		900
	G005-SS-1200W-8/BX	05500	2.34	8	48"		1200
	G005-SS-1500W-8/BX	05501	2.82	8	60"		1500
G006A	G006A-SS-300W-12/BX	05502	0.71	12	12"		300
	G006A-SS-600W-8/BX	05503	0.93	8	24"		600
	G006A-SS-900W-8/BX	05504	1.41	8	36"		900
	G006A-SS-1200W-8/BX	05505	1.90	8	48"		1200
	G006A-SS-1500W-8/BX	05506	2.43	8	60"		1500
G006	G006-SS-300W-12/BX	05507	0.93	12	12"	300	
	G006-SS-600W-8/BX	05508	1.23	8	24"	600	
	G006-SS-900W-8/BX	05509	1.83	8	36"	900	
	G006-SS-1200W-8/BX	05510	2.43	8	48"	1200	
	G006-SS-1500W-8/BX	05511	2.99	8	60"	1500	


### CONNECTING PIN IN 30M COIL CORRUGATED STAINLESS STEEL CABLE

PIN DIAMETER (MM)	ORDERING NUMBER	ITEM CODE	WEIGHT (LBS.)
1.4	CSSP1.4X30M	04373	1.0

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.  
Request quote for price and delivery.



# Clipper® Maintenance Lacers

## ROLLER LACER® GOLD CLASS™

(Face strips sold separately)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
24"	600	RL-G24	03985	50.0
36"	900	RL-G36	03986	58.0
48"	1200	RL-G48	03987	66.0
60"	1500	RL-G60	03988	74.0

**NOTE:** Includes carding paper remover and scissors.

### CLIPPER® FACE STRIPS

**ROLLER LACER® GOLD CLASS™** (Includes one Lacer Pin)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>HOOK SIZE 36, UCM 36</b>				
24"	600	FSGOLD36-24	04038	4.3
36"	900	FSGOLD36-36	04039	5.4
48"	1200	FSGOLD36-48	04040	6.4
60"	1500	FSGOLD36-60	04041	7.6
<b>HOOK SIZE 1, UX-1</b>				
24"	600	FSGOLD1-24	04034	4.3
36"	900	FSGOLD1-36	04035	5.4
48"	1200	FSGOLD1-48	04036	6.4
60"	1500	FSGOLD1-60	04037	7.6
<b>HOOK SIZE 2-4, U2SP- U3</b>				
24"	600	FSGOLD2-24	04042	4.3
36"	900	FSGOLD2-36	04043	5.4
48"	1200	FSGOLD2-48	04044	6.4
60"	1500	FSGOLD2-60	04045	7.6
<b>HOOK SIZE 4-1/2-7, U4-U7</b>				
24"	600	FSGOLD4-1/2-24	04046	4.3
36"	900	FSGOLD4-1/2-36	04047	5.4
48"	1200	FSGOLD4-1/2-48	04048	6.4
60"	1500	FSGOLD4-1/2-60	04049	7.6

### G SERIES™ FACE STRIPS

**ROLLER LACER® GOLD CLASS™** (Includes one Lacer Pin)

HOOK SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
G005(A) - G006(A)	24"	600	FSGOLDG-601	04363	1.02
	36"	900	FSGOLDG-901	04364	1.28
	48"	1200	FSGOLDG-1201	04365	1.4
	60"	1500	FSGOLDG-1501	04366	1.65

### G SERIES™ REPLACEMENT LACER PINS

**ROLLER LACER® GOLD CLASS™**


HOOK SIZE	ORDERING NUMBER	ROLLER LACER GOLD CLASS	ITEM CODE	WT. LBS.
G005(A) - G006(A)	LPG-901-1.6	RL-G24	04370	0.5
	LPG-1201-1.6	RL-G36	04371	0.6
	LPG-1501-1.6	RL-G48	04372	0.7
	LPG-1801-1.6	RL-G60	04419	0.8


### CLIPPER® REPLACEMENT LACER PINS

**ROLLER LACER® GOLD CLASS™**

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>HOOK SIZE 1, 36, or 30</b>				
24"	600	LPGOLD1/36-24	04006	0.4
36"	900	LPGOLD1/36-36	04007	0.5
48"	1200	LPGOLD1/36-48	04008	0.6
60"	1500	LPGOLD1/36-60	04009	0.7
<b>HOOK SIZE 2-4, 4-1/2-7</b>				
24"	600	LPGOLDREG-24	04010	0.4
36"	900	LPGOLDREG-36	04011	0.5
48"	1200	LPGOLDREG-48	04012	0.6
60"	1500	LPGOLDREG-60	04013	0.7

**NOTE:** For repair parts see page 23.

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.

Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Clipper® Maintenance Lacers




## MANUAL ROLLER LACER®

(Face strips sold separately)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
24"	600	RL-24	03370	38.0
36"	900	RL-36	03371	47.0
48"	1200	RL-48	03372	55.0
60"	1500	RL-60	03375	63.0

**NOTE:** Includes carding paper remover and scissors.



### CLIPPER® FACE STRIPS

MANUAL ROLLER LACER® (Includes one Lacer Pin)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>HOOK SIZE 30</b>				
24"	600	FSMAN30-24	04064	1.3
36"	900	FSMAN30-36	04065	1.6
48"	1200	FSMAN30-48	04066	2.1
60"	1500	FSMAN30-60	04067	2.6
<b>HOOK SIZE 36, UCM36</b>				
24"	600	FSMAN36-24	04020	1.3
36"	900	FSMAN36-36	04021	1.6
48"	1200	FSMAN36-48	04022	2.1
60"	1500	FSMAN36-60	04023	2.6
<b>HOOK SIZE 1, UX-1</b>				
24"	600	FSMAN1-24	04015	1.3
36"	900	FSMAN1-36	04016	1.6
48"	1200	FSMAN1-48	04017	2.1
60"	1500	FSMAN1-60	04018	2.6
<b>HOOK SIZE 2 – 4, U2SP – U3</b>				
24"	600	FSMAN2-24	04025	1.3
36"	900	FSMAN2-36	04026	1.6
48"	1200	FSMAN2-48	04027	2.1
60"	1500	FSMAN2-60	04028	2.6
<b>HOOK SIZE 4-1/2 – 7, U4 – U7</b>				
24"	600	FSMAN4-1/2-24	04030	1.3
36"	900	FSMAN4-1/2-36	04031	1.6
48"	1200	FSMAN4-1/2-48	04032	2.1
60"	1500	FSMAN4-1/2-60	04033	2.6

### CLIPPER® REPLACEMENT LACER PINS

MANUAL ROLLER LACER®

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>HOOK SIZE 1, 36, or 30</b>				
24"	600	LPMAN1/36-24	03997	0.4
36"	900	LPMAN1/36-36	03998	0.5
48"	1200	LPMAN1/36-48	03999	0.6
60"	1500	LPMAN1/36-60	04000	0.7
<b>HOOK SIZE 2 – 4, 4-1/2 – 7</b>				
24"	600	LPMANREG-24	04002	0.4
36"	900	LPMANREG-36	04003	0.5
48"	1200	LPMANREG-48	04004	0.6
60"	1500	LPMANREG-60	04005	0.7

### G SERIES™ FACE STRIPS

MANUAL ROLLER LACER® (Includes one Lacer Pin)

HOOK SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
G005(A) - G006(A)	24"	600	FSMANG-601	04359	1.02
	36"	900	FSMANG-901	04360	1.28
	48"	1200	FSMANG-1201	04361	1.40
	60"	1500	FSMANG-1501	04362	1.65

### G SERIES™ REPLACEMENT LACER PINS

ROLLER LACER® GOLD CLASS™

HOOK SIZE	ORDERING NUMBER	MANUAL ROLLER LACER	ITEM CODE	WT. LBS.
G005(A) - G006(A)	LPG-601-1.6	RL-24	04369	0.4
	LPG-901-1.6	RL-36	04370	0.5
	LPG-1201-1.6	RL-48	04371	0.6
	LPG-1501-1.6	RL-60	04372	0.7

### COMMON REPAIR PARTS


ROLLER LACER® GOLD CLASS™ & MANUAL ROLLER LACER®

DESCRIPTION/ORDERING NUMBER	ITEM CODE	WT. LBS.
Guide Block Replacement Kit For Serial Number 3,500 – 50,000	03433	1.00
Guide Block Replacement Kit For Serial Number greater than 50,000	03897	1.00
Face Strip Knobs	03817	.50
Urethane Strip – Priced Per Foot	03274	.50
Carrying Strap – Large For 48" and 60" Roller Lacers	04051	1.0
Carrying Strap – Small For 24" and 36" Roller Lacers	04052	1.0
Nut Driver for Roller Lacer Gold Class	04068	1.0

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**




# Clipper® Maintenance Lacers

## MICROLACER®

(Face strips sold separately)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
14"	350	MICROLACER	03368	27.0

**NOTE:** Includes carding paper remover and scissors.



## CLIPPER® FACE STRIPS

(Includes one Lacer Pin)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
30	FSMAN30-MICRO	04063	2.3
36, UCM36	FSMAN36-MICRO	04019	2.3
1, UX-1	FSMAN1-MICRO	04014	2.3
2-4, U2-U3,	FSMAN2-MICRO	04024	2.3
4-1/2-7, U4-U7	FSMAN4-1/2-MICRO	04029	2.3

## CLIPPER® REPLACEMENT LACER PINS

HOOK SIZE	ORDERING NUMBER	ITEM CODE	PIN DIA.
1/36	LPMAN1/36-MICRO	03996	0.67
2-7	LPMANREG-MICRO	04001	0.106

## COMMON REPAIR PARTS

DESCRIPTION/ORDERING NUMBER	ITEM CODE	WT. LBS.
Guide Block Replacement Kit For Serial Number 3,500 – 50,000	03433	1.00
Guide Block Replacement Kit For Serial Number greater than 50,000	03897	1.00
Face Strip Knobs	03817	.50
Urethane Strip – Priced Per Foot	03274	.10

## G SERIES™ FACE STRIP

MICROLACER® (Includes one Lacer Pin)

HOOK SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
G005(A) - G006(A)	14"	350	FSMANG-351-MICRO	04358	0.5

## G SERIES™ REPLACEMENT LACER PINS

MICROLACER®

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
G005(A) - G006(A)	LPG-351-1.6	04368	0.2

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.

Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Clipper® Specialty Lacers




## LW95 LACERS

(Laces all Clipper Hooks. Laces up to 6" in one operation. Includes Lacing Assembly Kit)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.	RETAINER INCLUDED
2-7, U2-U7	LW95	03074	31.0	HRREGLW95
1, UX-1	1LW95	03076	31.0	HR1LW95
25	25XLW	03075	31.0	HR25LW95
REPLACEMENT HOOK RETAINERS				
2-7, U2-U7	HR2LW95	03085	0.6	
1, UX-1	HR1LW95	03081	0.5	
25	HR25LW95	03827	1.0	
30, 36, UCM36	HR36LW95	03119	0.5	


LW95 Lacer



## WISE LACERS

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
2-7, U2-U7	R-4	03018	1.0
2-7, U2-U7	R-7	03019	2.0
2-7, U2-U7	R-10	03020	3.0
1, UX-1, UX-1SP	1VL-7	03236	2.0
25	25VL-7	03814	3.0
30, 36, UCM36	36VL-7	03238	1.0

Vise Lacer




## BALER BELT LACER™

(Laces all Clipper Baler Hooks, RHTX, 2-7)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
7"	175	BBL-7	03434	51.0
10"	250	BBL-10	03435	51.0

Baler Belt Lacer




## LEVER LACER

(For thin belts or tapes up to 2" wide)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25	25LEVER	03014	5.0
36	36LEVER	04223	5.0

Lever Lacer





## PLIER-TAPE LACER

(For thin belts or tapes up to 2" wide)

ORDERING NUMBER	ITEM CODE	WT. LBS.
PTL25	18015	3.5
PTL30	18017	3.7
PTL1	18016	3.6

Plier-Tape Lacer






# Clipper® Production Lacers

## #12 SPEED LACER

(Includes #2-7 Retainer)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
12"	300	12LACER	03167	177.0
CHAIN DRIVE ATTACHMENT				
12LACER-CHAIN			03225	24.0



#12 Speed Lacer


## CLIPPER® HOOK RETAINER FOR #12 SPEED LACER

(Includes one Lacer Pin)

DESCRIPTION	HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
Acusteel	25	HR25-12	03822	1.8
Acusteel	30,36,UCM36	HR36-12	03170	1.5
Acusteel	1,UX-1	HR1-12	03168	1.5
Acusteel	2-7,U2-U7	HR2-12	03211	1.5

## 12" LACER PIN FOR #12 SPEED LACER

HOOK SIZE	ORDERING NUMBER	ITEM CODE
25,30,36,1	LP1/36-12	03169
2-7	LP2-12	03222



Electric Hydraulic Lacer

## ELECTRIC HYDRAULIC POWER LACERS

(Includes #2-7 Retainer)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
12"	300	EH-12	03037	355.0
25"	625	EH-25	03038	560.0
38"	950	EH-38	03039	875.0

**NOTE:** Please specify 115 or 230 volt wiring requirements when ordering. Can be ordered for International Requirements.

## ELECTRIC HYDRAULIC LACER COVER

LACER SIZE		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
12"	300	Cover-12	03452	3.0
25"	625	Cover-25	03453	4.0
38"	950	Cover-38	03519	5.0

## CLIPPER® HOOK RETAINER FOR POWER LACERS

(Includes one Lacer Pin)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
HOOK SIZE 25				
12"	300	HR25-12	03822	1.8
25"	625	HR25-25	03823	3.3
38"	950	HR25-38	03824	4.2
HOOK SIZE 30, 36, UCM36				
12"	300	HR36-12	03170	1.5
25"	625	HR36-25	03154	3.3
38"	950	HR36-38	03155	4.2
HOOK SIZE 1, UX-1				
12"	300	HR1-12	03168	1.5
25"	625	HR1-25	03143	3.3
38"	950	HR1-38	03150	4.2
HOOK SIZE 2-7, U2-U7				
12"	300	HR2-12	03211	1.5
25"	625	HR2-25	03051	3.3
38"	950	HR2-38	03148	4.2

## CLIPPER® REPLACEMENT LACER PINS FOR POWER LACER

BELT		ORDERING NUMBER	ITEM CODE
in.	mm		
HOOK SIZE 25, 36, 1			
12"	300	LP1/36-12	03169
25"	625	LP1/36-25	03162
38"	950	LP1/36-38	03163
HOOK SIZE 2-7			
12"	300	LP2-12	03222
25"	625	LP2-25	03054
38"	950	LP2-38	03156

Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) have added lead time.

Non-Listed Items are available.

Request quote for price and delivery.


**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086


**We Ship  
World Wide**




# Clipper® Production Lacers



PRO-600



PRO-400



PRO-200

## PRO-600 & PRO-6000 LACER

(Does not include comb - purchase separately)

ORDERING NUMBER	ITEM CODE	WEIGHT (LBS)
PRO-600	18057	294.2
PRO-6000	18978	304.2

## PRO-400 LACER

(Does not include adapter - purchase separately)

ORDERING NUMBER	ITEM CODE	WEIGHT (LBS)
PRO-400	18048	294.1

## PRO-200 LACER

(Does not include adapter - purchase separately)

ORDERING NUMBER	ITEM CODE	WEIGHT (LBS)
PRO-200	18036	69.9
PRO-200EH	03707	80.0

## COMBS FOR PRO-600 & PRO-6000 LACER

(Includes Gauge Pins)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
		<b>HOOK SIZE 25</b>		
in.	mm			
24"	600	P6CLPR25M-24	03526	10.1
36"	900	P6CLPR25M-36	03538	13.0
48"	1200	P6CLPR25M-48	03551	15.5
60"	1500	P6CLPR25M-60	03531	18.5
		<b>HOOK SIZE 36, UCM36, 30</b>		
24"	600	P6CLPR36M-24	03524	10.1
36"	900	P6CLPR36M-36	03537	13.0
48"	1200	P6CLPR36M-48	03539	15.5
60"	1500	P6CLPR36M-60	03529	18.5
		<b>HOOK SIZE 1, UX1</b>		
24"	600	P6CLPR1M-24	03534	10.1
36"	900	P6CLPR1M-36	03535	13.0
48"	1200	P6CLPR1M-48	03550	15.5
60"	1500	P6CLPR1M-60	03528	18.5
		<b>HOOK SIZE 2-7, U2-U7</b>		
24"	600	P6CLPR2M-24	03533	10.1
36"	900	P6CLPR2M-36	03536	13.0
48"	1200	P6CLPR2M-48	03532	15.5
60"	1500	P6CLPR2M-60	03527	18.5

## ADAPTERS FOR PRO-400 LACER-14"

(Includes 1.5 and 2.0 mm Gauge Pins)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25	P4CLPR25	03649	7.3
36, 30	P4CLPR36	03140	7.5
1	P4CLPR1	03525	7.5
2-7	P4C2	18052	8.0

## REPLACEMENT LACER PINS FOR PRO-400 LACER

FOR COMB NUMBER	DIAMETER (mm)	ITEM CODE	WT. LBS.
P4C25/36	1.5	19395	.1
P4C25/36	1.8 x 1.5	03738	.1
P4C25/36	2.0 x 1.5	03745	.1
P4C1	1.8	03715	.1
P4C1	2.0	19350	.1
P4C1	2.5 x 2.0	19380	.1
P4C1	3.0 x 2.0	19351	.1
P4C2	2.5	19349	.3
P4C2	3.5 x 3.0	03725	.3
P4C2	4.0 x 3.0	03724	.3

## ADAPTERS FOR PRO-200 LACER-8"

(Includes 1.5 and 2.0 mm Gauge Pins)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25	P2CLPR25	03650	4.3
36, 30	P2CLPR36	03591	4.3
1	P2CLPR1	03651	4.8
2-7	P2C2	18043	5.2

## REPLACEMENT LACER PINS FOR PRO-200 LACER

FOR COMB NUMBER	DIAMETER (mm)	ITEM CODE	WT. LBS.
P2C25/36	1.5	19340	.1
P2C25/36	1.8 x 1.5	03739	.1
P2C25/36	2.0 x 1.5	03744	.1
P2C1	1.8	03713	.1
P2C1	2.0	19341	.1
P2C1	2.5 x 2.0	19342	.1
P2C1	3.0 x 2.0	19343	.1
P2C2	2.5	19339	.3
P2C2	3.5 x 3.0	03717	.3
P2C2	4.0 x 3.0	03718	.3

## REPLACEMENT LACER PINS FOR PRO-600 LACER

BELT WIDTH		ITEM CODE				WT. LBS.
in.	mm	<b>FOR COMB NUMBER P6C25/36</b>				
		1.5 mm	1.8 mm x 1.5 mm	2.0 mm x 1.5 mm		
24"	600	03729	03734	03743		0.2
36"	900	03727	03735	03742		0.2
48"	1200	03728	03736	03741		0.2
60"	1500	19358	03737	03740		0.2
		<b>FOR COMB NUMBER P6C1</b>				
		1.8 mm	2.0 mm	2.5 mm x 2.0 mm	3.0 mm x 2.0 mm	
24"	600	03710	19361	19362	03722	0.2
36"	900	03709	03714	03721	03733	0.2
48"	1200	03708	03711	03723	03732	0.2
60"	1500	19378	03712	03716	03731	0.2
		<b>FOR COMB NUMBER P6C2</b>				
		2.5 mm	3.5 mm x 3.0 mm	4.0 mm x 3.0 mm		
24"	600	19364	19365	19366		0.3
36"	900	03726	03719	03720		0.3
48"	1200	19368	19370	19371		0.3
60"	1500	19373	19375	19376		0.3

## G SERIES™ PRO-600 & 6000 LACER COMBS

(Includes one Gauge Pin)

HOOK SIZE	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
G005(A) - G006(A)	24"	600	P6CLPRGM-601	04410	10.1
	36"	900	P6CLPRGM-901	04411	13.0
	48"	1200	P6CLPRGM-1201	04412	15.5
	60"	1500	P6CLPRGM-1501	04413	18.5


## REPLACEMENT PARTS

DESCRIPTION	ITEM CODE	WT. LBS.
Return Springs	19100	1.0
Adapter Spring Clip	19194	1.0
Linear Bearing	19200	2.0
Brass Bushing	19300	5.0

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



## How Clipper® Patch Fastener Hooks Work

Clipper® Laundry Patch Fasteners are manufactured from double-flattened wire which increases the holding ability as well as the transverse stability of the individual hooks, providing a flat and even splice area. The hook points are horizontally-cut, ensuring that they are bent accurately down towards the belt edge, which is especially important for thin belts used in laundry feeder and folding machine applications.


Available in either galvanized or 316L stainless steel, the hooks are integrated into the polyester patch material and are pre-cut to belt widths with leading and trailing ends. The patch is available with a custom logo if desired. Corrugated Perlon hinge pins are included with each box of fasteners, are corrosion-free, and provide lubrication to the splice joint.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>Commercial Laundries</li> </ul>	Clipper Patch Fastener Hooks can be installed with the Pro 120 on-site maintenance lacer or the Pro 150 production lacer.	<ul style="list-style-type: none"> <li>Patch Fastener Hooks</li> <li>Connecting Pin</li> <li>Installation Tool</li> </ul>
How to Specify the Correct Clipper® Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>Measure your Belt Thickness.</li> <li>Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>Choose the fastener width that is appropriate for your specifications.</li> </ol>	<p><b>Galvanized Steel.</b> For basic applications, galvanized steel is recommended.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel offers more resistance than galvanized steel to abrasion, acids, chemicals, rusting, and magnetic attraction.</p>	<b>CP Corrugated Perlon.</b>

### Fastener and Pin Size Selection Chart

Minimum Pulley Diameter	Wire Diameter		Connecting Pin Size		Belt Thickness
	in.	mm	in.	mm	.078" (2.0 mm)
15/16" (25 mm)	.024	0.62	.055	1.40	25SP

# Clipper® Patch Fastener Hooks



## FASTENERS

### #25 SHORT-POINT GALVANIZED ON PATCH with Corrugated Perlon Hinge Pins

25SP	PATCH WIDTH		ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX
	in.	mm					
	1.38	35	25SP-G-035W-P	05512	0.66	15 + 16	200
	1.57	40	25SP-G-040W-P	05513	0.79	19 + 20	200
	1.89	48	25SP-G-048W-P	05514	0.88	24 + 25	200
	1.97	50	25SP-G-050W-P	05515	0.93	26 + 27	200
	2.24	57	25SP-G-057W-P	05516	1.01	30 + 31	200
	2.48	63	25SP-G-063W-P	05517	1.06	33 + 34	200
	2.95	75	25SP-G-075W-P	05518	1.28	39 + 40	200
	3.54	90	25SP-G-090W-P	05519	0.79	46 + 47	100
	3.94	100	25SP-G-100W-P	05520	0.88	54 + 55	100
	4.53	115	25SP-G-115W-P	05521	0.97	61 + 62	100

Patch with customer logo available for +10% upcharge (one color only). Minimum order 10 boxes. 8 week lead time.


### #25 SHORT-POINT 316L STAINLESS STEEL ON PATCH with Corrugated Perlon Hinge Pins

25SP	PATCH WIDTH		ORDERING NUMBER (BOX)	ITEM CODE	WT. PER BOX LBS.	HOOKS PER STRIP	STRIPS PER BOX
	in.	mm					
	1.38	35	25SP-SS-035W-P	05522	0.66	15 + 16	200
	1.57	40	25SP-SS-040W-P	05523	0.79	19 + 20	200
	1.89	48	25SP-SS-048W-P	05524	0.88	24 + 25	200
	1.97	50	25SP-SS-050W-P	05525	0.93	26 + 27	200
	2.24	57	25SP-SS-057W-P	05526	1.01	30 + 31	200
	2.48	63	25SP-SS-063W-P	05527	1.06	33 + 34	200
	2.95	75	25SP-SS-075W-P	05528	1.28	39 + 40	200
	3.54	90	25SP-SS-090W-P	05529	0.79	46 + 47	100
	3.94	100	25SP-SS-100W-P	05530	0.88	54 + 55	100
	4.53	115	25SP-SS-115W-P	05531	0.97	61 + 62	100

Patch with customer logo available for +10% upcharge (one color only). Minimum order 10 boxes. 8 week lead time.

### CORRUGATED PERLON HINGE PINS (PRE-CUT)

PATCH WIDTH		PINS PER PACKAGE	ORDERING NUMBER	ITEM CODE
in.	mm			
1.38	35	100	CP1.4-035-100/BX	04385
1.57	40	100	CP1.4-040-100/BX	04386
1.89	48	100	CP1.4-048-100/BX	04387
1.97	50	100	CP1.4-050-100/BX	04388
2.24	57	100	CP1.4-057-100/BX	04389
2.48	63	100	CP1.4-063-100/BX	04390
2.95	75	100	CP1.4-075-100/BX	04391
3.54	90	50	CP1.4-090-50/BX	04392
3.94	100	50	CP1.4-100-50/BX	04393
4.53	115	50	CP1.4-115-50/BX	04394

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.


**Non-Listed Items** are available.

Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**




# Clipper<sup>®</sup> Patch Fastener Hooks

## CLIPPER<sup>®</sup> PRODUCTION LACERS

### PRO-150 LACER AND HYDRAULIC PUMP

(Does not include adapter)

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>115 VOLT; SINGLE PHASE; 60 HZ</b>		
PRO-150-115V1PH-60HZ	04379	103.6
<b>230 VOLT; SINGLE PHASE; 60 HZ</b>		
PRO-150-230V1PH-60HZ	04380	103.6
<b>230 VOLT; SINGLE PHASE; 50 HZ</b>		
PRO-150-230V1PH-50HZ	04381	103.6
<b>200 VOLT; THREE PHASE; 50/60 HZ</b>		
PRO-150-200V3PH-50/60HZ	04382	103.6
<b>230 VOLT; THREE PHASE; 50/60 HZ</b>		
PRO-150-230V3PH-50/60HZ	04383	103.6
<b>400 VOLT; THREE PHASE; 50/60 HZ</b>		
PRO-150-400V3PH-50/60HZ	04384	103.6



### ADAPTER FOR PRO-150 LACER


(Includes 1.6 mm gauge pin)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25 PATCH	P150CLPR25SPP115V	04377	4.3
25 PATCH	P150CLPR25SPP230V	04415	4.3

### PRO-120 LACER

(Does not include adapter or temperature controller - purchase separately)

ORDERING NUMBER	ITEM CODE	WT. LBS.
PRO-120	04374	35.1




### ADAPTER FOR PRO-120 LACER


(Includes 1.6 mm gauge pin)

HOOK SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
25 PATCH	P120CLPR25SPP	04376	4.3

### TEMPERATURE CONTROLLER FOR PRO-120 LACER

ORDERING NUMBER	ITEM CODE	WT. LBS.
PRO-120TC-115V-60HZ	04378	6.0

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.  
Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



## How Alligator® Lacing Works

Hammer applied Alligator® Lacing utilizes a design with teeth that are formed so that when they are driven parallel to the length of the belt, the vital longitudinal carcass fibers are not severed.

The compression fit of the connecting bar provides a strong, vise-like hold on the belt

and distributes belt tension evenly across the entire belt width. The one-piece fastener strip also ensures that there are no loose pieces to work themselves out of the belt and into the conveyed product. The flat splice obtained with a continuous strip of lacing also helps with hinge pin insertion.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>Manufacturing Assembly Lines</li> <li>Food, Package, and Parts Handling</li> <li>Checkout Counters</li> <li>Agricultural Equipment</li> </ul>	Requires only a hammer; no special tools needed. Unique, patented clips and round gauge rod act as an "extra" pair of hands.	<ul style="list-style-type: none"> <li>Fasteners</li> <li>Hinge Pin</li> <li>Hammer</li> </ul>
How to Specify the Correct Alligator® Lacing	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>Determine Belt Tension (PIW).</li> <li>Measure your Belt Thickness.</li> <li>Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> Standard fastener material.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel</p>	<p><b>H Steel Corrugated</b> - for all sizes of Alligator belt lacing.</p> <p><b>SH Stainless Steel Corrugated</b> - for all sizes of Alligator belt lacing.</p> <p><b>RH Rocker Hinge Pin</b> - for transmission belt lacing, two-piece pin to reduce friction and wear on loops and lacing.</p> <p><b>NC Nylon Covered Steel Cable</b> - for easier hinge pin insertion.</p> <p><b>NCS Nylon Covered Stainless Cable</b> - for greater corrosion resistance.</p>

## Alligator® Lacing Selection Chart

Lacing Size	For Belts With Mechanical Fastener Ratings Up To:		Belt Thickness Range		Recommended Min. Pulley Diameter		Approx. Corrugated Hinge Pin Diameter	
	P.I.W.	kN/m	in.	mm	in.	mm	in.	mm
00	25	4.3	Up thru 1/16	Up thru 1.6	1	25	3/64	1.2
1	45	7.8	1/16-3/32	1.6-2.4	1-1/2	38	1/16	1.6
7	50	8.7	3/32-9/64	2.4-3.6	2	51	1/16	1.6
15	65	11.4	1/8-5/32	3.2-4.0	2-1/2	64	3/32	2.4
20	95	16.6	5/32-3/16	4.0-4.8	3	76	7/64	2.8
25	100	17.5	3/16-7/32	4.8-5.6	4	102	1/8	3.2
27	100	17.5	7/32-9/32	5.6-7.1	5	127	1/8	3.2
35	150	26.0	9/32-5/16	7.1-7.9	7	178	9/64	3.6
45	165	28.0	5/16-3/8	7.9-9.5	9	229	3/16	4.8
55	175	30.0	3/8-7/16	9.5-11.1	12	305	13/64	5.2
65	200	35.0	7/16-1/2	11.1-12.7	14	356	13/64	5.2





# Alligator® Conveyor Belt Lacing


## FASTENERS

### STEEL LACING WITH STEEL CORRUGATED HINGE PIN

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	
in.	mm	00			1A			1B			7			15			
12"	300	00-12	10050	.2	1A-12	10070	.5				7-12	10090	.7	15-12	10482	1.0	
14"	350	00-14	10051	.5	1A-14	10071	.7				7-14	10091	.9	15-14	10110	1.2	
16"	400	00-16	10052	.5	1A-16	10072	.8				7-16	10092	1.0	15-16	10111	1.4	
18"	450	00-18	10053	.5	1A-18	10073	.8				7-18	10093	1.1	15-18	10112	1.5	
20"	500	00-20	10054	.6	1A-20	10074	1.0				7-20	10094	1.2	15-20	10113	1.6	
22"	550	00-22	10055	.6	1A-22	10075	1.0				7-22	10095	1.3	15-22	10114	1.8	
24"	600	00-24	10056	.7	1A-24	10076	1.1				7-24	10096	1.4	15-24	10115	2.0	
26"	650										7-26	10097	1.5	15-26	10116	2.2	
28"	700										7-28	10098	1.6	15-28	10117	2.3	
30"	750	00-30	10059	.9	1A-30	10079	1.3				7-30	10099	1.7	15-30	10118	2.4	
32"	800										7-32	10100	1.9	15-32	10119	2.6	
36"	900	00-36	10061	1.0	1A-36	10081	1.6				7-36	10101	2.0	15-36	10120	2.7	
42"	1050	00-42	10062	1.2	1A-42	10082	2.0				7-42	10102	2.2	15-42	10121	3.4	
48"	1200	00-48	10063	1.3	1A-48	10083	2.0				7-48	10103	2.7	15-48	10122	3.8	
60"	1500	00-60	10065	1.7	1A-60	10085	2.7				7-60	10105	3.4	15-60	10124	4.8	
		20			25			27			35			45			
12"	300	20-12	10483	1.3	25-12	10484	1.5	27-12	10485	1.7	35-12	10486	2.8	45-12	10487	3.4	
14"	350	20-14	10130	1.6	25-14	10150	1.6	27-14	10165	2.1	35-14	10180	3.3	45-14	10196	4.0	
16"	400	20-16	10131	1.8	25-16	10151	1.9	27-16	10166	2.3	35-16	10181	3.7	45-16	10197	4.6	
18"	450	20-18	10132	2.0	25-18	10152	2.2	27-18	10167	2.6	35-18	10182	4.1	45-18	10198	5.1	
20"	500	20-20	10133	2.2	25-20	10153	2.4	27-20	10168	3.0	35-20	10183	4.6	45-20	10199	5.6	
22"	550	20-22	10134	2.3	25-22	10154	2.7	27-22	10169	3.1							
24"	600	20-24	10135	2.5	25-24	10155	2.9	27-24	10170	3.4	35-24	10185	5.5	45-24	10201	6.8	
26"	650				25-26	10156	3.1	27-26	10171	3.8							
28"	700	20-28	10137	3.0	25-28	10157	3.5	27-28	10172	3.9							
30"	750	20-30	10138	3.2	25-30	10158	3.6	27-30	10173	4.2	35-30	10188	6.8	45-30	10204	8.5	
32"	800	20-32	10139	3.4				27-32	10174	4.7							
36"	900	20-36	10140	3.8	25-36	10160	4.3	27-36	10175	5.0	35-36	10190	8.2	45-36	10206	10.1	
42"	1050	20-42	10141	4.6	25-42	10161	5.1	27-42	10176	5.9	35-42	10191	9.6	45-42	10207	11.8	
48"	1200	20-48	10142	5.0	25-48	10162	5.7	27-48	10177	6.6	35-48	10192	11.0	45-48	10208	13.4	
54"	1350				25-54	10163	6.5	27-54	10178	7.5	35-54	10193	12.4				
60"	1500	20-60	10144	6.3	25-60	10164	7.1	27-60	10179	8.2	35-60	10194	13.6	45-60	10210	16.8	
		55			65												
12"	300	55-12	10488	4.8	65-12	10489	5.7										
14"	350	55-14	10212	5.7													
16"	400	55-16	10213	6.5													
18"	450	55-18	10214	7.2	65-18	10232	8.8										
20"	500	55-20	10215	7.9													
24"	600	55-24	10217	9.6	65-24	10235	11.5										
30"	750	55-30	10220	11.8	65-30	10238	14.6										
36"	900	55-36	10222	14.0	65-36	10240	17.3										
42"	1050	55-42	10223	16.6													
48"	1200	55-48	10224	19.2	65-48	10242	23.0										
60"	1500	55-60	10226	23.7	65-60	10244	28.8										

Note: Size 1A and 1B Alligator lacing has been modified to allow for complete interchangeability. For machine applied lacing, order the corresponding 1A size.

Any lengths over 60" are sold by the set.





# Alligator<sup>®</sup> Conveyor Belt Lacing



## FASTENERS

### 316 STAINLESS LACING WITH 300 SERIES STAINLESS CORRUGATED HINGE PINS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	<b>00S</b>			<b>1S</b>			<b>1BS</b>			<b>7S</b>			<b>15S</b>					
12"	300	00S-12	10528	.2	1S-12	10545	.5	<b>Note:</b> Size 1S and 1BS Alligator lacing has been modified to allow for complete interchangeability. For machine applied lacing, order the corresponding 1S size.	7S-12	10562	.7	15S-12	10491	1.1					
14"	350	00S-14	10529	.5	1S-14	10546	.5		7S-14	10563	.9	15S-14	10579	1.1					
16"	400	00S-16	10530	.4	1S-16	10547	.8		7S-16	10564	1.0	15S-16	10580	1.4					
18"	450	00S-18	10531	.5	1S-18	10548	.9		7S-18	10565	1.1	15S-18	10581	1.5					
20"	500	00S-20	10532	.7	1S-20	10549	1.0		7S-20	10566	1.2	15S-20	10582	1.7					
24"	600	00S-24	10534	.7	1S-24	10551	1.1		7S-24	10568	1.4	15S-24	10584	2.0					
28"	700				1S-30	10554	1.4		7S-28	10570	1.6	15S-28	10586	2.1					
30"	750	00S-30	10537	.8	1S-36	10556	1.7		7S-30	10571	1.8	15S-30	10587	2.5					
36"	900	00S-36	10539	1.0	1S-42	10557	2.0		7S-36	10573	2.1	15S-36	10589	2.9					
42"	1050	00S-42	10540	1.0	1S-48	10558	2.1		7S-42	10574	2.5	15S-42	10590	3.5					
48"	1200	00S-48	10541	1.4	1S-54	10559	3.1		7S-48	10575	2.7	15S-48	10591	3.9					
54"	1350				1S-60	10560	2.8		7S-60	10577	3.7	15S-60	10593	4.8					
60"	1500	00S-60	10543	1.7															
		<b>20S</b>			<b>25S</b>			<b>27S</b>			<b>35S</b>			<b>45S</b>					
12"	300	20S-12	10492	1.4	25S-12	10493	1.5	27S-12	10494	1.8	35S-12	10495	2.9	45S-12	10496	3.4			
14"	350	20S-14	10595	1.6	25S-14	10611	1.8	27S-14	10627	2.1	35S-14	10643	3.4						
16"	400	20S-16	10596	1.8	25S-16	10612	2.0	27S-16	10628	2.4	35S-16	10644	3.9						
18"	450	20S-18	10597	2.0	25S-18	10613	2.2	27S-18	10629	2.7	35S-18	10645	4.2	45S-18	10661	5.2			
20"	500	20S-20	10598	2.2	25S-20	10614	2.5	27S-20	10630	3.0	35S-20	10646	4.7	45S-24	10664	7.0			
24"	600	20S-24	10600	2.6	25S-24	10616	3.0	27S-24	10632	3.1	35S-24	10648	5.6						
30"	750	20S-30	10603	3.3	25S-30	10619	3.7	27S-30	10635	4.5	35S-30	10651	7.0	45S-30	10667	8.2			
36"	900	20S-36	10605	3.9	25S-36	10621	4.5	27S-36	10637	5.3	35S-36	10653	8.4	45S-36	10669	10.4			
42"	1050	20S-42	10606	4.6	25S-42	10622	4.9	27S-42	10638	6.2	35S-42	10654	10.2	45S-42	10670	11.9			
48"	1200	20S-48	10607	5.2	25S-48	10623	5.8	27S-48	10639	7.1	35S-48	10655	11.1	45S-48	10671	13.9			
60"	1500	20S-60	10609	6.6	25S-60	10625	7.4	27S-60	10641	8.7	35S-60	10657	14.0						
		<b>55S</b>																	
18"	450	55S-18	10677	7.3															
24"	600	55S-24	10680	9.7															
30"	750	55S-30	10683	12.0															
36"	900	55S-36	10685	16.8															
48"	1200	55S-48	10687	19.2															

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

We Ship  
World Wide



# Alligator<sup>®</sup> Conveyor Belt Lacing

## EXTRA HINGE PINS



### STEEL (H) CORRUGATED HINGE PINS – PACKAGES OF 10 PINS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	For 00			For 1 or 7			For 15			For 20		
6	150	00H6	10030	.1	1&7H6	10031	.1	15H12	10033	.2	20H12	10034	.3
12	300	00H12	11075	.1	1&7H12	11092	.1	15H18	11126	.4	20H18	11142	.4
18	450	00H18	11078	.1	1&7H18	11095	.2	15H24	11129	.5	20H24	11145	.6
24	600	00H24	11081	.1	1&7H24	11098	.2	15H30	11132	.6	20H30	11148	.7
30	750	00H30	11084	.2	1&7H30	11101	.3	15H36	11134	.8	20H36	11150	.9
36	900	00H36	11086	.2	1&7H36	11103	.3	15H48	11136	1.1	20H48	11152	1.2
48	1200	00H48	11088	.2	1&7H48	11105	.5	15H60	11138	1.2	20H60	11154	1.5
60	1500	00H60	11090	.3	1&7H60	11107	.5						
		For 25 or 27			For 35			For 45			For 55 or 65		
12	300	25&27H12	10035	.4	35H12	10037	.6	45H12	10038	.9			
18	450	25&27H18	11157	.7	35H18	11187	1.0	45H24	11205	1.7	55&65H24	11220	2.8
24	600	25&27H24	11160	.8	35H24	11190	1.3	45H36	11210	2.6	55&65H36	11225	4.3
30	750	25&27H30	11163	1.1	35H30	11193	1.5	45H48	11212	3.8	55&65H48	11227	5.6
36	900	25&27H36	11165	1.2	35H36	11195	1.8	45H60	11214	4.4	55&65H60	11229	7.4
48	1200	25&27H48	11167	1.8	35H48	11197	2.5						
60	1500	25&27H60	11169	2.4	35H60	11199	3.2						

### STAINLESS (SH) CORRUGATED HINGE PINS – 300 SERIES – PACKAGES OF 10 PINS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	For 00			For 1 or 7			For 15			For 20		
12	300				1&7SH12	11846	.1	15SH18	11878	.4	20SH24	11906	.5
18	450				1&7SH18	11849	.2	15SH24	11881	.5	20SH30	11909	.7
24	600	00SH24	11831	.1	1&7SH24	11852	.2	15SH30	11884	.7	20SH36	11911	.9
30	750				1&7SH30	11855	.3	15SH36	11886	.8	20SH48	11913	1.2
36	900	00SH36	11836	.2	1&7SH36	11857	.4	15SH48	11888	.9			
48	1200	00SH48	11838	.2	1&7SH48	11859	.4	15SH60	11890	1.0			
60	1500	00SH60	11840	.3	1&7SH60	11861	.5						
		For 25 or 27			For 35			For 45			For 55 or 65		
12	300	25&27SH12	11925	.4	35SH12	11950	.7				55&65SH24	11998	2.8
18	450	25&27SH18	11928	.7				45SH36	11982	2.8			
24	600	25&27SH24	11931	.9	35SH24	11956	1.2	45SH48	11984	4.3			
30	750	25&27SH30	11934	1.2	35SH30	11959	1.6						
36	900	25&27SH36	11936	1.4	35SH36	11961	2.0						
48	1200	25&27SH48	11938	1.7	35SH48	11963	2.6						
60	1500	25&27SH60	11940	2.0									

### EXTRA CLIPS

6 CLIPS PER PACKAGE

FASTENER SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
1, 7	1 & 7 CLIP	13256	.03
15, 20	15 & 20 CLIP	13250	.03
25, 27	25 & 27 CLIP	13252	.04
35	35 CLIP	13253	.04
45	45 CLIP	13254	.04

# Alligator<sup>®</sup> Transmission Belt Lacing



## FASTENERS

STRIP LENGTH		ORDERING NUMBER	ITEM CODE	SETS/BOX	WT. LBS.
<b>STEEL</b>					
6"	150	00	10000	6	.2
6"	150	1A	10001	6	.3
6"	150	7	10002	6	.5
12"	300	15	10003	4	.9
12"	300	20	10004	4	1.2
12"	300	25D	10005	4	1.4
12"	300	25G	10007	8	2.6
12"	300	27K	10008	4	1.7
12"	300	27L	10009	8	3.2
12"	300	35N	10011	4	2.7
12"	300	45U	10012	4	3.3
12"	300	55W	10013	4	4.7
12"	300	65X	10014	4	5.8

ORDERING NUMBER	ITEM CODE	SETS/BOX	WT. LBS.
<b>STAINLESS (TYPE 316)</b>			
00S	10512	6	.2
1AS	10513	6	.3
7S-TRANS	10514	6	.5
15S	10515	4	.9
20S	10516	4	1.2
25DS	10517	4	1.5
27KS	10519	4	1.8
35NS	10521	4	2.8
45US	10522	4	3.4
55VWS	10523	4	5.0

## ECONOMY PACKAGES – 12" Strips

ORDERING NUMBER	ITEM CODE	SETS/BOX	WT. LBS.
15E	10020	10	3.2
20E	10021	10	4.2
25E	10022	10	4.8
27E	10023	10	5.8
35E	10024	10	8.3


## TRANSMISSION BELT LACING

### CARTON CONTENTS:

Fastener Sets as indicated above:  
 Sizes #00, 1 and 7 are 6" strips.  
 Sizes #15 through 65 are 12" strips.


Rocker Hinge Pins (Sizes 00, 1A, 7, 00S, 1AS and 7S come with Corrugated Hinge Pins.)

1 Gauge Pin



## ROCKER HINGE PINS (EXTRA-20/PACKAGE) FOR TRANSMISSION BELT LACING

ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>STEEL (RH)</b>		<b>STAINLESS (SRH)</b>		
15RH12	12375	20SRH12	12388	.3
20RH12	12376	25SRH12	12389	.4
27RH12	12378			.5
35RH12	12379			.6
45RH12	12380			.8
55&65RH12	12381			1.3



**Stock Items** (non-shaded) carried in factory inventory.


**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
 International: +1-727-342-5086

**We Ship  
World Wide**



## How Alligator® Ready Set™ Staple Fasteners Work

Designed for light and medium duty synthetic carcass belting, the Alligator® Staple fastener utilizes high tensile, stainless steel staple attachment, in conjunction with an extended plate design. This design separates the point of fastener penetration from the line of belt flexing to eliminate splice fatigue at the point of belt attachment.

Staple fasteners are furnished in strips with a bridge between each fastener plate. This strip design minimizes the chance of individual parts dislodging into the conveyed

product. The one piece design provides a stronger splice, greater resistance to impact damage, and a smoother, unrippled joint that simplifies hinge pin insertion.

Staples are hammer driven through the fastener and belt, working between the carcass fibers without severing them. The staples are then clinched cross-wise to the belt, so that belt tension does not pull against the staples to unclinch them.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>• Package and Parts Handling</li> <li>• Cased Goods</li> <li>• Food</li> <li>• Wood</li> <li>• Agricultural Products</li> </ul>	<p>A portable, lightweight application tool is easily carried to the job for on-site installation. The tool holds belt and fastener while staples are set with a hammer and a staple driver.</p>	<ul style="list-style-type: none"> <li>• Fasteners</li> <li>• Hinge Pin</li> <li>• Installation Tool</li> <li>• Staple Driver</li> <li>• 1 lb. Hammer</li> </ul>
How to Specify the Correct Alligator® Staple Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>1. Determine Belt Tension (PIW).</li> <li>2. Measure your Belt Thickness.</li> <li>3. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>4. Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> Standard fastener material.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel provides extra resistance to abrasion, magnetic attraction, and corrosion from acids and chemicals.</p> <p>Type 430 Magnetic Stainless Steel (Sizes 62 and 125).</p> <p><b>MegAlloy®.</b> (Sizes 125 and 187) For superior resistance to wear and abrasion.</p>	<p><b>NC Nylon Covered Steel Cable</b> - for use with steel fasteners, flat or troughed belts.</p> <p><b>NCS Nylon Covered Stainless Steel Cable</b> - for applications with stainless fasteners, flat or troughed belts.</p> <p><b>SP Steel Spring Wire</b> - for use with steel fasteners in abrasive or gritty material applications, flat belts only.</p> <p><b>SS Stainless Steel Spring Wire</b> - for use with stainless fasteners, flat belts only.</p>

### Alligator® Ready Set™ Staple Fasteners Selection Chart

Fastener Size	Operating Tension Range		Belt Thickness Range		Min. Pulley Diameter		Approx. Hinge Pin Diameter	
	P.I.W.	kN/m	in.	mm	in.	mm	in. (nylon-steel)	mm (nylon-steel)
RS62	100	17	1/16-1/8	1.5-3.2	2	50	nylon .080, steel .080	nylon 2.0, steel 2.0
RS125	160	28	1/8-3/16	3.2-4.8	3	75	nylon .141, steel .141	nylon 3.6, steel 3.6
RS187	200	35	3/16-1/4	4.8-6.4	4	102	nylon .203, steel .187	nylon 5.2, steel 4.7

# Alligator® Ready Set™ Staple Fasteners



## FASTENERS

### CARTON CONTENTS:

- 4 Fastener Sets
- 4 Hinge Pins
- Required Amount of Retaining Washers

### STEEL

RS62	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
<b>WITH NYLON COVERED STEEL CABLE PINS (NC)</b>					
12"	300	RS62J12/300NC	54476	1.3	
16"	400	RS62J16/400NC	54477	1.8	
18"	450	RS62J18/450NC	54478	2.0	
20"	500	RS62J20/500NC	54479	2.2	
24"	600	RS62J24/600NC	54480	2.7	
30"	750	RS62J30/750NC	54481	3.4	
36"	900	RS62J36/900NC	54482	4.0	
42"	1050	RS62J42NC	54485	4.7	
48"	1200	RS62J48NC	54483	5.4	
60"	1500	RS62J60NC	54484	6.7	

### STAINLESS (TYPE 316)

RS62	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
<b>WITH STEEL SPRING WIRE PINS (SP)</b>					
12"	300	RS62J12/300SP	54486	1.3	
18"	450	RS62J18/450SP	54487	2.0	
20"	500	RS62J20/500SP	54492	2.2	
24"	600	RS62J24/600SP	54488	2.7	
30"	750	RS62J30/750SP	54493	3.4	
36"	900	RS62J36/900SP	54489	4.0	
42"	1050	RS62J42SP	54502	4.7	
48"	1200	RS62J48SP	54490	5.4	
60"	1500	RS62J60SP	54491	6.7	
<b>WITH STAINLESS SPRING WIRE PINS (SS)</b>					
12"	300	RS62SJ12/300SS	54494	1.3	
18"	450	RS62SJ18/450SS	54495	2.0	
20"	500	RS62SJ20/500SS	54496	2.2	
24"	600	RS62SJ24/600SS	54497	2.7	
30"	750	RS62SJ30/750SS	54498	3.4	
36"	900	RS62SJ36/900SS	54499	4.0	
42"	1050	RS62SJ42SS	54503	4.7	
48"	1200	RS62SJ48SS	54500	5.4	
60"	1500	RS62SJ60SS	54501	6.7	
<b>WITH NYLON COVERED STAINLESS CABLE PINS (NCS)</b>					
12"	300	RS62SJ12/300NCS	54505	1.3	
18"	450	RS62SJ18/450NCS	54506	2.0	
24"	600	RS62SJ24/600NCS	54507	2.7	
30"	750	RS62SJ30/750NCS	54504	3.4	
36"	900	RS62SJ36/900NCS	54508	4.0	
48"	1200	RS62SJ48NCS	54509	5.4	
60"	1500	RS62SJ60NCS	54510	6.7	

### STEEL

RS125	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
<b>WITH NYLON COVERED STEEL CABLE PINS (NC)</b>					
4"	100	RS125J4NC*	54513	1.6	
10"	250	RS125J10NC	54514	1.7	
12"	300	RS125J12/300NC	54515	1.9	
14"	350	RS125J14NC	54516	2.3	
16"	400	RS125J16/400NC	54517	2.5	
18"	450	RS125J18/450NC	54518	2.8	
20"	500	RS125J20/500NC	54519	3.2	
24"	600	RS125J24/600NC	54520	3.7	
30"	750	RS125J30/750NC	54521	4.5	
36"	900	RS125J36/900NC	54522	5.5	
42"	1050	RS125J42NC	54523	6.6	
48"	1200	RS125J48NC	54524	7.4	
60"	1500	RS125J60NC	54525	9.3	

### STAINLESS (TYPE 316)

RS125	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
<b>WITH STEEL SPRING WIRE PINS (SP)</b>					
12"	300	RS125J12/300SP	54528	2.7	
18"	450	RS125J18/450SP	54529	3.0	
20"	500	RS125J20/500SP	54530	3.4	
24"	600	RS125J24/600SP	54531	4.0	
30"	750	RS125J30/750SP	54532	4.9	
36"	900	RS125J36/900SP	54533	6.0	
42"	1050	RS125J42SP	54536	7.1	
48"	1200	RS125J48SP	54534	7.8	
60"	1500	RS125J60SP	54535	10.2	
<b>WITH STAINLESS SPRING WIRE PINS (SS)</b>					
12"	300	RS125SJ12/300SS	54537	1.9	
14"	350	RS125SJ14SS	54538	2.5	
16"	400	RS125SJ16/400SS	54539	2.8	
18"	450	RS125SJ18/450SS	54540	3.0	
20"	500	RS125SJ20/500SS	54541	3.5	
24"	600	RS125SJ24/600SS	54542	3.9	
30"	750	RS125SJ30/750SS	54543	4.9	
36"	900	RS125SJ36/900SS	54544	5.9	
42"	1050	RS125SJ42SS	54547	7.1	
48"	1200	RS125SJ48SS	54545	8.0	
60"	1500	RS125SJ60SS	54546	10.1	
<b>WITH NYLON COVERED STAINLESS CABLE PINS (NCS)</b>					
10"	250	RS125SJ10NCS	54549	1.5	
12"	300	RS125SJ12/300NCS	54550	1.9	
14"	350	RS125SJ14NCS	54551	2.3	
16"	400	RS125SJ16/400NCS	54552	2.5	
18"	450	RS125SJ18/450NCS	54553	2.8	
20"	500	RS125SJ20/500NCS	54554	3.3	
24"	600	RS125SJ24/600NCS	54555	3.8	
30"	750	RS125SJ30/750NCS	54556	4.8	
36"	900	RS125SJ36/900NCS	54557	5.5	
42"	1050	RS125SJ42NCS	54560	6.3	
48"	1200	RS125SJ48NCS	54558	7.6	
60"	1500	RS125SJ60NCS	54559	9.4	

\*10 Sets per Box

### STEEL

RS187	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
<b>WITH NYLON COVERED STEEL CABLE PINS (NC)</b>					
4"	100	RS187J4NC*	54587	2.3	
12"	300	RS187J12/300NC	54588	2.6	
16"	400	RS187J16/400NC	54589	3.7	
18"	450	RS187J18/450NC	54590	4.1	
20"	500	RS187J20/500NC	54591	4.8	
24"	600	RS187J24/600NC	54592	5.5	
30"	750	RS187J30/750NC	54593	6.8	
36"	900	RS187J36/900NC	54594	8.1	
42"	1050	RS187J42NC	54595	9.5	
48"	1200	RS187J48NC	54596	9.9	
60"	1500	RS187J60NC	54597	11.9	

### STAINLESS (TYPE 316)

RS187	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
<b>WITH STEEL SPRING WIRE PINS (SP)</b>					
18"	450	RS187J18/450SP	54598	4.5	
20"	500	RS187J20/500SP	54599	5.1	
24"	600	RS187J24/600SP	54601	5.9	
30"	750	RS187J30/750SP	54603	7.4	
36"	900	RS187J36/900SP	54604	9.0	
42"	1050	RS187J42SP	54605	10.1	
48"	1200	RS187J48SP	54602	11.5	
60"	1500	RS187J60SP	54586	14.4	
<b>WITH STAINLESS SPRING WIRE PINS (SS)</b>					
12"	300	RS187SJ12/300SS	54765	3.4	
16"	400	RS187SJ16/400SS	54613	4.0	
18"	450	RS187SJ18/450SS	54606	4.5	
20"	500	RS187SJ20/500SS	54624	5.1	
24"	600	RS187SJ24/600SS	54607	5.9	
30"	750	RS187SJ30/750SS	54608	7.6	
36"	900	RS187SJ36/900SS	54609	8.9	
42"	1050	RS187SJ42SS	54610	9.7	
48"	1200	RS187SJ48SS	54611	11.8	
60"	1500	RS187SJ60SS	54612	13.8	
<b>WITH NYLON COVERED STAINLESS CABLE PINS (NCS)</b>					
12"	300	RS187SJ12/300NCS	54616	2.8	
16"	400	RS187SJ16/400NCS	54614	3.9	
18"	450	RS187SJ18/450NCS	54615	4.3	
20"	500	RS187SJ20/500NCS	54621	4.9	
24"	600	RS187SJ24/600NCS	54617	5.5	
30"	750	RS187SJ30/750NCS	54618	7.1	
36"	900	RS187SJ36/900NCS	54619	8.4	
42"	1050	RS187SJ42NCS	54622	8.9	
48"	1200	RS187SJ48NCS	54620	11.3	
60"	1500	RS187SJ60NCS	54715	13.3	

\*10 Sets per Box

PLEASE NOTE: 310 Alligator Staple is no longer available.

## MAGNETIC STAINLESS (TYPE 430)

ORDERING NUMBER	ITEM CODE	WT. LBS.
RS62MJ24/600MS	54473	2.7
RS125MJ24/600MS	54566	3.8

NOTE: Plate, Staples, and Hinge Pins are all Magnetic Stainless Steel.

### STAPLE LENGTHS

- RS62 = .37" (9.4 mm)
- RS125 = .45" (11.4 mm)
- RS187 = .52" (13.2 mm)

Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

Non-Listed Items are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**





# Alligator<sup>®</sup> Ready Set<sup>™</sup> Staple Fasteners

## HINGE PINS (EXTRA)



### COILS

### PACKAGES OF 10 PINS

	COILS				ORDERING			PACKAGES OF 10 PINS														
	COIL LENGTH	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.								
<b>For 62</b>			<b>NC62</b> NYLON COVERED STEEL CABLE		<b>NCS62</b> NYLON COVERED STAINLESS CABLE			<b>SP62</b> STEEL SPRING WIRE PINS				<b>SS62</b> 300 SERIES STAINLESS SPRING WIRE PINS										
	Foot	M						in.	mm													
	10'	3	NC62-X	54002	.1	NCS62-X	54005	.1	12"	300	SP62-12/300	54111	.2	SS62-12/300	54148	.2						
	100'	30	NC62-C	54003	1.0	NCS62-C	54006	1.0	16"	400	SP62-16/400	54112	.3	SS62-16/400	54149	.3						
									18"	450	SP62-18/450	54113	.3	SS62-18/450	54150	.3						
									20"	500	SP62-20	54114	.3	SS62-20	54151	.3						
									24"	600	SP62-24/600	54115	.4	SS62-24/600	54152	.4						
									30"	750	SP62-30/750	54116	.5	SS62-30/750	54153	.5						
									36"	900	SP62-36/900	54117	.6	SS62-36/900	54154	.6						
									42"	1050	SP62-42	54118	.7	SS62-42	54155	.7						
<b>NC AND NCS PIN MATERIAL IS OFFERED IN 10 FOOT (3 METER) COILS ("X") OR 100 FOOT (30 METER) REELS ("C").</b>																						
									<b>NC1</b> NYLON COVERED STEEL CABLE		<b>NCS1</b> NYLON COVERED STAINLESS CABLE			<b>SP1</b> STEEL SPRING WIRE PINS				<b>SS1</b> 300 SERIES STAINLESS SPRING WIRE PINS				
							10'	3	NC1-X	50661	.2	NCS1-X	50665	.2	16"	400	SP1-16/400	50173	.6	SS1-16/400	50413	.6
							100'	30	NC1-C	50662	1.7	NCS1-C	50666	1.7	18"	450	SP1-18/450	50174	.7	SS1-18/450	50414	.7
															20"	500	SP1-20	50175	.8	SS1-20	50415	.8
															24"	600	SP1-24/600	50176	1.0	SS1-24/600	50416	1.0
															30"	750	SP1-30/750	50178	1.2	SS1-30/750	50418	1.2
															36"	900	SP1-36/900	50179	1.4	SS1-36/900	50419	1.4
															42"	1050	SP1-42	50180	1.7	SS1-42	50420	1.7
															48"	1200	SP1-48	50181	1.9	SS1-48	50421	1.9
								60"	1500	SP1-60	50183	2.4	SS1-60	50423	2.4							
<b>For 125</b>			<b>NC187</b> NYLON COVERED STEEL CABLE		<b>NCS187</b> NYLON COVERED STAINLESS CABLE			<b>SP2</b> STEEL SPRING WIRE PINS				<b>SS2</b> 300 SERIES STAINLESS SPRING WIRE PINS										
	10'	3	NC187-X	50669	.2	NCS187-X	50673	.2	18"	450	SP2-18/450	50426	1.3	SS2-18/450	50439	1.3						
	100'	30	NC187-C	50670	4.8	NCS187-C	50674	4.8	20"	500	SP2-20	50427	1.4	SS2-20	50440	1.4						
									24"	600	SP2-24/600	50428	1.7	SS2-24/600	50441	1.7						
									30"	750	SP2-30/750	50430	2.1	SS2-30/750	50443	2.1						
									36"	900	SP2-36/900	50431	2.5	SS2-36/900	50444	2.5						
									42"	1050	SP2-42	50432	2.9	SS2-42	50445	2.9						
									48"	1200	SP2-48	50433	3.4	SS2-48	50446	3.4						
									60"	1500	SP2-60	50435	4.2	SS2-60	50448	4.2						

### COMPLETE TOOL KITS


Each kit includes an Installation Tool, Staple Setting Plate, Belt Skiver, Belt Nippers, and a 1 lb. Hammer. Packaged in a durable plastic tool box.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
6" Installation Kit	RSTK4-6	54634	20.5
12" Installation Kit	RSTK4-12	54635	27.7
Extra Tool Box	TOOL BOX STK	50009	5.4

Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) have added lead time.

Non-Listed Items are available.  
Request quote for price and delivery.



### INTRODUCTORY KIT

Each kit includes: 1 RSC187-4 Application Tool, four Joints, RS125-18 Staple Fasteners, and six feet Nylon-covered Hinge Pin (NC) material.

ORDERING NUMBER	ITEM CODE	WT. LBS.
RSAS-1	54633	7.5



# Alligator® Ready Set™ Staple Fasteners




## INSTALLATION TOOLS

### ALLIGATOR® RSC187

(For sizes no. 62, No. 125, and no. 187)


Includes Staple Driver



ORDERING NUMBER	ITEM CODE	WT. LBS.
RSC187	54626	1.3
RSC187-4	54627	4.0
RSC187-6	54628	5.6
RSC187-12	54629	12.8
RSC187-24	54631	20.0

**NOTE:** To upgrade your old C187 installation tool for use with Ready Set staple fasteners, exchange the green guide block(s) with the yellow (Ready Set) guide block(s) (ST5-5, Item Code 50016).


### ALLIGATOR® GOLD CLASS PLUS INSTALLATION TOOL



DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
24" Alligator Gold Class Plus Installation Tool	RS-GOLD-DA	55590	63.0
REPLACEMENT PARTS			
Guide Block	ST7-5	55554	8.4
Anvil Replacement Kit	ST8-ANV	55591	N/A
Cam Lever	ST8-CAM	55592	0.1

### READY SET STAPLE GUIDE BLOCK

(Includes Cam Lever Spring)



ORDERING NUMBER	ITEM CODE	WT. LBS.
ST5-5	50016	.2


### ALLIGATOR® QUAD STAPLE DRIVER

(DRIVES FOUR STAPLES AT ONE TIME)



ORDERING NUMBER	ITEM CODE	WT. LBS.
ST6-9	50201	.5


### ALLIGATOR® GOLD CLASS POWER DRIVER



DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Power Driver	RS-GOLD-DRIVER	55541	14.0

### STAPLE SETTING PLATE

ORDERING NUMBER	ITEM CODE	WT. LBS.
ST-28	50249	5.0



12" x 3"

### HINGE PIN RETAINING WASHERS-316SS

FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	OUTSIDE DIAMETER	INSIDE DIAMETER	WT. LBS.
62	62-RET-50	54030	1/4"	.10	.1
125	125-RET-50	50053	5/16"	.16	.1
187	187-RET-50	50075	3/8"	.22	.1




### BELT NIPPERS



ORDERING NUMBER	ITEM CODE	WT. LBS.
BN-1	50003	.8


### ROUGH-TOP BELT SKIVER



DESCRIPTION/ORDERING NUMBER	ITEM CODE	WT. LBS.
RTBS Rough Top Skiver	03239	.3

### ALLIGATOR® HINGE PIN CUTTER


ORDERING NUMBER	ITEM CODE	WT. LBS.
APC-1	50004	.5




### HINGE PIN BENDER

(For use with spring wire pins)

ORDERING NUMBER	ITEM CODE	WT. LBS.
PB1	50077	.4



### ALLIGATOR® BELT GRINDER



ORDERING NUMBER	ITEM CODE	WT. LBS.
RB-1	30867	.7

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Alligator® Ready Set™ Staple Fasteners



MegAlloy®  
Staple Fasteners

## REPLACEMENT PARTS

### FOR RSC187

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Cam Lever Spring	ST5-3	50015	.1
Staple Driver	ST3-9	50200	.3
Mounting Bolt	ST3-13	50226	.1
Cam Locating Pin	ST3-14	50227	.1
Clamp Bar*	ST3-15-6	50231	.1
Anvil with Dowel Pins (Short)*	ST4-21	50238	.7
Anvil with Dowel Pins (Long)*	ST4-21H	50239	.7
ReadySet Staple Guide Block for RSC187 (yellow)	ST5-5	50016	.2
Cam Lever Assembly (Short)	ST4-8	50243	.1
Cam Lever Assembly (Long)*	ST4-8H	50244	.1
Comb 125/187 (Green)	ST4-16	50248	.3
Comb 62/125 (Yellow)	ST5-16	54010	.3

\*NOTE: ST3-15-6 Clamp Bar, ST4-21H Anvil with Dowel Pins (Long) and ST4-8H Cam Lever Assembly (Long) are for multiple stage C187 tools that are six (6) inches or longer. For single stage C187 tools, order ST4-21 Anvil with Dowel Pins (Short) and the ST4-8 Cam Lever Assembly (Short).



## MEGALLOY® STAPLE FASTENERS

### MEGALLOY® FASTENERS

(Includes 16-6" fastener strips with staples. Hinge pins not included)

ORDERING NUMBER	ITEM CODE	WT. LBS.
125MA	50270	1.9
187MA	50272	2.6

### INSTALLATION TOOLS

#### STAPLE DISPENSER

ORDERING NUMBER	ITEM CODE	WT. LBS.	FOR SIZE
C150	50025	1.3	125 & 187

### EXTRA STAPLES FOR MEGALLOY® FASTENERS



FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
125	S125	50144	990	.9
187	S187	50146	990	1.0

### REPLACEMENT PARTS FOR ALLIGATOR® C187 INSTALLATION TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Cam Lever Spring	ST3-3	50188	.1
Staple Guide Block -Green*	ST4-5	50240	.2

\*For MegAlloy® only


**NOTE:** When ordering MegAlloy® Fasteners or bulk ordering lacing with special staple lengths, you must use a green guide block (ST4-5, #50240) with your installation tool. When using loose staples you can order a staple dispenser to speed your installation of this product.

-  **Stock Items** (non-shaded) carried in factory inventory.
-  **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.
- Non-Listed Items** are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



## How Alligator® Rivet Fasteners Work


The Alligator® Rivet Fastener system uses the self-setting rivet technology that Flexco developed for the underground mining market. The patented rivets work between the carcass fibers, without severing them, leaving the entire belt carcass intact. The fasteners and rivets of this system are constructed from durable, abrasion-resistant stainless steel for long life.

Because the rivets are self-setting, fasteners are installed quickly from the top side of the belt. Rivets are driven through the fastener plates and the belt, passing between the carcass fibers. The specially-shaped head of each pilot nail works in conjunction with the application tool's anvil plate to set the rivets.

Applications	Installation Method	What You Need for Installation
Hay Baling	Fasteners are installed in one simple procedure with self-setting rivets, using a portable fixture and hammer.	<ul style="list-style-type: none"> <li>• Fasteners</li> <li>• Rivets</li> <li>• Hinge Pin</li> <li>• Installation Tool</li> <li>• 1 lb. Hammer</li> </ul>
How to Specify the Correct Alligator® Rivet Fastener	Fastener Metal Selection	Hinge Pin Selection
Fits most round hay balers. Contact Customer Service for more information.	<b>Stainless Steel.</b> Type 300 Series Stainless Steel.	<b>Steel Corrugated</b> - the standard metal pin. Corrugations retain pin within the splice. <b>Stainless Steel Spring Wire</b> - resists wear and corrosion.

## Alligator® Rivet Fastener Selection Chart

Operating Tension Range		Belt Thickness Range		Pulley Diameter		Approx. Hinge Pin Diameter	
P.I.W.	kN/m	in.	mm	in.	mm	in.	mm
300	52	13/64-15/64	5.1-6.0	3-1/2	88	.140	3.6




# Alligator<sup>®</sup> Rivet Fasteners

## FASTENERS

### (300 SERIES STAINLESS PLATES)

Sold only in case quantities. 10 Packs/case, 10 pack minimum


BELT WIDTH		ORDERING NUMBER	ITEM CODE	UNIT OF MEASURE
in.	mm	WITH STEEL CORRUGATED HEAT-TREATED HINGE PINS		
4	100	ARJ4/100	15000	Package
6	150	ARJ6/150	14983	Package
7	175	ARJ7/175	15001	Package
10	250	ARJ10/250	15002	Package
14	350	ARJ14/350	15003	Package
WITH 300 SERIES STAINLESS SPRING WIRE HINGE PINS				
6	150	ARJ6/150SSI	14995	Package



**NOTE:** Each package includes fasteners, rivets and hinge pins for 2 complete splices.

## HAND APPLICATOR TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
7" (175 mm) Installation Tool	ART-7	15004	6.9
14" (350 mm) Installation Tool	ART-14	15005	10.1



## COMPLETE TOOL KITS - HAND APPLICATOR TOOL

Each kit includes an Installation Tool, Belt Hand Skiver, 1 lb. Hammer, Pin Bender and 2 packages of Alligator Rivet Fasteners. Packaged in a durable plastic tool box.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
7" (175 mm) Installation Kit	ARTK-7	15006	14.5
14" (350 mm) Installation Kit	ARTK-14	15015	18.5

## REPLACEMENT HINGE PINS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	QTY. PKG.	NUMBER	ITEM CODE	QTY. PKG.
in.	mm	ARSH STEEL CORRUGATED HEAT-TREATED HINGE PIN			ARSS1 300 SERIES STAINLESS SPRING WIRE PIN		
4"	100	ARSH4/100	14990	9	ARSS1-4/100	15007	9
6"	150	ARSH6/150	14991	8	ARSS1-6/150	15017	8
7"	175	ARSH7/175	14992	8	ARSS1-7/175	15008	8
10"	250	ARSH10/250	14993	4	ARSS1-10/250	15009	4
14"	350	ARSH14/350	14994	4	ARSS1-14/350	15010	4

**NOTE:** For nylon covered hinge pins, NC1 or NCS1, see page 38.


## EXTRA RIVETS (TYPE 430)

DESCRIPTION	ORDERING NUMBER	ITEM CODE
15/PKG.	AR3-15	15011



## ALLIGATOR<sup>®</sup> BELT GRINDER

ORDERING NUMBER	ITEM CODE	WT. LBS.
RB-1	30867	.7



**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production.

In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

## MULTIPLE RIVET INSTALLATION TOOL

Includes tool with guide block, pneumatic punch and hand punch

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
7" (175 mm) Installation Kit	MART-7	15025	9.1
14" (350 mm) Installation Kit	MART-14	15026	12.4

### REPLACEMENT PARTS

Pneumatic Punch	AR1P	15027	.2
-----------------	------	-------	----

**NOTE:** When using the pneumatic punch, air pressure not to exceed 85 psi.

## COMPLETE TOOL KITS - MULTIPLE RIVET INSTALLATION TOOL

Each kit includes a multiple rivet installation tool, guide block with screws, two pneumatic punches, hand punch and air hammer. Packaged in a durable plastic tool box.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
7" (175 mm) Installation Kit	MARTK-7	15032	16.5
14" (350 mm) Installation Kit	MARTK-14	15033	19.7

**NOTE:** When using the pneumatic punch, air pressure not to exceed 85 psi.



ARSS1



ARSH

## REPLACEMENT PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Punch	AR1P	15027	.20
Guide Block 7"	MARGB-7	15028	1.0
Guide Block 14"	MARGB-14	15029	1.6
Cam Lever Assembly	ART7-7	15012	.1
Cam Lever Spring	ST5-3	50015	.1
Clamp Bar 7"	ART7-5	15013	.8
Clamp Bar 14"	ART14-5	15014	1.3
Guide Block Post	MART-GBPW/S	15031	.1
Guide Block Knob	MART-GBK	15030	.3
Felt Washers (2 per Package)	MART-GBFW	15035	.1

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



## How Alligator® Non-Metallic Fasteners Work

Alligator® Non-Metallic Fasteners are made up of two distinct product lines, the Alligator® Plastic Rivet System and the Alligator® Spiral Lace Fastener System.

The **Alligator® Plastic Rivet Fasteners** were developed to bring the many advantages of mechanical belt fasteners to those applications where metal belt fasteners could not be used. They are external, cover-mounted fasteners employing a one-piece, integrated design with rivets molded into the top plates of the fasteners.

These rivets pass through pre-punched holes and are formed over through our Spin-Set™ technology, compressing the fastener plates and finishing the splice.

The **Alligator® Spiral Lace Fastener** system was designed for small pulley, low-profile applications. The fastener is constructed of polyester webbing, spirals, and hinge pins. It is installed by either insertion between the plies, ply stepping, or finger splicing.

Applications	Installation Method		What You Need for Installation	
<ul style="list-style-type: none"> <li>• Baggage Handling</li> <li>• Food Processing</li> <li>• X-Ray Equipment</li> <li>• Pharmaceutical</li> <li>• Indexing Conveyors</li> <li>• Mail Sortation</li> </ul>	<b>Alligator® Plastic Rivet</b>	<b>Alligator® Spiral Lace</b>	<b>Alligator® Plastic Rivet</b>	<b>Alligator® Spiral Lace</b>
	Pass through pre-punched holes and are Spin-Set™, compressing the fastener plates and finishing the splice.	<ul style="list-style-type: none"> <li>• Ply Insertion</li> <li>• Ply Stepping</li> <li>• Finger Splice</li> <li>• Finger-Step Splice</li> </ul>	<ul style="list-style-type: none"> <li>• Fasteners</li> <li>• Hinge Pin</li> <li>• Belt Punch</li> <li>• Templet</li> <li>• Curling Bit</li> <li>• Comb Assembly</li> <li>• MDT-1</li> <li>• Installation Tool</li> </ul>	<ul style="list-style-type: none"> <li>• Spiral Lace</li> <li>• Hinge Pin</li> <li>• Adhesive Enhancer</li> <li>• Film/Foil</li> <li>• Splicing Press</li> </ul>
How to Specify the Correct Alligator® Non-Metallic Fastener	Fastener Selection		Hinge Pin Selection	
<ol style="list-style-type: none"> <li>1. Determine Belt Tension (PIW).</li> <li>2. Measure your Belt Thickness.</li> <li>3. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>4. Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<b>Alligator® Plastic Rivet</b>	<b>Alligator® Spiral Lace</b>	<b>Alligator® Plastic Rivet</b>	<b>Alligator® Spiral Lace</b>
	<b>Nylon.</b>	<b>Polyester.</b>	<b>Nylon.</b>	<b>Polyester.</b>

### Alligator® Plastic Rivet Fastener Selection Chart

Fastener Size	For Belts With Mechanical Fastener Ratings Up To:		Belt Thickness Range		Recommended Min. Pulley Diameter		Approx. Hinge Pin Diameter	
	P.I.W.	kN/m	in.	mm	in.	mm	in.	mm
APF-100	40	7	Up thru 3/32	Up thru 2.4	1-1/2	38	.096	2.5
APF-150	65	11	1/16-1/8	1.6-3.2	3	75	.136	3.5

### Alligator® Spiral Lace Fastener Selection Chart

Fastener Size	Approx. Belt Thickness Range		Min. Pulley/Nose Bar		Approx. Operating Tension		Max. Operating Temperature		Approx. Pin Dia.	
	in.	mm	in.	mm	P.I.W.	kN/m	Degrees F	Degrees C	in.	mm
ASL50	1/16-1/8	1.6-3.2	3/8	10	50	8.7	300	150	.031	0.8
ASL60	3/32-9/64	2.4-3.6	1/2	12.7	50	8.7	300	150	.035	.9
ASL90	1/8-3/16	3.2-4.6	5/8	15.3	50	8.7	300	150	.047	1.2






# Alligator<sup>®</sup> Non-Metallic Fasteners

## PLASTIC RIVET

**FASTENERS** Includes Fasteners & Hinge Pin to make one splice.

	BELT WIDTH		DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm				
<b>100</b>	24	600	White	APF100W-50	80013	0.44
	48	1200	White	APF100W-100	80014	0.63
	24	600	Black	APF100B-50	80017	0.44
	48	1200	Black	APF100B-100	80018	0.63
<b>150</b>	24	600	Blue	APF100BLUE-50	80023	0.44
	48	1200	Blue	APF100BLUE-100	80024	0.63
	24	600	White	APF150W-50	80011	0.56
	48	1200	White	APF150W-100	80012	1.00
	24	600	Black	APF150B-50	80015	0.56
	48	1200	Black	APF150B-100	80016	1.00
	24	600	Blue	APF150BLUE-50	80026	0.56
	48	1200	Blue	APF150BLUE-100	80027	1.00



## BULK FASTENERS

Recloseable plastic pail contains 500 fasteners - no Hinge Pins.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
White	APF100W-500	80019	1.35
Black	APF100B-500	80021	1.35
Blue	APF100BLUE-500	80025	1.35
White	APF150W-500	80020	2.14
Black	APF150B-500	80022	2.14
Blue	APF150BLUE-500	80028	2.14



BULK FASTENERS

## HINGE PINS

FASTENER SIZE	LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	Foot	Meter			
APF100	10	3	NL250-X	80203	0.22
APF100	100	30	NL250-C	80204	2.20
APF150	10	3	NL350-X	80201	0.08
APF150	100	30	NL350-C	80202	0.80

## INSTALLATION TOOLS

### MOTOR DRIVEN INSTALLATION TOOL


(Required for Installation)

Does not include Comb Assembly or Temple. Purchase separately.

VOLTAGE	ORDERING NUMBER	ITEM CODE	WT. LBS.
110V	MDT-1	80110	31.0
220V-50 Cycle	MDT220-1	80111	35.0




MDT-1



S100B

### CURLING BIT (Required for Installation)

FASTENER SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
APF100	S100B	80075	0.06
APF150	S150B	80076	0.06



PCA7

### COMB ASSEMBLY (Required for Installation)

Includes Gauge Pin

LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
12	300	PCA7-300	80099	5.0
24	600	PCA7-600	80100	9.0
Clamp Knob Assembly			80150	0.1


**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Alligator® Non-Metallic Fasteners




100T

## TEMPLATES

LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in	mm			
<b>FOR APF100 FASTENERS</b>				
12	300	100T-300	80042	0.70
24	600	100T-600	80043	1.38
36	900	100T-900	80044	1.81
48	1200	100T-1200	80045	2.50
<b>FOR APF150 FASTENERS</b>				
12	300	150T-300	80038	0.69
24	600	150T-600	80039	1.25
36	900	150T-900	80040	1.81
48	1200	150T-1200	80041	2.38

## BELT PUNCH

FASTENER SIZE	HOLE DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.
APF100	.130	A100P	80078	0.06
APF150	.156	A150P	80079	0.06



A100P

## PLASTIC RIVET LUBE

ORDERING NUMBER	ITEM CODE	WT. LBS.	PKG. QTY.
PRL4	80090	0.38	1

## ALLIGATOR® SPIRAL LACE FASTENERS (Hinge Pin included)

LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
Foot	Meter						
<b>WHITE – SINGLE WEB</b>					<b>BLACK – SINGLE WEB</b>		
10	3	ASL50/3	19460	0.6	ASL50/3	04261	0.6
33	10				ASL50/10	04262	N/A
100	30	ASL50/30	04281	N/A	ASL50/30	04281	5.7
10	3	ASL60/3	19461	0.7	ASL60/3	19486	0.7
33	10	ASL60/10	19462	2.2			
100	30	ASL60/30	19463	6.4	ASL60/30	05463	6.4
10	3	ASL90/3	19466	0.9	ASL90/3	19485	0.9
33	10	ASL90/10	19467	2.4			
100	30	ASL90/30	19468	6.8	ASL90/30	19491	6.8
10	3	ASL160/3	19483	1.1			
100	30	ASL160/30	03913	7.5			
10	3	ASL190/3	19484	1.1			
33	10	ASL190/10	03892	3.3			
<b>WHITE – DOUBLE WEB</b>					<b>BLACK – DOUBLE WEB</b>		
10	3	ASL60D/3	19476	1.0			
33	10	ASL60D/10	19477	2.5			
100	30	ASL60D/30	19478	6.8			
10	3	ASL90D/3	19479	1.2	ASL90D/3	19489	1.2
33	10	ASL90D/10	19480	2.8	ASL90D/10	19490	2.8
100	30	ASL90D/30	19481	7.5	ASL90D/30	19494	7.5
<b>TAN – SINGLE WEB</b>					<b>BLUE – SINGLE WEB</b>		
10	3	ASL60H/3	04467	1.5	ASLBLUE50/3	04416	0.6
<b>TAN – DOUBLE WEB</b>					<b>BLUE – DOUBLE WEB</b>		
10	3	ASL80H/3	19470	1.5	ASLBLUE60/3	04417	1.0
10	3	ASL80H/3	19470	1.5	ASLBLUE90/3	04418	1.0

## REPLACEMENT HINGE PINS


Bulk Hinge Pin material - 100' / coil

ORDERING NUMBER	ITEM CODE	WT. LBS.
ASLHP60-C	19473	0.5
ASLHP90-C	19474	0.6
ASLHP80-C	19475	0.6

## LEADER PINS

Note: Custom lengths available.


DESCRIPTION	ORDERING NUMBER	ITEM CODE
(15-foot pin with 3-foot leader)	POLY035X15FT-W/3FT	05200
(15-foot pin with 3-foot leader)	POLY047X15FT-W/3FT	05201



**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.



## How Alligator® V-Belt Fasteners Work


The Alligator® V-Belt Fastening System is designed to grip the ends of a v-belt without interfering with the sheaves (pulleys) that the belt passes around.

Staples or nails are driven through the fastener and belt and folded over. They are

then hammered tight against the bottom plate of the fastener clinching the belt between the fastener plates. There is nothing that protrudes beyond the sides of the belt that would interfere with the sheaves.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>• Power Transmission</li> <li>• Agricultural Harvesting</li> <li>• Manufacturing</li> </ul>	<p>These fasteners are inserted into a holder/tool along with the belt end. The staples/nails are driven through the splice and when complete, the entire assembly is removed from the holder. Insert the hinge and the belt is ready to be run.</p>	<ul style="list-style-type: none"> <li>• Fasteners</li> <li>• Hinge Pin</li> <li>• Staples/Nails</li> <li>• Holder/Tool</li> <li>• Rocker Pin Tools</li> <li>• 1 lb. Hammer</li> </ul>
How to Specify the Correct Alligator® V-Belt Fastener	Fastener Metal Selection	Hinge Pin Selection
<p>The fastener size is determined by the belt size that you use. Simply choose the fastener that corresponds to your belt, A312, B437, or C531.</p>	<p><b>Steel.</b> Standard fastener material.</p>	<p>Rocker Pins are included with the fasteners.</p>

# Alligator® V-Belt Fasteners and V-Belt



## FASTENERS

ORDERING NUMBER	ITEM CODE	SETS PER BOX	WT. LBS.
A312*	70020	10	.3
B437	70023	10	.5
BB4	70028	10	.4
C531	70030	10	1.2
D750	70034	10	2.1

\*A312 Fasteners are installed with staples, all others installed with nails.

## V-BELT CONVENTIONAL

LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
Foot	Meter			
20'	6	AV20	70170	1.8
100'	30	AV100	70171	9.0
250'	76	AV250	70172	22.5
20'	6	BV20	70174	2.6
100'	30	BV100	70175	13.0
250'	76	BV250	70176	32.5
100'	30	CV100	70178	22.0
250'	76	CV250	70179	55.0
DOUBLE V – SOLD BY THE FOOT, 25" INCREMENTS				
25' Min.		BB	70015	.2

## INSTALLATION TOOLS & PARTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Piercing Tool	B43760	70045	1.4
	C62560	70046	2.5
	D75060	70047	3.5
V-Belt Cutter	C62520	70050	2.0
Cutter Blade Only	C62523	70051	.02
Tightener	B43750	70056	.9
	C53150	70057	2.1
	D75050	70058	4.5
Rocker Pin Tool	B43740	70060	.1
	C62540	70061	.1
Holder	A31255	70064	.1
	B43755	70065	.2
	BB455	70066	.2
	C53155	70067	.3

## SPARE PARTS

FOR FASTENER NUMBER	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
A312	Staples–Pkg. of 25	A31274	70110	.1
	Nails –			
B437	Steel–Pkg. of 100	B43774	70111	.2
BB4	Monel–Pkg. of 25	B43774M	70112	.1
C531	Steel–Pkg. of 100	C53174	70113	.3
D750	Steel–Pkg. of 100	D75074	70114	.4

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM


Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**


# Light-Duty Belt Maintenance Tools

## CLIPPER® 845LD SERIES ALUMINUM BELT CUTTER

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete for belts up to 1/2" (12 mm) thick	36"	900	845836LD	32275	29.0
	48"	1200	845848LD	32276	35.0
	60"	1500	845860LD	32277	40.0
	72"	1800	845872LD	32278	46.0
Wrench Assembly (handle)			820/840WA	32272	2.0
Cutter Blade Kit			845-CBK	32279	0.5
Optional Squaring Device			840SD	32274	2.0
36" Chain Replacement Kit			840-36CL	03772	1.92
48" Chain Replacement Kit			840-48CL	03773	2.40
60" Chain Replacement Kit			840-60CL	03774	3.00
72" Chain Replacement Kit			840-72CL	03775	3.75



845LD Belt Cutter




900 Series\* Belt Cutter


## 900 SERIES\* BELT CUTTER

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete for belts up to 1.5" (38 mm)	24"	600	900924	04200	39.4
	36"	900	900936	04143	39.4
	48"	1200	900948	04144	48.0
	60"	1500	900960	04145	54.0
	72"	1800	900972	04146	60.3
	84"	2130	900984	04147	86.0
Replacement Blade Kit			900CBK	04149	0.15

\*Patent pending



14" Belt Cutter




#25 Belt Cutter

## 14" BELT CUTTER

(For Belts up to 3/8" thick)

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete	14"	350	Cutter-14	03230	29.0
14" Replacement Blade			Blade-14	03450	0.6
14" Replacement Nylon Block			Block-14	03451	0.2
10" Replacement Blade			Blade-10	03009	0.5
10" Replacement Nylon Block			Block-10	03010	0.2
6" Replacement Blade			Blade-6	03006	0.5
6" Replacement Nylon Block			Block-6	03008	0.2



Smart Clamp™  
Light-Duty Belt Clamps



Laser Belt Square

## #25 BELT CUTTER

(For Belts and Tapes up to 1/8" thick)

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
#25 Belt Cutter	6"	125	Cutter-25-6	04101	4.0
#25 Replacement Blades (5/Pkg.)			Blade-25	03012	0.1
#25 Rotary Blade (6" Model)			Blade-25-6	04102	0.1

## SMART CLAMP™ LIGHT-DUTY BELT CLAMPS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Complete SmartClamp™ Set*	SMARTCLAMP	04073	45.0

\*Patent pending

## LASER BELT SQUARE

DESCRIPTION	ITEM CODE
Laser Belt Square	04305
REPLACEMENT PARTS	
Target (each)	04306
Door Battery Box Assembly	04307

Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) have added lead time.

Non-Listed Items are available.

Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086


**We Ship  
World Wide**

# Light-Duty Belt Maintenance Tools

## PLASTIC HOOK GAUGE

(For proper hook and pin size selection)

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Clipper-HookGauge	03129	0.1




## CARDING PAPER REMOVER

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Carding Paper Remover	03128	0.1



## ROUGH-TOP BELT SKIVER

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
RTBS Rough Top Skiver	03239	0.3



## UNIBAR® WIRE CUTTERS

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Cutter-Unibar Wire	03445	0.5



## SILVER INK BELT MARKING PEN

Sold Individually

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
M-4	01350	0.1



## LACING ACCESSORY KIT

(Includes Hook Gauge, Carding Paper Remover, Scissors and Rough-Top Belt Skiver)

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Lacing Accessory Kit	03132	1.0

## SCISSORS

DESCRIPTION/ ORDERING NO.	ITEM CODE	WT. LBS.
Clipper Scissors	03244	0.3



Binder

## TAPE BINDERS


DESCRIPTION	PINT (0.47 LITER)	
	ORDERING NUMBER	ITEM CODE
Non-Flammable Binder Quick Dry Binder	Binder-PT	03670

QUART (0.95 LITER)	
ORDERING NUMBER	ITEM CODE
Binder-QT	03671
QDBinder-Quart	03704

GALLON (3.79 LITER)	
ORDERING NUMBER	ITEM CODE
Binder-GAL	03672


## ALLIGATOR® BELT GRINDER

ORDERING NUMBER	ITEM CODE	WT. LBS.
RB-1	30867	.7




## CARD CUTTER

ORDERING NUMBER	ITEM CODE	WT. LBS.
GC-1	18100	.3
EXTRA BLADES (50/Package)		
GCB-50	18101	.8




## ALLIGATOR® HINGE PIN CUTTER

ORDERING NUMBER	ITEM CODE	WT. LBS.
APC-1	50004	.5



## BELT NIPPERS


ORDERING NUMBER	ITEM CODE	WT. LBS.
BN-1	50003	.8



## SMART LOCK™

(Kit includes 20 Smart Locks and 5' of .109" Duralink™ cable. Compatible Hook sizes 2-7)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Smart-Lock-Kit	Smart Lock	03442	0.2
Individual Smart Locks	Smart Lock	03441	—



Smart Locks





## Novitool® General Information

The Novitool® line of belt fabrication equipment is designed to enhance productivity in the workshop and on-site. Intended for use with light and medium weight thermoplastic conveyor belting, each splicing press, ply-separator, and punch employs market-driven innovations.

The quality build and contemporary design of Novitool® products are recognized worldwide. Experienced belt fabricators will appreciate the simplicity of operation and premium finished results, which are standards of all Novitool® products.

Product	Features	Benefits
<b>Aero™ Press</b>	<ul style="list-style-type: none"> <li>• Integrated Temperature Controls</li> <li>• Integrated Compressor</li> <li>• Integrated Air Cooling</li> <li>• Integrated Variable Power Supply</li> <li>• Flight Case Included</li> </ul>	<ul style="list-style-type: none"> <li>• 7-12 Minute Splicing Times</li> <li>• All-in-One Simplicity</li> <li>• No External Controller</li> <li>• No External Water Tanks</li> <li>• Lightweight and Portable</li> </ul>
<b>Amigo™ Monolithic Press</b>	<ul style="list-style-type: none"> <li>• Integrated belt cutter</li> <li>• Contactless heating element</li> <li>• Pre-heat setting</li> <li>• Digital temperature and time control</li> <li>• Interchangeable splice templates</li> <li>• Single Phase 115v or 230v</li> </ul>	<ul style="list-style-type: none"> <li>• Fast splicing time – under 1 minute</li> <li>• Produces high quality splice</li> <li>• Tight pitch control</li> <li>• Safety Features                             <ul style="list-style-type: none"> <li>◦ Integrated cutter</li> <li>◦ Shielded heat zone during splice</li> <li>◦ Heating element stored when not in use</li> </ul> </li> </ul>
<b>Ply 130™ Ply Separator</b>	<ul style="list-style-type: none"> <li>• One Adjustment for Splitting Position</li> <li>• One Adjustment for Splitting Depth</li> <li>• Easy to Read Position Rulers</li> <li>• Shielded Rollers and Cutting Blade</li> <li>• Robust Rigid Construction</li> </ul>	<ul style="list-style-type: none"> <li>• Easy to Determine Splitting Position</li> <li>• Excellent Splitting Repeatability</li> <li>• Split Films Down to .014" (35 mm)</li> <li>• Ideal for Thin, Lightweight Urethanes</li> <li>• Safe Operation with Shielded Components</li> </ul>
<b>Pun M™ Manual Punch</b>	<ul style="list-style-type: none"> <li>• No External Power Required</li> <li>• Single Movement Belt Clamping</li> <li>• 11,000 lb (50 kN) Punching Force</li> <li>• Open Ended Rigid Construction</li> <li>• Adjustable Stroke for Punching Depth</li> </ul>	<ul style="list-style-type: none"> <li>• Portable for On-site or Workshop Use</li> <li>• Easy One Hand Belt Clamping</li> <li>• Finger and Finger-Over-Finger Punching</li> <li>• No Belt Width Limitations</li> <li>• Simple, Single Lever Punching Action</li> </ul>

# Novitool® Belt Fabrication Tools



## AERO® SPLICING PRESS (WITHOUT CORDS\*)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS. (including case)
in.	mm			
12	300	AERO-300	08000	98.0
24	600	AERO-600	08001	132.0
36	900	AERO-900	08002	167.0
48	1200	AERO-1200	08003	201.0
60	1500	AERO-1500	08004	235.0

\*Cords sold separately

## AERO® AMPERAGE REQUIREMENTS

	230 volt; single phase	230 volt; 3 phase	460 volt; 3 phase
Aero-300	8	4	4
Aero-600	13	6.5	6.5
Aero-900	16	8	8
Aero-1200	24	12	12
Aero-1500	30	15	15



## AERO® PRESS STAND

(For sizes 36", 48", 60", 900, 1200, 1500 mm)

ORDERING NUMBER	ITEM CODE	WT. LBS.
AERO-STAND-CW-UMCABLE	08114	311.0
AERO-STAND-UMBILICAL-EXTEND (Cable Only)	08319	4.5

## AERO® SPLICE TAPE

ORDERING NUMBER	ITEM CODE	WT. LBS.
AERO-SPLICE-TAPE-66X101	08468	1.8

## AERO® PRESS POWER CORDS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	PLUG END DRAWING	COMPATIBLE WITH
<b>230 VOLT; SINGLE PHASE; 60 HZ</b>				
Cord Only - US	AERO-CABLE-230V1PHU	08006	N/A	Aero 300-1500
Cord with L6-30 plug	AERO-CABLE-230V1PH-L6-30	08037	L6-30P	Aero 300-1500
Cord with 6-30 plug	AERO-CABLE-230V1PH-6-30	08036	6-30P	Aero 300-1500
<b>230 VOLT; THREE PHASE; 60 HZ</b>				
Cord Only	AERO-CABLE-230V3PH	08005	N/A	Aero 300-1500
Cord with L15-20 plug	AERO-CABLE-230V3PH-L15-20	08038	L15-20P	Aero 300-1500
Cord with L15-30 plug	AERO-CABLE-230V3PH-L15-30	08039	L15-30P	Aero 300-1500
<b>400 VOLT; THREE PHASE; 50 HZ</b>				
Cord with IEC4/3-16 plug	AERO-2-CA-3X400-IEC4/3-16	08007	N/A	Aero 300-1500
<b>460 VOLT; THREE PHASE; 60 HZ</b>				
Cord Only	AERO-CABLE-460V3PH	08008	N/A	Aero 300-1500
Cord with L16-20 plug	AERO-CABLE-460V3PH-L16-20	08040	L16-20P	Aero 300-1500
Cord with L16-30 plug	AERO-CABLE-460V3PH-L16-30	08041	L16-30P	Aero 300-1500

## SILICONE PRESS PADS AND CLOTHS

THICKNESS		MATERIAL	LENGTH		COMPATIBLE WITH	ORDERING NUMBER	ITEM CODE	THICKNESS		MATERIAL	LENGTH		COMPATIBLE WITH	ORDERING NUMBER	ITEM CODE
in.	mm		in.	mm				in.	mm		in.	mm			
.020	0.5	Silicone Cloth	12	300	Aero-300	AERO-S10.5-300	08103	.12	3.0	Silicone Pad	12	300	Aero-300	AERO-S13-300	08109
.020	0.5	Silicone Cloth	24	600	Aero-600	AERO-S10.5-600	08104	.12	3.0	Silicone Pad	24	600	Aero-600	AERO-S13-600	08110
.020	0.5	Silicone Cloth	36	900	Aero-900	AERO-S10.5-900	08105	.12	3.0	Silicone Pad	36	900	Aero-900	AERO-S13-900	08111
.020	0.5	Silicone Cloth	48	1200	Aero-1200	AERO-S10.5-1200	08106	.12	3.0	Silicone Pad	48	1200	Aero-1200	AERO-S13-1200	08112
.020	0.5	Silicone Cloth	60	1500	Aero-1500	AERO-S10.5-1500	08107	.12	3.0	Silicone Pad	60	1500	Aero-1500	AERO-S13-1500	08113
.020	0.5	Silicone Cloth		10M		AERO-S10.5-10M	08108								

Note: The highlighted items above are sold in sets of two.

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**


# Novitool® Belt Fabrication Tools

## AMIGO™ MONOLITHIC PRESS

### AMIGO™ PRESS AND CABLE ORDERING INFORMATION

	ORDERING NUMBER	ITEM CODE
<b>Press</b>		
42" (1065 mm)	AMIGO-1000-SPLICEPRESS	08545
<b>Cables</b>		
115 volt; single phase	AMIGO-1000-CABLE-1X115-IEC520	08585
230 volt; single phase	AMIGO-1000-CABLE-1X230-IECL620	08586

**Note:** Press, cable, and templates are all purchased separately.




Amigo™ Monolithic Press


### AMIGO™ TEMPLATES

BELT MANUFACTURER	BELT STYLE	BELT TYPE	ORDERING NUMBER	ITEM CODE
Intralox®	ThermoDrive®	8050	AMIGO-1000-TMPLT-ITD	08593
		8026		
Volta	SuperDrive™	FMW & FMB FHW & FHB	AMIGO-1000-TMPLT-VSD	08592
	DualDrive	FMW & FMB	AMIGO-1000-TMPLT-VDD	08591
Habasit	Cleandrive™	CD.M50.S-UA.CB	AMIGO-1000-TMPLT-HXVT	08594
		CD.M50.S-UA.WB		
		CD.M25.S-UA.CB		
		CD.M25.S-UA.WB		
Ammeraal	Aeon	Aeon-50	AMIGO-1000-TMPLT-AA	08603
Cog-veyor Systems Inc.	Cog-veyor	UBM	AMIGO-1000-TMPLT-CV	08710
		UWM		
		PBH		
		PWH		
Gates® Mectrol®	PosiClean®	PC10	AMIGO-1000-TMPLT-GCLND	08596
		PC20		
Gates® Mectrol®	CenterClean™	CC40	AMIGO-1000-TMPLT-GCNTRD	08597
All	Angle Flat	Flat	AMIGO-1000-TMPLT-AFLAT	08717
All	Flat (Friction Driven)	Flat	AMIGO-1000-TMPLT-FLAT	08595

### AMIGO™ OPTIONAL ACCESSORIES

	ORDERING NUMBER	ITEM CODE
Skiving Tool	RTBS Rough Top Skiver	03239
Replacement Blades for Amigo	AMIGO-1000-BLADES-5	08587
High – Low Temp Friction Tape for Flat Belts	AMIGO-FRICTIONTAPE-33X25	08604

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.  
Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Novitool® Belt Fabrication Tools

## PLY 130™ PLY SEPARATOR

ORDERING NUMBER	ITEM CODE	NEMA PLUG
<b>PLY SEPARATOR MODEL</b>		
PLY130-WB-460V3PH60HZ	08013	no plug
PLY130-WB-230V3PH60HZ	08046	no plug
PLY130-WB-460V3PH60HZ-L16-20	08053	L16-20
PLY130-WB-460V3PH60HZ-L16-30	08054	L16-30
PLY130-WB-230V3PH60HZ-L15-20	08055	L15-20
PLY130-WB-230V3PH60HZ-L15-30	08056	L15-30
PLY130-WB-400V50HZ	08102	no plug
PLY130-WB-230V3PH60HZ-IEC60309	08151	IEC60309
PLY130-WB-460V3PH60HZ-IEC60309	08152	IEC60309
PLY130-WB-230V3PH50HZ	08246	no plug
PLY130-WB-200V3PH60HZ	08457	no plug
PLY130-WB-200V3PH60HZ-N18-20	08462	N18-20
PLY130-WB-200V3PH50HZ	08527	no plug
PLY130-WB-200V3PH50HZ-N18-20	08528	N18-20
<b>PLY 130™ CART</b>		
PLY130-CART (only)	08100	N/A
<b>REPLACEMENT PARTS</b>		
PLY130-BLADE	08490	N/A
PLY-JG Jig Only	08015	N/A

## PUN M™ MANUAL PUNCH


ORDERING NUMBER	ITEM CODE
<b>PUN M*</b>	
PUN-M-300	08016
PUN-M-600	08017
PUN-M-900	08018
<b>PUN M 300 PUNCHBOARDS</b>	
PUN-B-50×20-300	08019
PUN-B-70×15-300	08022
PUN-B-80×20-300	08025
PUN-B-50X18X31BIAS-300	08539
<b>PUN M 600 PUNCHBOARDS</b>	
PUN-B-50×20-600	08020
PUN-B-70×15-600	08023
PUN-B-80×20-600	08026
PUN-B-50×18×31BIAS-600	08540
PUN-B-80×20×113BIAS-600	08439
<b>PUN M 900 PUNCHBOARDS</b>	
PUN-B-50×20-900	08021
PUN-B-70×15-900	08024
PUN-B-80×20-900	08027
PUN-B-50×18×31BIAS-900	08526
PUN-B-80×20×113BIAS-900	08440
<b>REPLACEMENT PARTS</b>	
PUN-M-NYLONPAD-KIT	08279

\*Punchboards not included with Pun M; purchase separately.


**Note:** Custom punchboards are available for other finger dimensions. Contact Customer Service for information.

## PLY 130™ STEP CUTTER

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>PLY STEP CUTTER MODEL</b>		
PLY130-STEP CUT-RETROFIT	08499	4.1
PLY130-STEP CUT	08501	2.7
<b>OPTIONAL ITEMS</b>		
PLY130-STEP CUT-BLADES (5)	08497	0.15
PLY130-STEP CUT-GUIDE-EXT	08498	1.6
PLY130-STEP CUT-TWRENCH	08500	0.2



Ply 130™ Cart




Pun M™ Manual Punch

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

We Ship  
World Wide



## FGP Food Grade Precleaner General Information

The FGP Food Grade Precleaner from Flexco is easy to install, easy to maintain, and disassembles in a snap for regular cleaning and sanitization. The FGP Precleaner works on any belt from 4" to 60" (100 mm to 1500 mm) and the blade is available in both white and blue FDA approved food grade material.

### Features and Benefits

- Made of FDA approved materials for use in food applications.
- Certified by USDA for use in meat, poultry and dairy operations.
- Simple design limits crevices and opportunities for bacteria growth.
- Snap on/off blade for ease of cleaning and blade replacement.
- Minimal hardware so installation, tensioning, and blade replacement are easy.
- Easily tensioned to minimize blade wear, eliminate belt damage, and maximize cleanability.
- Available in standard blade widths from 12" to 60" (300 mm to 1500 mm). Can be cut to size.
- C-dimension gauge ensures proper pole location for optimal cleaning.
- Compatible with endless as well as mechanical splices.

### Specifications:

<ul style="list-style-type: none"> <li>• <b>Temperature Range</b> -20°F to 140°F (-29°C to 60°C)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Blade Height</b> 3.0" (76 mm)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Blade Material</b> Food-grade UHMW</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Minimum Pulley Diameter</b> 2" (50 mm)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Blade Width Range</b> 4" - 60" (102-1524 mm)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Pole/Mounting Material</b> 304 Stainless Steel</li> </ul>




# FGP Food Grade Precleaner

## FGP FOOD GRADE PRECLEANER

BLADE WIDTH		MAXIMUM CONVEYOR WIDTH		WEIGHT		WHITE BLADE		BLUE BLADE	
in.	mm	in.	mm	lbs.	kg.	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
12	305	22	559	6.7	3.0	FGP-W3-12	56009	FGP-BL3-12	56000
18	457	28	711	7.7	3.5	FGP-W3-18	56010	FGP-BL3-18	56001
24	610	34	864	8.6	3.9	FGP-W3-24	56011	FGP-BL3-24	56002
30	762	40	1016	9.5	4.3	FGP-W3-30	56012	FGP-BL3-30	56003
36	914	46	1168	10.5	4.8	FGP-W3-36	56013	FGP-BL3-36	56004
42	1067	52	1321	11.5	5.2	FGP-W3-42	56014	FGP-BL3-42	56005
48	1219	58	1473	12.4	5.6	FGP-W3-48	56015	FGP-BL3-48	56006
54	1372	64	1626	13.3	6.0	FGP-W3-54	56016	FGP-BL3-54	56007
60	1524	70	1778	14.2	6.4	FGP-W3-60	56017	FGP-BL3-60	56008


**Product Notes:**

- Pole length = blade length + 12" on standard cleaners.
- Blade and/or pole can be cut to users required length.
- Pole must be 2" longer than the outside width of the conveyor structure at the mounting location.




### Recommended blade width:

Belt Width Minus 1" (25 mm)



Material Path Plus 3" (75 mm)



### POLE LENGTHS


Pole Length		Minimum Blade Width		Maximum Blade Width		Maximum Conveyor structure width at cleaner mounting location	
in.	mm	in.	mm	in.	mm	in.	mm
24	610	4	102	12	305	22	556
30	813	4	102	18	457	28	708
36	965	18	457	24	610	34	861
42	1067	18	457	30	813	40	1013
48	1219	30	813	36	965	46	1165
54	1372	30	813	42	1067	52	1318
60	1524	30	813	48	1219	58	1470
66	1676	30	813	54	1372	64	1623
72	1829	30	813	60	1524	70	1775

### POLE LOCATION

A		X		Y		C		A		X		Y		C	
in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm
2.0	51	0.95	24	2.98	76	3.13	80	6.5	165	3.16	80	3.41	87	4.64	118
2.5	64	1.19	30	3.03	77	3.25	83	7.0	178	3.40	86	3.46	88	4.85	123
3.0	76	1.44	37	3.08	78	3.39	86	7.5	191	3.65	93	3.51	89	5.06	129
3.5	89	1.68	43	3.12	79	3.55	90	8.0	203	3.89	99	3.55	90	5.27	134
4.0	102	1.93	49	3.17	81	3.71	94	8.5	216	4.14	105	3.60	91	5.48	139
4.5	114	2.18	55	3.22	82	3.88	99	9.0	229	4.38	111	3.65	93	5.70	145
5.0	127	2.42	61	3.27	83	4.06	103	9.5	241	4.63	118	3.70	94	5.92	150
5.5	140	2.67	68	3.31	84	4.25	108	10.0	254	4.88	124	3.74	95	6.14	156
6.0	152	2.91	74	3.36	85	4.45	113								


A = Diameter of pulley + lagging thickness + belt thickness  
 C = Centerline of pulley to centerline of cleaner pole.

### POLE LOCATION SPECS



- Stock Items (non-shaded) carried in factory inventory.
- Made To Order Items (shaded) have added lead time.
- Non-Listed Items are available.

# FGP Food Grade Precleaner



## FGP FOOD GRADE PRECLEANER REPLACEMENT PARTS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
1	24" (610 mm) Pole	FGPL-24/610	56503	2.7
	30" (762 mm) Pole	FGPL-30/762	56504	3.4
	36" (914 mm) Pole	FGPL-36/914	56505	4.1
	42" (1067 mm) Pole	FGPL-42/1067	56506	4.8
	48" (1219 mm) Pole	FGPL-48/1219	56507	5.5
	54" (1372 mm) Pole	FGPL-54/1372	56508	6.2
	60" (1524 mm) Pole	FGPL-60/1524	56509	6.9
	66" (1676 mm) Pole	FGPL-66/1676	56510	7.6
	72" (1829 mm) Pole	FGPL-72/1829	56511	8.3
2	Torsion Hub Assembly	FGTHUB	56519	0.6
3	Torsion Housing	FGTHSG	56520	0.8
4	Torsion Bushing	FGTBSG	56521	0.1
5	Pole Bushing	FGPBSG	56522	0.1
6	Thumb Screw	FGPIN	56523	0.1
7	End Plate	FGENDPLT	56524	0.5
8	Jam/Locking Nut	FGHEXNUT	56525	0.1
9	Standoff Kit (8 pc)	FGSTNDOFFKIT/8	56526	0.6
	Standoff (1 pc)	FGSTNDOFFKIT/1	56529	0.1
10	Large O-ring (1 pc)	FGO-RGKIT/1	56530	0.1
11	Small O-ring (1 pc)	FGO-RSM/1	56567	0.1
12	O-ring Kit (16 pcs. ea. Items 10 & 11)	FGO-RGKIT/16	56528	0.1
13	Hardware Kit	FGHRDWRKIT	56527	1.1
14	"C" Dimension Gauge	FG-C-GAUGE	56568	0.1

**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) have added lead time.

**Non-Listed Items** are available.

Request quote for price and delivery.

## FGP FOOD GRADE PRECLEANER REPLACEMENT BLADES

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
15	12" (305 mm) Blue Blade	FGB-BL3-12/305	56531	0.5
	18" (457 mm) Blue Blade	FGB-BL3-18/457	56532	0.7
	24" (610 mm) Blue Blade	FGB-BL3-24/610	56533	0.9
	30" (762 mm) Blue Blade	FGB-BL3-30/762	56534	1.2
	36" (914 mm) Blue Blade	FGB-BL3-36/914	56535	1.4
	42" (1067 mm) Blue Blade	FGB-BL3-42/1067	56536	1.6
	48" (1219 mm) Blue Blade	FGB-BL3-48/1219	56537	1.8
	54" (1372 mm) Blue Blade	FGB-BL3-54/1372	56538	2.1
	60" (1524 mm) Blue Blade	FGB-BL3-60/1524	56539	2.3
	12" (305 mm) White Blade	FGB-W3-12/305	56540	0.5
	18" (457 mm) White Blade	FGB-W3-18/457	56541	0.7
	24" (610 mm) White Blade	FGB-W3-24/610	56542	0.9
	30" (762 mm) White Blade	FGB-W3-30/762	56543	1.2
	36" (914 mm) White Blade	FGB-W3-36/914	56544	1.4
	42" (1067 mm) White Blade	FGB-W3-42/1067	56545	1.6
	48" (1219 mm) White Blade	FGB-W3-48/1219	56546	1.8
	54" (1372 mm) White Blade	FGB-W3-54/1372	56547	2.1
	60" (1524 mm) White Blade	FGB-W3-60/1524	56548	2.3

## FGP FOOD GRADE PRECLEANER REPLACEMENT SPRINGS

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
16	Torsion Spring 12" (305 mm) to 18" (457 mm) Blades	FGTS-18/508	56500	0.1
	Torsion Spring 19" (483 mm) to 30" (762 mm) Blades	FGTS-30/762	56501	0.1
	Torsion Spring 31" (787 mm) to 60" (1524 mm) Blades	FGTS-60/1524	56502	0.1

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



## Tatch-A-Cleat® General Cleat Information

### Cleat patterns

When choosing cleat installation patterns, you should give major consideration to the type of return support which is available or feasible.

Where conveyor pulley center distances are 15 feet or less, it is often possible to omit return rolls safely.

Where the curved or chevron pattern is used with standard return rolls, cleats should be

arranged so that they provide a set of continuous contacts between cleats and rolls. On drives using pulleys less than 6" in diameter, curved or chevron patterns should not be used.

The ends of cleats mounted in a curved pattern should be tapered to lead smoothly onto return rolls.

### Suggested minimum cleat height for various sized materials and degrees of incline

This chart assumes that material being conveyed has a 30° natural angle of repose. For rounded or free-flowing materials with a natural angle of repose of less than 30°, use the cleat corresponding to the next higher material size. (For example, if your material is 4" high, with a natural angle of repose of less than 30°, and your belt incline is 40°, you would use a 3" cleat — that is, the cleat size corresponding to 5" material.

Cleat Height

Size of Material	Belt Incline				
	30°	40°	50°	60°	
8"	6"	6"	6"	6"	
7"	6"	6"	6"	6"	
6"	4"	4"	6"	6"	
5"	3"	3"	4"	6"	
4"	2"	2"	3"	4"	
3"	1 1/2"	1 1/2"	2"	3"	
2"	1"	1"	1 1/2"	2"	
1"	5/8"	5/8"	1"	1 1/2"	
1/2"	5/8"	5/8"	5/8"	1"	

### Suggested cleat spacing

This chart assumes that material being conveyed has a 20° dynamic angle of repose (30° natural angle of repose) and that cleats are installed at a right angle to the belt edge. For more free-flowing material, use slightly closer cleat spacing.

Cleat Spacing

Cleat Height	Belt Incline				
	30°	40°	50°	60°	
6"	35"	28"	21"	15 3/4"	
4"	23"	18 1/2"	13 1/2"	10 1/2"	
3"	17"	13 1/2"	10"	8"	
2"	12"	8 1/2"	6 1/4"	5"	
1 1/2"	8 1/2"	6"	5"	4"	
1"	5 1/2"	4 1/4"	2 3/4"	2 1/2"	
5/8"	4"	2 3/4"	2"	1 3/4"	


Type	Cleat Pattern	Return Rolls	Recommended
IN TROUGH		SPLIT ROLLS 	Where Cleats are needed only to lock material in place on the conveyor.
STAGGERED		SQUIRREL CAGE 	Where drain-off of liquids presented special problems.
ACROSS BELT WIDTH		SELF-CLEANING 	Where incline is steep and/or material has high flowability — as with large, round or uniformly sized material.
CURVED		STANDARD RETURN ROLLS 	Where increased load capacity is required with a given belt width, trough, and incline.
SPLIT		RUBBER-DISC 	Where drain-off is a problem, and rubber disc-type rolls are available.
CHEVRON		STANDARD RETURN ROLLS 	Where drain-off is a problem, and standard solid return rolls are used.

# Tatch-A-Cleat® Mechanical Cleats

## MODEL "L" CLEATS

10 CLEATS/CARTON – Min. Pulley 2" (50 mm)

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>BLACK – PLATED FASTENER</b>		
L5/8-B	99500	7.3
L1-B	99504	9.3
L1-1/2-B	99508	11.2
L2-B	99512	14.0
L3-B	99516	18.3
<b>BLACK – 302 STAINLESS FASTENER</b>		
L5/8-BS	99501	7.3
L1-BS	99505	9.3
L1-1/2-BS	99509	11.2
L2-BS	99513	14.0
L3-BS	99517	18.3
<b>WHITE – PLATED FASTENER</b>		
L5/8-W	99502	7.3
L1-W	99506	9.3
L1-1/2-W	99510	12.3
L2-W	99514	14.5
L3-W	99518	19.3
<b>WHITE – 302 STAINLESS FASTENER</b>		
L5/8-WS	99503	7.3
L1-WS	99507	9.3
L1-1/2-WS	99511	12.3
L2-WS	99515	14.5
L3-WS	99519	19.3



**NOTE:** Cleats are 24" long.

1/2" screws are furnished "standard" and can be used on belts up to 5/16" (8 mm) thick.

Inserts are on 2" (50 mm) centers.

For belts 5/16" – 7/16" (8 – 11 mm) use a 5/8" screw.

For belts over 7/16" (11 mm) use a 3/4" screw.



**NOTE:** Cleats are 48" long. Ordering numbers followed by the letter T indicate cleat fasteners furnished with flat top nut (ECFT). Standard fasteners include hex nuts. (ECF).

## ECONO-CLEAT®

5 CLEATS/CARTON

ORDERING NUMBER	ITEM CODE	WT. LBS.	MIN. PULLEY	
			in.	mm
<b>ECONO-CLEAT w/FASTENERS &amp; HEX NUTS (ECF, EC4F, EC6F)</b>				
EC1-1/4	99576	12.5	3	75
EC2	99578	15.5	3	75
EC3	99580	22.0	3	75
EC4	99582	33.0	4	100
EC6*	99586	28.3	6	150
<b>ECONO-CLEAT w/FASTENERS &amp; FLAT TOP NUTS (ECFT, EC4FT)</b>				
EC1-1/4-T	99577	12.5	3	75
EC2-T	99579	15.5	3	75
EC3-T	99581	22.0	3	75
EC4-T	99583	33.0	4	100

\*Two 48" Cleats/Carton

## EXTRA FASTENER SETS

123/BAG #10-24 Machine Screws and Washers

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>PLATED</b>		
L1/2-F	99570	1.0
L5/8-F	99522	1.0
L3/4-F	99520	1.3
L1-F	99521	1.3
<b>STAINLESS</b>		
L1/2-FS	99571	1.0
L5/8-FS	99525	1.0
L3/4-FS	99523	1.3

## MODEL "HD" CLEATS

ORDERING NUMBER	ITEM CODE	WT. LBS.	CLEATS/CARTON	MIN. PULLEY	
				in.	mm
<b>WITH PLATED FASTENER</b>					
HD1	99531	11.5	10	3	75
HD2	99565	9.5	5	4	100
<b>WITH STAINLESS FASTENER</b>					
HD1S	99648	11.8	10	3	75



**NOTE:** 3" and 4" Cleats – 24" long Model HD Cleats are furnished with Plated 14 X 1 Type AB Fasteners. Specify 1-1/4" screws for belts over 7/16" thick.

**NOTE:** HD2 Cleats may be purchased in bulk quantities. Contact Customer Service for details.

## EXTRA FASTENER SETS – TYPE AB

123/BAG

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>PLATED</b>		
HD1-F	99535	2.5
HD1-1/4-F	99536	2.8
<b>STAINLESS</b>		
HD1-FS	99529	2.6

## ECONOMY CARTON

12 FT. LENGTHS w/NO FASTENERS - 3 FASTENER SETS PER FOOT REQUIRED

ORDERING NUMBER	ITEM CODE	WT. LBS.	FEET/CTN.	MIN. PULLEY	
				in.	mm
EC1-1/4-C	99597	119.0	240	3	75
EC2-C	99598	125.0	180	3	75
EC3-C	99599	123.0	120	3	75
EC4-C	99601	121.0	72	4	100
EC6-C	99600	126.0	36	6	150

## EXTRA FASTENER SETS

61/BAG

ORDERING NUMBER	ITEM CODE	WT. LBS.	SIZE
<b>FASTENERS FOR 1-1/4", 2" &amp; 3" CLEATS</b>			
ECF	99589	2.8	1/4" x 1-1/4"
ECFS	99593	2.9	
ECFT	99590	2.3	
<b>FASTENERS FOR 4" CLEATS</b>			
EC4F	99591	3.3	1/4" x 1-3/4"
EC4FT	99592	2.3	
<b>FASTENERS FOR 6" CLEATS</b>			
EC6F*	99594	2.0	1/4" x 2"

\*33/Bag

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Tatch-A-Cleat® Mechanical Cleats

## TATCH-A-LUG®

Min. Pulley 2" (50 mm)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
(25 LUGS/CARTON)	LG1-1/2	99541	1.8
	LG2	99543	2.0
(26 EACH)			
Extra Fastener Sets – Plated	LG3/4-F	99546	.3
	LG3/4-FS	99547	.3
Economy Carton (100 LUGS)	LG1-1/2-C	99542	6.7
	LG2-C	99544	7.1



## TATCH-A-PEG®

Min. Pulley 2" (50 mm)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
(100 PEGS/CARTON)	PG2	99539	4.3
	PG3	99537	6.9
Extra Fastener Sets – Plated (100 / bag)	P1/2-F	99548	.8
	P3/4-F	99538	1.0



## EXTRA WASHERS

FOR CLEAT:	ORDERING NUMBER	ITEM CODE	WT. LBS.	DIA.
Econo-Cleat®	CW25/100	99690	.1	1/4"
Tatch-A-Lug®, Model "L" Tatch-A-Peg®	CW1024	99626	.1	13/64"
<b>BULK WASHERS</b>				
Tatch-A-Lug®, Model "L" Tatch-A-Peg®	CWS1024	99627	1.0	13/64"


## TATCH-A-GUIDE®


DESCRIPTION	LENGTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	MIN. PULLEY	
	in.	mm				in.	mm
Plated (10/CTN.)	8"	200	A10	99551	1.0	4	100
	8"	200	B10	99553	1.3	6	150
	9 1/4"	235	C10	99555	3.3	8	200
Stainless	8"	200	A10S	99552	1.0	4	100
	8"	200	B10S	99554	1.3	6	150
	9 1/4"	235	C10S	99556	3.3	8	200
Extra Fasteners Sets (31/BAG)							
Plated	– Size A		G1/2-F	99560	.1		
			G5/8-F	99566	.1		
			G3/4-F	99572	.3		
Stainless	– Size A		G1/2-FS	99563	.1		
			G5/8-FS	99569	.1		
			G3/4-FS	99573	.3		




## INSTALLATION TOOLS

DESCRIPTION	ORDERING NUMBER	FOR CLEAT TYPE:	DIA.	ITEM CODE	WT. LBS.
Flexco® Belt Punches	P1P	Model L, Econo-Cleat®, Tatch-A-Lug®, Tatch-A-Peg®, & Tatch-A-Guide®	1/4"	30460	.1
	P3P	Model HD	3/8"	30462	.3
Flexco® Power Punches	HP1	Model L, Econo-Cleat®, Tatch-A-Lug®, Tatch-A-Peg®, & Tatch-A-Guide®	1/4"	30463	.2
	HP3	Model HD	3/8"	30465	.2
Flexco® Bolt Breaker (Two per Package)	110			30474	1.2
Quick Change Chuck	5552			30481	0.4
Alligator® Belt Grinder	RB-1			30867	0.7



 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**




# Tatch-A-Cleat® Mechanical Cleats

## RUBBER BONDABLE

### T CLEATS

**BUFFED - STANDARD PACK** 10' LENGTHS - NITRILE 60 DURO - 1500 lb. TENSILE

WHITE		BLACK		WT./FT.	MIN. ORDER QTY.	HEIGHT	BASE WIDTH	THICKNESS	MIN. PULLEY DIAMETER
ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE						
T-1WNIB	99967	T-1BNIB	99983	.45	100'	1"	2 1/8"	.250"	6"
T-1-1/2WNIB	99968	T-1-1/2BNIB	99984	.57	100'	1 1/2"	2 1/8"	.250"	6"
T-2WNIB	99969	T-2BNIB	99985	.62	100'	2"	2 1/8"	.250"	6"
		T-3BNIB	99987	1.20	100'	3"	2 1/8"	.375"	6"




T CLEAT

### FLANGES

50' LENGTHS - NEOPRENE 45 DURO - 1200 lb. TENSILE, 600% ELONGATION - BLACK ONLY

ORDERING NUMBER	ITEM CODE	WT./FT.	QTY./CTN.	HEIGHT	BASE WIDTH	MIN. PULLEY DIA.	
						FLANGE	CLEAT
FL1BNE	99860	.24	50'	1"	3/4"	6"	4"
FL1-1/2BNE	99861	.48	50'	1 1/2"	1"	8"	5"




FLANGE

### V-GUIDE BUFFED

**STANDARD PACK** 100' LENGTHS - NEOPRENE 60 DURO - 1500 lb. TENSILE

WHITE		BLACK		WT./FT.	QUANTITY CTN./REEL	SIZE	W1	W2	HEIGHT	MIN. PULLEY DIAMETER
ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE							
AVGWNEB	99832	AVGBNEB	99996	.09	100'	A	1/2"	5/16"	5/16"	4"
		BVGBNEB	99844	.15	100'	B	5/8"	7/16"	7/16"	6"
<b>STANDARD REEL*</b> NEOPRENE 60 DURO - 1500 lb. TENSILE										
OVGWNEB-500	99287	OVGBNEB-500	99301	.05	500'	O	3/8"	1/4"	1/4"	2"
AVGWNEB-500	99288	AVGBNEB-500	99302	.09	500'	A	1/2"	5/16"	5/16"	4"
BVGWNEB-500	99289	BVGBNEB-500	99303	.15	500'	B	5/8"	7/16"	7/16"	6"
CVGWNEB-300	99290	CVGBNEB-300	99304	.25	300'	C	7/8"	17/32"	17/32"	8"

 **Made To Order Items**  
Allow 6-8 weeks for delivery.  
Minimum order may apply.


\*White V-guides shipped in 2 pieces on one reel.

### V-GUIDE UNBUFFED

**STANDARD PACK** 100' LENGTHS - NEOPRENE 60 DURO - 1500 lb. TENSILE

WHITE		BLACK		WT./FT.	QUANTITY CTN./REEL	SIZE	W1	W2	HEIGHT	MIN. PULLEY DIAMETER
ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE							
		AVGBNE	99855	.09	100'	A	1/2"	5/16"	5/16"	4"
<b>STANDARD REEL*</b> NEOPRENE 60 DURO - 1500 lb. TENSILE										
OVGWNE-500	99280			.05	500'	O	3/8"	1/4"	1/4"	2"
AVGWNE-500	99281	AVGBNE-500	99295	.09	500'	A	1/2"	5/16"	5/16"	4"
BVGWNE-500	99282	BVGBNE-500	99296	.15	500'	B	5/8"	7/16"	7/16"	6"
CVGWNE-300	99283	CVGBNE-300	99297	.25	300'	C	7/8"	17/32"	17/32"	8"

\*White V-guides shipped in 2 pieces on one reel.



V-GUIDE

## BONDABLE CLEAT – TEMPERATURE SERVICE RANGE

FOR CLEAT TYPE:	TEMPERATURE RANGE
<b>RUBBER BONDABLE</b>	
T-Cleat, Scoop Cleats	-40°F to +180°F
V-Guides	-40°F to +210°F
<b>PVC BONDABLE</b>	
T-Cleat, Scoop Cleats, V-Guides	-20°F to +150°F

**NOTE:** One reel or carton minimum per size and color.  
**Non Listed Items** are available.  
Request quote for price and delivery.


**NOTE:** Customized Profiles and Formulations can be quoted.

**NOTE:** Allow for greater pulley diameters if system has reverse bends.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



## How Flexco® Bolt Hinged Fasteners Work

Flexco® Bolt Hinged fasteners provide a flexible joint for belts operating over small pulleys. Because the joint is easily separated by simply removing the hinge pin, entire belt sections may be added or eliminated.

Designed as a compression fastener, the Flexco® Bolt Hinged model is fastened to the belt ends with high strength bolts. The bolts compress the plates into the belt cover.

Additional holding capability is provided by the fastener teeth that imbed in the belt without damage to the belt carcass.

This combination distributes the splice tension across the entire plate width while the teeth secure the fastener into the belt carcass to resist pull-out.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>• Construction Equipment</li> <li>• Road Machinery</li> <li>• Coal, Salt, Potash Mines</li> <li>• Stacking and Stockpiling Belts</li> <li>• Other Applications Involving Smaller Pulleys</li> </ul>	Fasteners can be installed in the shop or on-site with either simple hand tools or power tools.	<ul style="list-style-type: none"> <li>• Fastener Plates</li> <li>• Bolts &amp; Nuts</li> <li>• Templet</li> <li>• Belt Punch</li> <li>• Wrench</li> <li>• Bolt Horn</li> <li>• Flexco Installation Tool</li> <li>• Impact Tool or Carpenter's Brace</li> </ul>
How to Specify the Correct Flexco® Bolt Hinged Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>1. Determine Belt Tension (PIW).</li> <li>2. Measure your Belt Thickness.</li> <li>3. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>4. Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> For most applications, plated steel is recommended.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel provides extra resistance to abrasion, magnetic attraction, and corrosion from acids and chemicals.</p> <p><b>MegAlloy®.</b> For superior resistance to wear and abrasion.</p> <p><b>Everdur®.</b> Spark-free material compared to steel and fully non-magnetic.</p>	<p><b>NC Nylon Covered Steel Cable</b> - for use with steel fasteners, flat or troughed belts.</p> <p><b>NCS Nylon Covered Stainless Steel Cable</b> - for applications with stainless fasteners, flat or troughed belts.</p> <p><b>NAC Nylon Covered Armored Cable</b> - right for many applications, long service life.</p> <p><b>AC Bare Armored Cable</b> - for extendable conveyors.</p> <p><b>ACS Bare Armored Stainless Cable</b> - for applications with stainless fasteners, flat or troughed belts.</p> <p><b>SC Bare Steel Cable</b> - for conveying gritty or abrasive material.</p> <p><b>SSC Bare Stainless Steel Cable</b> - for corrosion resistance, flat belts.</p> <p><b>NB Nylon Covered Bronze Cable</b> - for non-magnetic joints.</p>

### Flexco® Bolt Hinged Fastener Selection Chart

Fastener Size	For Belts With Mechanical Fastener Ratings Up To:		Belt Thickness Range		Recommended Min. Pulley Diameter			
					Operating Tension 100% of Belt Rating		Operating Tension Under 75% of Belt Rating	
	P.I.W.	kN/m	in.	mm	in.	mm	in.	mm
375X	190	33	1/4-13/32	6-11	6	152	4	102
550	300	52	1/4-5/8	6-16	9	230	7	178



# Flexco® Bolt Hinged Fasteners

## FASTENERS

### NOTE:

In most cases, fastener strip length is not equal to belt width. Order by belt width.

### STEEL ("J" CARTON – Continuous Strip w/Steel Nuts & Bolts)

375X	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	NC STEEL JOINT WITH NYLON COVERED STEEL CABLE			NCS STEEL JOINT WITH NYLON COVERED STAINLESS CABLE			SC STEEL JOINT WITH BARE STEEL CABLE		
	12"	300	375XJ12NC	40000	2.3						
14"	350	375XJ14NC	40001	2.6							
16"	400	375XJ16NC	40002	2.9							
18"	450	375XJ18NC	40003	3.3	375XJ18NCS	40012	3.3				
20"	500	375XJ20NC	40004	3.8							
24"	600	375XJ24NC	40005	4.0	375XJ24NCS	40013	4.0	375XJ24SC	40020	4.0	
26"	650	375XJ26NC	40006	4.5							
30"	750	375XJ30NC	40007	5.1	375XJ30NCS	40014	5.1				
36"	900	375XJ36NC	40008	6.3	375XJ36NCS	40015	6.3	375XJ36SC	40023	6.3	
42"	1050	375XJ42NC	40009	7.3	375XJ42NCS	40016	7.3				
48"	1200	375XJ48NC	40010	8.3	375XJ48NCS	40017	8.3				
60"	1500	375XJ60NC	39997	10.2				375XJ48SC	40025	7.7	

### STAINLESS 300 SERIES

("J" CARTON – Continuous Strip w/Stainless Nuts & Bolts)

375X	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	SSC STAINLESS JOINT WITH BARE STAINLESS CABLE			NCS STAINLESS JOINT WITH NYLON COVERED STAINLESS CABLE		
	18"	450				375XSJ18NCS	40035	3.3
24"	600	375XSJ24SSC	40225	4.0	375XSJ24NCS	40036	4.0	
30"	750	375XSJ30SSC	40226	5.1	375XSJ30NCS	40037	5.1	
36"	900	375XSJ36SSC	40227	6.3	375XSJ36NCS	40038	6.3	
42"	1050	375XSJ42SSC	40228	7.3	375XSJ42NCS	40039	7.3	
48"	1200	375XSJ48SSC	40229	8.3	375XSJ48NCS	40040	8.3	
60"	1500	375XSJ60SSC	39907	10.2				

### EVERDUR

("J" CARTON – Continuous Strip w/Everdur Nuts & Bolts)

375X	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	NB EVERDUR JOINT WITH NYLON COVERED BRONZE CABLE		
	18"	450	375XEJ18NB	39978	3.5
24"	600	375XEJ24NB	39980	4.3	
30"	750	375XEJ30NB	39982	5.4	
36"	900	375XEJ36NB	39984	6.6	
42"	1050	375XEJ42NB	39986	7.7	


### GAUGE PINS (EXTRA)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	EACH			10 PER PACKAGE		
18	450				FHGP18	39603	3.0
24	600	FHGP24-1	39624	0.4	FHGP24	39605	3.9
30	750	FHGP30-1	39626	0.5	FHGP30	39607	4.8
36	900	FHGP36-1	39625	0.6	FHGP36	39610	5.8
42	1050	FHGP42-1	39627	0.7	FHGP42	39613	6.7
48	1200	FHGP48-1	39628	0.8	FHGP48	39615	7.7
60	1500	FHGP60-1	39629	1.0	FHGP60	39617	9.6

### "J" CARTON

#### CARTON CONTENTS:

- 2 Strips of fastener
- 2 Pieces Filler Tubing
- 1 Hinge Pin
- 1 Gauge Pin
- 2 Hinge Pin Washers
- Required amount of nuts and bolts
- Required amount of clips for Individual Plate "J" Cartons



Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

Non-Listed Items are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Flexco® Bolt Hinged Fasteners



## FASTENERS

### NOTE:

In most cases, fastener strip length is not equal to belt width. Order by belt width.

### STEEL ("J" CARTON – Continuous Strip w/Steel Nuts & Bolts)

BELT WIDTH	ORDERING NUMBER		ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	NC STEEL JOINT WITH NYLON COVERED STEEL CABLE	NCS STEEL JOINT WITH NYLON COVERED STAINLESS CABLE	SC STEEL JOINT WITH BARE STEEL CABLE	SSC STEEL JOINT WITH BARE STAINLESS CABLE	NAC STEEL JOINT WITH NYLON COVERED ARMORED CABLE					
<b>CARTON – One Complete Joint</b>												
18"	450	550J18NC	40138									3.3
20"	500	550J20NC	40046									3.7
24"	600	550J24NC	40047	550J24NCS	40059	550J24SC	40066	550J24SSC	40073	550J24NAC	40242	4.3
26"	650	550J26NC	40048									4.9
30"	750	550J30NC	40049	550J30NCS	40060	550J30SC	40068	550J30SSC	40074	550J30NAC	40243	5.5
36"	900	550J36NC	40050	550J36NCS	40061	550J36SC	40069	550J36SSC	40075	550J36NAC	40244	6.5
42"	1050	550J42NC	40051	550J42NCS	40062	550J42SC	40070	550J42SSC	40076	550J42NAC	40245	7.8
48"	1200	550J48NC	40052	550J48NCS	40063	550J48SC	40071	550J48SSC	40077	550J48NAC	40246	8.8
54"	1350	550J54NC	40053							550J54NAC	40247	9.9
60"	1500	550J60NC	40054									10.5

### STAINLESS 300 SERIES

("J" CARTON – Continuous Strip w/Stainless Nuts & Bolts)

BELT WIDTH	ORDERING NUMBER		ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	NCS STAINLESS JOINT WITH NYLON COVERED STAINLESS CABLE	SSC STAINLESS JOINT WITH BARE STAINLESS CABLE		
<b>CARTON – One Complete Joint</b>						
18"	450	550SJ18NCS	40164	550SJ18SSC	39675	3.3
24"	600	550SJ24NCS	40165	550SJ24SSC	39904	4.3
30"	750	550SJ30NCS	40166	550SJ30SSC	39917	5.5
36"	900	550SJ36NCS	40167	550SJ36SSC	39935	6.5
42"	1050	550SJ42NCS	40168	550SJ42SSC	39938	7.8
48"	1200	550SJ48NCS	40169	550SJ48SSC	39842	8.8
60"	1500	550SJ60NCS	39939	550SJ60SSC	39855	11.4

### BULK FASTENER SETS


Required for Various Belt Widths

BELT WIDTH		375X		550	
in.	mm	SETS OF 3-PLATE	SETS OF 2-PLATE	SETS OF 3-PLATE	SETS OF 1-PLATE
12"	300	3	1		7
14"	350	3	2		9
16"	400	5			10
18"	450	5	1		11
20"	500	5	2	2	7
24"	600	7		2	8
28"		7	2	2	10
	700	7	2	2	11
30"	750	9		2	12
36"	900	11		2	16
	1000	12		2	18
42"	1050	13		2	20
	1200	15		2	24
48"		15		2	24
	1350	17		2	28
54"		17		2	28
	1500	18	1	2	32
60"		19		2	32
	1800	22	1	2	39
72"		23		2	40
	2100	25	2	2	48
84"		27		2	48
	2400	30	1	2	55
96"		31		2	56
	3000	37	2	2	71
120"		39		2	72

### MEGALLOY®

("J" CARTON – Individual Plates w/Steel Nuts & Bolts)

BELT WIDTH	ORDERING NUMBER		ITEM CODE	WT. LBS.
	in.	mm	MA MEGALLOY JOINT WITH BARE STAINLESS CABLE	
<b>CARTON – One Complete Joint</b>				
18"	450	550MAJ18SSC	39574	3.3
24"	600	550MAJ24SSC	39577	4.3
30"	750	550MAJ30SSC	39580	5.5
36"	900	550MAJ36SSC	39583	6.5
42"	1050	550MAJ42SSC	39586	7.8
48"	1200	550MAJ48SSC	39589	8.8



### BULK FASTENERS

Per set (with bolts & nuts)

Per container (with bolts and nuts)

Per set (with bolts & nuts)

Per container (with bolts and nuts)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	SETS/ CTN	WT. LBS.
<b>STEEL</b>							
Two-Plate Fastener	375X-2STS	39950	.3	375X-2	40100	25	8.0
Three-Plate Fastener	375X-3STS	39951	.5	375X-3	40101	18	8.5
Single-Plate Fastener	550-1STS	39952	.3	550-1	40102	50	12.0
Three-Plate Fastener	550-3STS	39953	.8	550-3	40103	18	13.0
<b>MEGALLOY</b>							
Single-Plate Fastener		550MA-1	40058	50		13.0	

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	SETS/ CTN	WT. LBS.
<b>STAINLESS 300 SERIES</b>							
Two-Plate Fastener	375XS-2STS	39957	.3	375XS-2	40108	25	6.3
Three-Plate Fastener	375XS-3STS	39958	.5	375XS-3	40109	18	8.1
Single-Plate Fastener	550S-1STS	39959	.3	550S-1	40110	50	12.1
<b>EXTRA CLIPS</b>							
#550 Clips (100/Pkg.)	CLIPS (550)	40134	2.8				

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

We Ship  
World Wide



# Flexco® Bolt Hinged Fasteners

## HINGE PINS



### PACKAGES OF 10 PINS

### EACH (ONE PIN)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	
in.	mm	<b>NC</b> NYLON COVERED STEEL CABLE (1/4" dia.)			<b>NCS</b> NYLON COVERED STAINLESS CABLE* (1/4" dia.)			<b>NC</b> NYLON COVERED STEEL CABLE (1/4" dia.)			<b>NCS</b> NYLON COVERED STAINLESS CABLE* (1/4" dia.)			
		12"	300	NC-12	40150	.8	NCS-12	40170	.8	NC-12-1	38000	.1		
14"	350	NC-14	40151	1.0	NCS-14	40171	1.0	NC-14-1	38001	.1				
16"	400	NC-16	40152	1.2	NCS-16	40172	1.2	NC-16-1	38002	.1				
18"	450	NC-18	40153	1.4	NCS-18	40173	1.4	NC-18-1	38003	.1				
20"	500	NC-20	40154	1.5	NCS-20	40174	1.5	NC-20-1	38004	.2				
24"	600	NC-24	40155	1.7	NCS-24	40175	1.7	NC-24-1	38005	.2	NCS-24-1	38041	.2	
26"	650	NC-26	40156	1.8										
30"	750	NC-30	40157	2.2	NCS-30	40177	2.2	NC-30-1	38007	.2	NCS-30-1	38043	.2	
36"	900	NC-36	40158	2.6	NCS-36	40178	2.6	NC-36-1	38008	.2	NCS-36-1	38044	.2	
42"	1050	NC-42	40159	3.1	NCS-42	40179	3.1	NC-42-1	38009	.2	NCS-42-1	38045	.3	
48"	1200	NC-48	40160	3.5	NCS-48	40180	3.5	NC-48-1	38010	.3	NCS-48-1	38046	.3	
54"	1350	NC-54	40161	3.9	NCS-54	40181	3.9	NC-54-1	38011	.3	NCS-54-1	38047	.3	
60"	1500	NC-60	40162	4.3	NCS-60	40182	4.3	NC-60-1	38012	.4	NCS-60-1	38048	.4	
72"	1800	NC-72	40163	5.0	NCS-72	40183	5.0	NC-72-1	38013	.4	NCS-72-1	38049	.5	
<b>100 FOOT COILS</b>														
BULK		NC-C	39740	8.6										
For 375X or 550	in.	mm	<b>NAC</b> NYLON COVERED ARMORED CABLE (1/4" dia.)			<b>AC</b> BARE ARMORED CABLE (1/4" dia.)			<b>NAC</b> NYLON COVERED ARMORED CABLE (1/4" dia.)			<b>AC</b> BARE ARMORED CABLE (1/4" dia.)		
			18"	450	NAC-18	40629	1.8	AC-18	40685	1.7	NAC-18-1	38108	.2	AC-18-1
	24"	600	NAC-24	40631	2.4	AC-24	40686	2.3	NAC-24-1	38109	.2	AC-24-1	38130	.2
	26"	650	NAC-26	40632	2.6	AC-26	40687	2.4	NAC-26-1	38110	.2	AC-26-1	38131	.2
	30"	750	NAC-30	40633	3.0	AC-30	40688	2.8	NAC-30-1	38111	.3	AC-30-1	38132	.3
	36"	900	NAC-36	40634	3.6	AC-36	40689	3.4	NAC-36-1	38112	.3	AC-36-1	38133	.3
	42"	1050	NAC-42	40636	4.2	AC-42	40691	3.8	NAC-42-1	38113	.4	AC-42-1	38134	.4
	48"	1200	NAC-48	40637	4.8	AC-48	40692	4.8	NAC-48-1	38114	.4	AC-48-1	38135	.4
	54"	1350	NAC-54	40638	5.4				NAC-54-1	38115	.5	AC-54-1	38136	.5
	60"	1500	NAC-60	40639	6.0				NAC-60-1	38116	.5	AC-60-1	38137	.5
	72"	1800	NAC-72	40640	7.2				NAC-72-1	38117	.6	AC-72-1	38138	.6
	in.	mm	<b>SC</b> BARE STEEL CABLE (1/4" dia.)			<b>SSC</b> BARE STAINLESS CABLE* (7/32" dia.)			<b>SC</b> BARE STEEL CABLE (1/4" dia.)			<b>SSC</b> BARE STAINLESS CABLE* (7/32" dia.)		
24"			600	SC-24	40202	2.5	SSC-24	40210	2.2	SC-24-1	38180	.2	SSC-24-1	38199
26"	650	SC-26	40203	2.6				SC-30-1	38182	.3	SSC-30-1	38201	.3	
30"	750	SC-30	40204	3.1	SSC-30	40211	2.5	SC-36-1	38183	.3	SSC-36-1	38202	.3	
36"	900	SC-36	40205	3.7	SSC-36	40212	3.0	SC-42-1	38184	.4	SSC-42-1	38203	.4	
42"	1050	SC-42	40206	4.3	SSC-42	40213	3.5	SC-48-1	38185	.4	SSC-48-1	38204	.4	
48"	1200	SC-48	40207	4.9	SSC-48	40214	4.0							
in.	mm	<b>ACS</b> BARE ARMORED STAINLESS CABLE* (17/64" dia.)			<b>* 300 SERIES</b>			<b>ACS</b> BARE ARMORED STAINLESS CABLE* (17/64" dia.)			<b>NB</b> NYLON COVERED BRONZE CABLE (1/4" dia.)			
		18"	450								NB-18-1	38075	.2	
24"	600									NB-24-1	38077	.2		
30"	750	ACS-30	41354	2.8			ACS-30-1	41380	.2	NB-30-1	38079	.3		
36"	900	ACS-36	41355	3.0			ACS-36-1	41381	.2	NB-36-1	38080	.3		
42"	1050	ACS-42	41356	3.2			ACS-42-1	41382	.2	NB-42-1	38081	.4		
48"	1200	ACS-48	41357	3.5			ACS-48-1	41383	.3					
54"	1350	ACS-54	41358	3.7			ACS-54-1	41384	.3					
60"	1500	ACS-60	41359	4.0			ACS-60-1	41385	.4					

Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

Non-Listed Items are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

We Ship  
World Wide




# Flexco® Bolt Hinged Fasteners



## INSTALLATION TOOLS

### CURVED TEMPLETS


BELT WIDTH		ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE
in.	mm	<b>375X</b>		<b>550</b>	
12"	300	375X-12	30813	512	30799
14"	350	375X-14	30814		
16"	400	375X-16	30815	516	30800
18"	450	375X-18	30816	518	30801
20"	500	375X-20	30817	520	30802
24"	600	375X-24	30818	524	30803
26"	650	375X-26	30819	526	30804
30"	750	375X-30	30820	530	30805
36"	900	375X-36	30821	536	30806
42"	1050	375X-42	30822	542	30807
48"	1200	375X-48	30823	548	30808
54"	1350	375X-54	30824	554	30809
60"	1500	375X-60	30825	560	30810
72"	1800	375X-72	30826	572	30811



**NOTE:** All templets up to and including 72" are curved. For belt widths over 72", straight templet supplied.

### CURVED BELT CUTTERS

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete	30"	750	400430	30914	14.2
	36"	900	400436	30915	16.1
	42"	1050	400442	30916	18.9
	48"	1200	400448	30917	19.0
	60"	1500	400460	30918	23.0
Cutter Base Only	30"	750	430	30950	5.4
	36"	900	436	30951	6.2
	42"	1050	442	30952	7.1
	48"	1200	448	30953	7.9
	60"	1500	460	30954	9.6
Cutter Head Only			400	30919	5.1
Cutter Blade			30023	30909	.2
Cutter Blade (Long)			30023L	30913	.2



**NOTE:** Belt widths over 72" require straight cutters. Please refer to Page 84 for 300 series straight cutters.

### EXTRA BOLTS & NUTS

100 PER BOX – BOLT DIMENSION IS 1/4" X 1-11/16"

FOR FASTENER NUMBER	ORDERING NUMBER / ITEM CODE	WT. LBS.
<b>BOLTS—STEEL</b>		
375X	20398	2.1
550	20399	2.4
<b>BOLTS—STAINLESS</b>		
375X/550	20400	2.3
<b>BOLTS—EVERDUR</b>		
375X/550	20397	2.4

FOR FASTENER NUMBER	ORDERING NUMBER / ITEM CODE	WT. LBS.
<b>NUTS—STEEL—UNSLOTTED NUTS</b>		
375X/550	20380	.9
<b>NUTS—STAINLESS—SLOTTED NUTS</b>		
375X/550	20381	.7
<b>NUTS—EVERDUR—SLOTTED NUTS</b>		
375X/550	20387	.8

### Exclusive Piloted Bolt Design Simplifies Installation:

The new piloted bolt is currently being phased in to replace standard bolt designs. To order the new piloted bolts as they become available, use standard bolt ordering numbers.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086









**We Ship  
World Wide**



# Flexco® Bolt Hinged Fasteners

## INSTALLATION TOOLS

### HAND & POWER TOOLS


	DESCRIPTION	FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>HAND TOOLS</b>	BOLT BREAKER (Two Per Package) 	375X & 550	110	30474	1.2
	PUNCH 	375X & 550	P1P	30460	.1
	BORING BIT 	375X & 550	B1B	30468	.1
	WRENCH 	375X & 550	100* S1S**	30445 30442	.2 .2
	POWER PUNCH 	375X & 550	HP1	30463	.2
<b>POWER TOOLS</b>	POWER BORING BIT 	375X & 550	HB1	30471	.1
	POWER WRENCH 	375X & 550	H100* HW1**	30446 30447	.2 .3
	QUICK CHANGE CHUCK 	375X & 550	5552	30481	.4

\* For use with Steel No. 375X or Steel No. 550 nuts.

\*\* For use with Stainless No. 375X or Stainless No. 550 slotted nuts only.


### MISCELLANEOUS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.	INSIDE DIAMETER
Orange Filler Tubing for 375X & 550	(100'/pkg.)	30894	10.0	—
Hinge Pin Retaining Washers (50/Pkg.) — For use with 375X and 550 Nylon Coated hinge pins	310-RET-50	40135	.3	1/4"




### ALIGNING HOLDERS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
<b>375X</b>				
30"	750	AH37530	30836	9.6
36"	900	AH37536	30837	11.4
42"	1050	AH37542	30838	12.9
48"	1200	AH37548	30839	14.5
<b>550</b>				
30"	750	AH530	30840	9.7
36"	900	AH536	30841	11.6
42"	1050	AH542	30842	12.8
48"	1200	AH548	30843	14.4




### FLEXCO-LOK® BELT TAPE 100' PER CARTON FOR USE WITH INDIVIDUAL PLATES


FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	WT. LBS.
375X/550	FL7C	30888	.8




FILLER TUBING




RETAINING WASHERS

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.



## How Flexco® Rivet Hinged Fasteners Work

Designed for synthetic carcass belting as well as other styles of belt, Flexco®SR™ (Self-Setting Rivet) Fasteners utilize multiple rivet attachment. This provides maximum resistance to pull-out and allows the patented rivets to work between the carcass fibers without severing them, leaving the entire belt carcass intact. It does not rely solely upon the carcass material to resist pull-out.

Because the rivets are self-setting, fasteners are installed quickly from the top side of the belt.

Rivets are driven through the fastener plates and through the belt, passing between the carcass fibers. The specially-shaped head of each pilot nail works in conjunction with the applicator tool's anvil plate to set the rivets.

The same hammer blows that set the rivets also compress the fastener plates into the belt cover. The broad width and heavy gauge of the plates give extended wear life. These plates compress uniformly and are specially coined so there are no high spots or edges to hang up.

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>Underground Mining</li> <li>Asphalt Plants</li> <li>Aggregate and Ready-mix Plants</li> <li>Log Belts and Similar Applications</li> </ul>	Fastener installed with portable fixture and hammer. Fasteners are installed in one simple procedure with self-setting rivets.	<ul style="list-style-type: none"> <li>Fastener</li> <li>Rivets</li> <li>Hinge Pin</li> <li>Flexco Installation Tool</li> <li>Hammer</li> </ul>
How to Specify the Correct Flexco® Rivet Hinged Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>Determine Belt Tension (PIW).</li> <li>Measure your Belt Thickness.</li> <li>Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> For most applications, plated steel is recommended.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel provides extra resistance to abrasion, magnetic attraction and corrosion from acids and chemicals.</p> <p><b>RustAlloy®.</b> Resists corrosion due to mine water or other chemical attack.</p> <p><b>MegAlloy®.</b> For superior resistance to wear and abrasion.</p>	<p><b>AC Bare Armored Cable</b> - for extendable conveyors.</p> <p><b>ACS Bare Armored Stainless Cable</b> - for extendable conveyors.</p> <p><b>NAC Nylon Covered Armored Cable</b> - right for many applications, long service life.</p> <p><b>NC Nylon Covered Steel Cable</b> - for use with steel fasteners, flat or troughed belts.</p> <p><b>NCS Nylon Covered Stainless Steel Cable</b> - for applications with stainless fasteners, flat or troughed belts.</p> <p><b>SC Bare Steel Cable</b> - for conveying gritty or abrasive material.</p> <p><b>SSC Bare Stainless Steel Cable</b> - for corrosion resistance, flat belts.</p>

### Flexco® Rivet Hinged Fastener Selection Chart

Fastener Size	For Belts With Mechanical Fastener Ratings Up To:		Belt Thickness Range		Recommended Min. Pulley Diameter			
					Operating Tension Under 100% of Belt Rating		Operating Tension Under 75% of Belt Rating	
	PI.W.	kN/m	in.	mm	in.	mm	in.	mm
R2	330	60	1/8-3/8	3-10	5	127	5	127
R5	450	79	7/32-7/16	6-11	9	230	7	175
R5-1/2	650	114	5/16-19/32	8-15	12	300	10	250
R6	800	140	13/32-11/16	10.5-17	18	450	16	400
R6LP	800	140	5/16-23/32	8-18	18	450	16	400
R8	1500	263	13/32-11/16	10.5-17	18	450	16	400
R9	2000	350	5/8-1	16-25.5	42	1050	42	1050



# Flexco® R2 Medium-Duty Rivet Hinged Belt Fasteners

## FASTENERS

Order each component separately for a complete splice:  
Fastener Strip + Rivets + Hinge Pin

For R2	STEEL (Continuous Strip)				
	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	12"	300	R2-12/300	41613	2.0
	18"	450	R2-18/450	41614	2.6
	24"	600	R2-24/600	41615	3.4
	30"	750	R2-30/750	41616	4.2
	36"	900	R2-36/900	41617	5.1
	42"	1050	R2-42/1050	41618	5.9
	48"	1200	R2-48/1200	41619	6.9
54"	1350	R2-54/1350	41623	8.1	
60"	1500	R2-60/1500	41624	9.2	
STAINLESS 300 SERIES					
BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	
in.	mm	PACKAGE (Two Fastener Strips)			
12"	300	R2S-12/300	41628	2.0	
18"	450	R2S-18/450	41629	2.6	
24"	600	R2S-24/600	41630	3.4	
30"	750	R2S-30/750	41631	4.2	
36"	900	R2S-36/900	41632	5.1	
42"	1050	R2S-42/1050	41633	5.9	
48"	1200	R2S-48/1200	41634	6.9	
54"	1350	R2S-54/1350	41642	8.1	
60"	1500	R2S-60/1500	41643	9.2	



**RIVET BUCKET**  
(Contains 2000 Rivets)

### NOTE:

In most cases, fastener strip length is not equal to belt width. Order by belt width.

## RIVETS

Self-setting, pre-assembled with pilot nails



### STEEL

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (100 Rivets)</b>			
SRAA-100	40509	100	.8
SRA-100	40539	100	.9
SRB-100	40540	100	1.0
<b>BOX (250 Rivets)</b>			
SRAA	40508	250	2.2
SRA	40527	250	2.3
SRB	40528	250	2.5
<b>BUCKET (2000 Rivets)</b>			
SRAA-2M	40424	2000	16.1
SRA-2M	41190	2000	18.3
SRB-2M	41191	2000	19.7

### STAINLESS (TYPE 430)

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (250 Rivets)</b>			
SRAA-S	40468	250	2.1
SRA-S	40542	250	2.3
SRB-S	40543	250	2.5

### MEGALLOY® (4 Plate Strips, 10 Strip Per Box)

For R2	ORDERING NUMBER	ITEM CODE	WT. LBS.			
	R2MA-SE	41709	4.7			
	Plates Required for one R2MA Joint					
	BELT WIDTH		PLATES REQUIRED	BELT WIDTH		PLATES REQUIRED
	in.	mm		in.	mm	
	18"	450	20	42"	1050	46
	24"	600	26	48"	1200	54
	30"	750	32	54"	1350	60
	36"	900	40	60"	1500	68

## R2T APPLICATOR TOOL

Use with SR-50 single Rivet Driver

TOOL SIZE		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
12"	300	R2T	40455	6.6
REPLACEMENT PARTS				
Gauge Pin Guide		SR26	40479	.04
Anvil Insert (14/Bag)		R2T-AI	40469	.06


## SINGLE RIVET DRIVER TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Driver Tool Complete	SR-50	40510	.8
Drive Rod	SR5-7	40517	.3

## RIVET SET\*

ORDERING NUMBER	ITEM CODE	WT. LBS.
R5S	40348	1.9

\*If no SRTA Application Tool is available, fasteners may be installed with an R5S Flexco Rivet Set. See Instruction Sheet X0751.



## FLEXCO® R2 RIVET SELECTION CHART

FASTENER SIZE	BELT THICKNESS RANGE		RIVET SIZE
	in.	mm	
R2	1/8-7/32"	3-6	SRAA
	3/16-5/16"	4-8	SRA
	9/32-3/8"	7-10	SRB

## Rivets Required For One R2 Joint

BELT WIDTH		RIVET REQUIRED
in.	mm	
12	300	24
18	450	40
24	600	52
30	750	64
36	900	80
42	1050	92
48	1200	108
54	1350	120
60	1500	136

NOTE: For hinge pins and retaining washers for R2 see page 73.

NOTE: For Multiple Rivet (MSRT) and Single Rivet (SRTA) Applicator Tools see pages 76 & 77.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners



**NOTE:**

*In most cases, fastener strip length is not equal to belt width. Order by belt width.*


## FASTENERS

Order each component separately for a complete splice: Fastener Strip + Rivets + Hinge Pin

For R5	STEEL (Continuous Strip)					STAINLESS TYPE 316 (Continuous Strip)					RUSTALLOY® (Continuous Strip)*				
	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)			in.	mm	PACKAGE (Two Fastener Strips)			in.	mm	PACKAGE (Two Fastener Strips)		
	18"	450	R5-SE-18/450	41314	2.6	18"	450	R5S-SE-18/450	41326	2.6	24"	600	RAR5-SE-24/600	41328	3.4
	24"	600	R5-SE-24/600	41315	3.4	24"	600	R5S-SE-24/600	41327	3.4	26"	650	RAR5-SE-26/650	41329	3.6
	26"	650	R5-SE-26/650	41409	3.7	30"	750	R5S-SE-30/750	41289	4.2	30"	750	RAR5-SE-30/750	41283	4.2
	30"	750	R5-SE-30/750	41276	4.2	36"	900	R5S-SE-36/900	41290	5.1	36"	900	RAR5-SE-36/900	41284	5.1
	36"	900	R5-SE-36/900	41277	5.1	42"	1050	R5S-SE-42/1050	41291	5.9	42"	1050	RAR5-SE-42/1050	41285	5.9
	42"	1050	R5-SE-42/1050	41278	5.9	48"	1200	R5S-SE-48/1200	41292	6.9	48"	1200	RAR5-SE-48/1200	41286	6.9
	48"	1200	R5-SE-48/1200	41279	6.9	54"	1350	R5S-SE-54/1350	41296	7.3	54"	1350	RAR5-SE-54/1350	41287	7.3
	54"	1350	R5-SE-54/1350	41296	7.3	60"	1500	R5S-SE-60/1500	41298	8.5	60"	1500	RAR5-SE-60/1500	41288	8.5
	60"	1500	R5-SE-60/1500	41298	8.5	72"	1800	R5-SE-72/1800	41316	10.4					
	72"	1800	R5-SE-72/1800	41316	10.4										

### MEGALLOY® (4 Plate Strips, 10 Strip Per Box)

For R5	ORDERING NUMBER		ITEM CODE	WT. LBS.	
	R5MA-SE		41067	4.7	
	Plates Required for one R5MA Joint				
	BELT WIDTH		PLATES REQUIRED	BELT WIDTH	
in.	mm		in.	mm	
18"	450	20	48"	1200	54
24"	600	26	54"	1350	60
30"	750	32	60"	1500	68
36"	900	40	72"	1800	82
42"	1050	46			



### STEEL (Continuous Strip)

For R5-1/2	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	18"	450	R5-1/2-SE-18/450	41514	3.9
24"	600	R5-1/2-SE-24/600	41515	5.0	
30"	750	R5-1/2-SE-30/750	41516	6.3	
36"	900	R5-1/2-SE-36/900	41513	7.8	
42"	1050	R5-1/2-SE-42/1050	41509	8.8	
48"	1200	R5-1/2-SE-48/1200	41510	9.9	
54"	1350	R5-1/2-SE-54/1350	41525	11.6	
60"	1500	R5-1/2-SE-60/1500	41511	12.5	
72"	1800	R5-1/2-SE-72/1800	41512	15.5	

### RUSTALLOY® (Continuous Strip)\*

For R5-1/2	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	24"	600	RAR5-1/2-SE-24/600	41341	5.0
30"	750	RAR5-1/2-SE-30/750	41342	6.3	
36"	900	RAR5-1/2-SE-36/900	41351	7.5	
42"	1050	RAR5-1/2-SE-42/1050	41391	8.9	
46"	1150	RAR5-1/2-SE-46/1150	41392	9.7	
48"	1200	RAR5-1/2-SE-48/1200	41319	10.1	
54"	1350	RAR5-1/2-SE-54/1350	41393	11.5	
60"	1500	RAR5-1/2-SE-60/1500	41394	12.5	
72"	1800	RAR5-1/2-SE-72/1800	41395	15.4	

\* 400 SERIES STAINLESS

### MEGALLOY® (4 Plate Strips, 10 Strip Per Box)

For R5-1/2	ORDERING NUMBER		ITEM CODE	WT. LBS.	
	R5-1/2MA-SE		41450	4.7	
	Plates Required for one R5-1/2MA Joint				
	BELT WIDTH		PLATES REQUIRED	BELT WIDTH	
in.	mm		in.	mm	
18"	450	20	48"	1200	54
24"	600	26	54"	1350	60
30"	750	32	60"	1500	68
36"	900	40	72"	1800	82
42"	1050	46			

- Stock Items** (non-shaded) carried in factory inventory.
- Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.
- Non-Listed Items** are available. Request quote for price and delivery.





# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners

## FASTENERS

Order each component separately for a complete splice: Fastener Strip + Rivets + Hinge Pin

### NOTE:

In most cases, fastener strip length is not equal to belt width. Order by belt width.

### STEEL (Continuous Strip)

For R6	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	24"	600	R6-SE-24/600	40408	6.6
30"	750	R6-SE-30/750	40409	8.4	
36"	900	R6-SE-36/900	40399	10.3	
42"	1050	R6-SE-42/1050	40389	11.7	
46"	1150	R6-SE-46/1150	40415	13.2	
48"	1200	R6-SE-48/1200	40390	13.8	
54"	1350	R6-SE-54/1350	40391	14.6	
60"	1500	R6-SE-60/1500	40392	16.2	
72"	1800	R6-SE-72/1800	40393	20.8	
84"	2130	R6-SE-84/2130	40416	28.7	

### RUSTALLOY® (Continuous Strip)\*

For R6	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	24"	600			
30"	750				
36"	900				
42"	1050	RAR6-SE-42/1050	41542	11.7	
46"	1150	RAR6-SE-46/1150	41548	13.2	
48"	1200	RAR6-SE-48/1200	41543	13.8	
54"	1350	RAR6-SE-54/1350	41544	14.6	
60"	1500	RAR6-SE-60/1500	41545	16.2	
72"	1800	RAR6-SE-72/1800	41546	20.8	
84"	2130	RAR6-SE-84/2130	41547	28.7	

### RAR6LP LOW PROFILE\*

For R6	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	24"	600			
30"	750				
36"	900				
42"	1050	RAR6LP-SE-42/1050	40828	8.4	
46"	1150	RAR6LP-SE-46/1150	40834	9.0	
48"	1200	RAR6LP-SE-48/1200	40829	9.6	
54"	1350	RAR6LP-SE-54/1350	40830	10.1	
60"	1500	RAR6LP-SE-60/1500	40831	10.7	
72"	1800	RAR6LP-SE-72/1800	40832	12.5	
84"	2130	RAR6LP-SE-84/2130	40833	16.4	


### RUSTALLOY® (Continuous Strip)\*

For R8	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	48"	1200	RAR8-SE-48/1200	41712	13.8
54"	1350	RAR8-SE-54/1350	41713	14.6	
60"	1500	RAR8-SE-60/1500	41714	16.2	
72"	1800	RAR8-SE-72/1800	41715	20.8	
84"	2130	RAR8-SE-84/2130	41716	28.7	

### \* 400 SERIES STAINLESS

### STAINLESS 300 SERIES

For R9	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	PACKAGE (Two Fastener Strips)		
	48"	1200	R9S-SE-48/1200	41737	17.0
54"	1350	R9S-SE-54/1350	41738	19.0	
60"	1500	R9S-SE-60/1500	41739	21.8	
72"	1800	R9S-SE-72/1800	41740	25.8	
84"	2130	R9S-SE-84/2130	41741	30.2	



**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners



## RIVETS

Self-setting, pre-assembled with pilot nails

### STEEL

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (100 Rivets)</b>			
SRA-100	40539	100	.9
SRB-100	40540	100	1.0
SRC-100	40541	100	1.1
<b>BOX (250 Rivets)</b>			
SRA	40527	250	2.3
SRB	40528	250	2.5
SRC	40529	250	2.6
SRC/D	40538	250	2.8
SRD	40530	250	2.9
SRE	40531	250	3.1
SRF	40532	250	3.1
SRG	40533	250	3.2
SRH	40534	250	3.4
SRI	40535	250	3.5
SRJ	40536	250	3.6
SRK	40537	250	3.7
<b>BUCKET (2000 Rivets)</b>			
SRA-2M	41190	2000	16.6
SRB-2M	41191	2000	18.1
SRC-2M	41192	2000	20.2
SRC/D-2M	41193	2000	21.2
SRD-2M	41194	2000	21.9
SRE-2M	41195	2000	23.1
SRF-2M	41196	2000	24.4
SRG-2M	41197	2000	24.9
SRH-2M	41198	2000	25.1
SRI-2M	41199	2000	25.9

### STAINLESS (TYPE 430)

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (250 Rivets)</b>			
SRA-S	40542	250	2.3
SRB-S	40543	250	2.5
SRC-S	40544	250	2.6
SRC/D-S	40548	250	2.8
SRD-S	40545	250	2.9
SRE-S	40546	250	3.1
SRF-S	40547	250	3.1
SRG-S	40523	250	3.2
SRH-S	40522	250	3.4
SRI-S	40506	250	16.7
SRJ-S	40507	250	18.4
SRK-S	40520	250	19.9
SRL-S	40519	250	4.2
<b>BUCKET (2000 Rivets)</b>			
SRA-S-2M	41200	2000	17.1
SRB-S-2M	41201	2000	18.9
SRC-S-2M	41202	2000	20.6
SRC/D-S-2M	41203	2000	21.3
SRD-S-2M	41204	2000	21.9
SRE-S-2M	41205	2000	22.9
SRF-S-2M	41206	2000	23.5
SRG-S-2M	41207	2000	24.7
SRH-S-2M	41208	2000	25.1
SRI-S-2M	41181	2000	26.3
SRJ-S-2M	41183	2000	27.5
SRK-S-2M	41185	2000	28.7
SRL-S-2M	41781	2000	29.9

### Rivets Required For One R5, R5-1/2 or R6 Joint

BELT WIDTH		RIVETS REQUIRED
in.	mm	
18"	450	100
24"	600	130
30"	750	160
36"	900	200
42"	1050	230
48"	1200	270
54"	1350	300
60"	1500	340
72"	1800	410
84"	2130	480

### Rivets Required For One R8 or R9 Joint

BELT WIDTH		RIVETS REQUIRED
in.	mm	
48"	1200	432
54"	1350	480
60"	1500	544
72"	1800	656
84"	2130	768

### RIVET SELECTION CHART

FASTENER SIZE	BELT THICKNESS RANGE		RIVET SIZE
	in.	mm	
R5	7/32-5/16	6-8	SRA
	9/32-3/8	7-10	SRB
	11/32-7/16	9-11	SRC
	13/32-7/16	10.5-11	SRC/D
R5-1/2 & R6LP	5/16-11/32	8-9	SRB
	5/16-13/32	8-10.5	SRC
	3/8-15/32	10-12	SRC/D
	7/16-17/32	11-13.5	SRD
	1/2-19/32	13-15	SRE
	9/16-21/32	14-16.5	SRF*
R6	5/8-23/32	16-18	SRG*
	13/32-7/16	9-11	SRC/D
	13/32-1/2	10.5-13	SRD
	15/32-9/16	12-14	SRE
R8	17/32-5/8	13.5-16	SRF
	19/32-11/16	15-17	SRG
	13/32-7/16	10.5-11	SRC/D
	13/32-1/2	10.5-13	SRD
R9	15/32-9/16	12-14	SRE
	17/32-5/8	13.5-16	SRF
	19/32-11/16	15-17	SRG
	19/32-11/16	16-17	SRG
R9	21/32-3/4	16.5-19	SRH
	23/32-13/16	18-21	SRI
	25/32-7/8	20-22	SRJ**
	27/32-15/16	21-24	SRK**

\* Applies to RAR6LP only.

\*\* Use with 3/4" diameter hinge pin.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners

## RAPID LOADER™ RIVET STRIPS

(For R5, R5-1/2, R6, BR10)

Self-setting, pre-assembled with pilot nails

60 Strips / 1200 Rivets per Bucket

DESCRIPTION		ORDERING NUMBER	ITEM CODE	WT. LBS.
Size	Color Code			
<b>STEEL</b>				
A	Red	CSRLA	40857	13.00
B	White	CSRLB	40858	13.92
C	Blue	CSRLC	40859	14.84
C/D	Orange	CSRLC/D	40860	15.56
D	Green	CSRLD	40861	16.06
E	Purple	CSRLE	40862	16.62
F	Yellow	CSRLF	40863	17.34
G	Black	CSRLG	40864	17.90
<b>STAINLESS (TYPE 430)</b>				
A	Red	CSRLA-S	40978	12.90
B	White	CSRLB-S	40979	13.80
C	Blue	CSRLC-S	40980	14.92
C/D	Orange	CSRLC/D-S	40981	15.31
D	Green	CSRLD-S	40982	15.92
E	Purple	CSRLE-S	40983	16.48
F	Yellow	CSRLF-S	40984	16.94
G	Black	CSRLG-S	40985	17.52

(For R8 and R9)

<b>STEEL</b>					
Rivet Qty. 1024	C/D	Orange	CSRL8C/D	41845	13.50
	D	Green	CSRL8D	41846	14.10
	E	Purple	CSRL8E	41847	14.70
	F	Yellow	CSRL8F	41848	15.30
	G	Black	CSRL8G	41849	16.00
	Rivet Qty. 768	H	Gray	CSRL8H	41850
I		Lt. Blue	CSRL8I	41851	13.10
J		Brown	CSRL8J	41852	13.70
K		Beige	CSRL8K	41853	14.30
<b>STAINLESS (TYPE 430)</b>					
Rivet Qty. 1024		C/D	C/D	CSRL8C/D-S	41854
	D	D	CSRL8D-S	41855	14.10
	E	E	CSRL8E-S	41856	14.70
	F	F	CSRL8F-S	41857	15.30
	G	G	CSRL8G-S	41858	16.00
	Rivet Qty. 768	H	H	CSRL8H-S	41859
I		I	CSRL8I-S	41860	13.10
J		J	CSRL8J-S	41861	13.70
K		K	CSRL8K-S	41862	14.30



**NOTE:** Use standard rivet selection criteria for collated rivet strips.



## RAPID LOADER™ RIVET STRIPS

WITH WASHERS

(For R5, R5-1/2, R6, BR10)

(For use with the Flexco® Power Set™ Rivet Driver and Hilti DX 460-SR installation tool)

60 Strips / 1200 Rivets per Bucket

DESCRIPTION		ORDERING NUMBER	ITEM CODE	WT. LBS.
Size	Color Code			
<b>STEEL</b>				
A	Red	CSRLA-W	40891	13.00
B	White	CSRLB-W	40892	13.92
C	Blue	CSRLC-W	40893	14.84
C/D	Orange	CSRLC/D-W	40895	15.56
D	Green	CSRLD-W	40897	16.06
E	Purple	CSRLE-W	40898	16.62
F	Yellow	CSRLF-W	40899	17.34
G	Black	CSRLG-W	40901	17.90
<b>STAINLESS (TYPE 430)</b>				
A	Red	CSRLA-S-W	40955	12.90
B	White	CSRLB-S-W	40956	13.80
C	Blue	CSRLC-S-W	40957	14.92
C/D	Orange	CSRLC/D-S-W	40958	15.31
D	Green	CSRLD-S-W	40959	15.92
E	Purple	CSRLE-S-W	40961	16.48
F	Yellow	CSRLF-S-W	40969	16.94
G	Black	CSRLG-S-W	40971	17.52


(For R8 and R9)

<b>STEEL</b>					
Rivet Qty. 1024	C/D	Orange	CSRL8C/D-W	41879	13.50
	D	Green	CSRL8D-W	41880	14.10
	E	Purple	CSRL8E-W	41881	14.70
	F	Yellow	CSRL8F-W	41882	15.30
	G	Black	CSRL8G-W	41883	16.00
	Rivet Qty. 768	H	Gray	CSRL8H-W	41884
I		Lt. Blue	CSRL8I-W	41885	13.10
J		Brown	CSRL8J-W	41886	13.70
K		Beige	CSRL8K-W	41887	14.30
<b>STAINLESS (TYPE 430)</b>					
Rivet Qty. 1024		C/D	Orange	CSRL8C/D-S-W	41888
	D	Green	CSRL8D-S-W	41889	14.10
	E	Purple	CSRL8E-S-W	41890	14.70
	F	Yellow	CSRL8F-S-W	41891	15.30
	G	Black	CSRL8G-S-W	41892	16.00
	Rivet Qty. 768	H	Gray	CSRL8H-S-W	41893
I		Lt. Blue	CSRL8I-S-W	41894	13.10
J		Brown	CSRL8J-S-W	41895	13.70
K		Beige	CSRL8K-S-W	41896	14.30
L		Teal	CSRL8L-S-W	41935	14.90

# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners



## HINGE PINS



### FOR R2 & R5

(SEE PAGE 66 & 67 FOR ADDITIONAL HINGE PINS.)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.				
		<b>AC</b> BARE ARMORED CABLE (1/4" dia.)			<b>*ACS</b> BARE ARMORED STAINLESS CABLE (1/4" dia.)			<b>NAC</b> NYLON COVERED ARMORED CABLE (1/4" dia.)			<b>NC</b> NYLON COVERED STEEL CABLE (1/4" dia.)			<b>*NCS</b> NYLON COVERED STAINLESS CABLE (1/4" dia.)						
in. mm		EACH (One Pin)			EACH (One Pin)			EACH (One Pin)			EACH (One Pin)			EACH (One Pin)						
12"	300																			
14"	350																			
16"	400																			
18"	450	AC-18-1	38129	.2				NAC-18-1	38108	.2	NC-12-1	38000	.1							
20"	500										NC-14-1	38001	.1							
24"	600	AC-24-1	38130	.2				NAC-24-1	38109	.2	NC-16-1	38002	.1							
26"	650	AC-26-1	38131	.2				NAC-26-1	38110	.2	NC-18-1	38003	.1							
30"	750	AC-30-1	38132	.3	ACS-30-1	41380	.3	NAC-30-1	38111	.3	NC-20-1	38004	.2	NCS-24-1	38041	.2				
36"	900	AC-36-1	38133	.3	ACS-36-1	41381	.3	NAC-36-1	38112	.3	NC-24-1	38005	.2	NCS-30-1	38043	.2				
42"	1050	AC-42-1	38134	.4	ACS-42-1	41382	.4	NAC-42-1	38113	.4	NC-30-1	38007	.2	NCS-36-1	38044	.2				
48"	1200	AC-48-1	38135	.4	ACS-48-1	41383	.4	NAC-48-1	38114	.4	NC-36-1	38008	.2	NCS-42-1	38045	.3				
54"	1350	AC-54-1	38136	.5	ACS-54-1	41384	.5	NAC-54-1	38115	.5	NC-42-1	38009	.2	NCS-48-1	38046	.3				
60"	1500	AC-60-1	38137	.5	ACS-60-1	41385	.5	NAC-60-1	38116	.5	NC-48-1	38010	.3	NCS-54-1	38047	.3				
72"	1800	AC-72-1	38138	.6	ACS-72-1	41388	.6	NAC-72-1	38117	.6	NC-54-1	38011	.3	NCS-60-1	38048	.4				
PACKAGE (Ten Pins)					PACKAGE (Ten Pins)				PACKAGE (Ten Pins)				PACKAGE (Ten Pins)				PACKAGE (Ten Pins)			
18"	450	AC-18	40685	1.7				NAC-18	40629	1.7	NC-18	40153	1.3							
24"	600	AC-24	40686	2.3				NAC-24	40631	2.3	NC-24	40155	1.8	NCS-24	40175	1.8				
26"	650	AC-26	40687	2.4				NAC-26	40632	2.4	NC-26	40156	1.8							
30"	750	AC-30	40688	2.8	ACS-30	41354	2.8	NAC-30	40633	2.8	NC-30	40157	2.0	NCS-30	40177	2.0				
36"	900	AC-36	40689	3.4	ACS-36	41355	3.4	NAC-36	40634	3.4	NC-36	40158	2.3	NCS-36	40178	2.3				
42"	1050	AC-42	40691	3.8	ACS-42	41356	3.8	NAC-42	40636	3.8	NC-42	40159	2.6	NCS-42	40179	2.6				
48"	1200	AC-48	40692	4.8	ACS-48	41357	4.8	NAC-48	40637	4.8	NC-48	40160	3.0	NCS-48	40180	3.0				
54"	1350				ACS-54	41358	5.4				NC-54	40161	3.4	NCS-54	40181	3.4				
60"	1500				ACS-60	41359	6.1				NC-60	40162	3.9	NCS-60	40182	3.9				
72"	1800				ACS-72	41363	6.8				NC-72	40163	5.0							
PACKAGE (Ten Pins)					PACKAGE (Ten Pins)				PACKAGE (Ten Pins)				PACKAGE (Ten Pins)				PACKAGE (Ten Pins)			
100 FOOT COILS					100 FOOT COILS				100 FOOT COILS				100 FOOT COILS				100 FOOT COILS			
NC-C				39740	8.6	NCS-C				39817	8.6									

### FOR R2 & R5

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	ORDERING NUMBER	ITEM CODE	WT. LBS.	
		<b>SC</b> BARE STEEL CABLE (1/4" dia.)			<b>*SSC</b> BARE STAINLESS CABLE (7/32" dia.)			
in. mm		EACH (One Pin)			EACH (One Pin)			
18"	450							
24"	600	SC-24-1	38180	.2	SSC-24-1	38199	.2	
30"	750	SC-30-1	38182	.3	SSC-30-1	38201	.3	
36"	900	SC-36-1	38183	.3	SSC-36-1	38202	.3	
38"	950							
40"	1000							
42"	1050	SC-42-1	38184	.4	SSC-42-1	38203	.4	
44"	1100							
46"	1150							
48"	1200	SC-48-1	38185	.4	SSC-48-1	38204	.4	
54"	1350	SC-54-1	38240	.5	SSC-54-1	38211	.5	
60"	1500	SC-60-1	38188	.5	SSC-60-1	38205	.5	
72"	1800	SC-72-1	38195	.6	SSC-72-1	38222	.6	
PACKAGE (Ten Pins)					PACKAGE (Ten Pins)			
18"	450	SC-18	40201	1.8	SSC-18	40209	1.8	
24"	600	SC-24	40202	2.3	SSC-24	40210	2.3	
30"	750	SC-30	40204	2.9	SSC-30	40211	2.9	
36"	900	SC-36	40205	3.4	SSC-36	40212	3.4	
38"	950							
40"	1000							
42"	1050	SC-42	40206	4.0	SSC-42	40213	4.0	
44"	1100							
46"	1150							
48"	1200	SC-48	40207	4.6	SSC-48	40214	4.6	
54"	1350	SC-54	39808	5.1	SSC-54	39811	5.1	

### \*300 SERIES

### HINGE PIN RETAINING WASHERS FOR R2, R5, 1/4" DIAMETER NYLON CABLE HINGE PINS ONLY

50 PER PACKAGE

ORDERING NUMBER	ITEM CODE	WT. LBS.
310-RET-50	40135	.3

NOTE: 1/4" inside diameter




- Stock Items (non-shaded) carried in factory inventory.
- Made To Order Items (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.
- Non-Listed Items are available. Request quote for price and delivery.



# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners

## HINGE PINS



### FOR R5

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>SC932</b> BARE STEEL CABLE (9/32" dia.)		
EACH (One Pin)		
SC932-18-1	38348	.4
SC932-24-1	38344	.5
SC932-30-1	38341	.6
SC932-36-1	38342	.7
SC932-38-1	38413	.7
SC932-40-1	38406	.8
SC932-42-1	38343	.8
SC932-44-1	38405	.9
SC932-46-1	38404	.9
SC932-48-1	38345	.9
SC932-54-1	38355	1.0
SC932-60-1	38351	1.0
SC932-72-1	38350	1.1
PACKAGE (Ten Pins)		
SC932-30	38300	5.8
SC932-36	38301	7.0
SC932-38	38412	7.4
SC932-40	38409	7.8
SC932-42	38302	8.2
SC932-44	38411	8.6
SC932-46	38410	8.9
SC932-48	38303	9.3
SC932-54	38305	9.9
SC932-60	38312	10.5

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>*SSC932</b> BARE STAINLESS CABLE (9/32" dia.)		
EACH (One Pin)		
SSC932-18-1	38349	.4
SSC932-24-1	38336	.5
SSC932-30-1	38337	.6
SSC932-36-1	38338	.7
SSC932-38-1	38425	.7
SSC932-40-1	38426	.8
SSC932-42-1	38339	.8
SSC932-44-1	38427	.9
SSC932-46-1	38428	.9
SSC932-48-1	38340	.9
SSC932-54-1	38429	1.0
SSC932-60-1	38352	1.0
SSC932-72-1	38335	1.1
PACKAGE (Ten Pins)		
SSC932-30	38320	5.8
SSC932-36	38321	7.0
SSC932-38	38420	7.4
SSC932-40	38417	7.8
SSC932-42	38322	8.2
SSC932-44	38419	8.6
SSC932-46	38418	8.9
SSC932-48	38323	9.3
SSC932-54	38325	9.9
SSC932-60	38317	10.5

### \*300 SERIES

#### NOTE:

For hinge pin retaining washers for R5 pins, see page 73.


### FOR R5-1/2, R6, RAR6LP

BELT WIDTH	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>AC6</b> BARE ARMORED STEEL CABLE (3/8" dia.)			
EACH (One Pin)			
in.	mm		
24"	600	AC6-24-1	38164 .7
30"	750	AC6-30-1	38165 .8
36"	900	AC6-36-1	38166 1.0
38"	950	AC6-38-1	38161 1.1
40"	1000	AC6-40-1	38162 1.1
42"	1050	AC6-42-1	38167 1.2
44"	1100	AC6-44-1	38143 1.3
46"	1150		
48"	1200	AC6-48-1	38168 1.4
52"			
54"	1350	AC6-54-1	38169 1.5
60"	1500	AC6-60-1	38170 1.7
72"	1800	AC6-72-1	38171 2.1
84"	2130		
PACKAGE (Ten Pins)			
24"	600	AC6-24	40707 6.2
30"	750	AC6-30	40709 8.1
36"	900	AC6-36	40710 10.0
38"	950	AC6-38	38403 10.2
40"	1000	AC6-40	38401 11.0
42"	1050	AC6-42	40712 12.0
44"	1100	AC6-44	40713 12.3
46"	1150		
48"	1200	AC6-48	40714 12.5
52"	1350		
54"	1350	AC6-54	40716 14.7
60"	1500	AC6-60	40718 16.2
72"	1800	AC6-72	40720 19.6
84"	2130	AC6-84	40721 25.0

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>SC6</b> BARE STEEL CABLE (23/64" dia.)		
EACH (One Pin)		
SC6-38-1	38370	1.1
SC6-40-1	38371	1.2
SC6-42-1	38376	1.2
SC6-44-1	38372	1.3
SC6-46-1	38373	1.4
SC6-48-1	38377	1.4
SC6-54-1	38374	1.5
SC6-60-1	38375	1.6
SC6-72-1	38378	2.1
SC6-84-1	38387	2.5
PACKAGE (Ten Pins)		
SC6-36	38362	10.5
SC6-38	38365	11.0
SC6-40	38366	11.6
SC6-42	38363	12.2
SC6-44	38367	12.8
SC6-46	38368	13.4
SC6-48	38364	14.0
SC6-54	38369	15.8
SC6-60	38380	17.6
SC6-72	38381	20.9
SC6-84	38390	25.0

### HINGE PIN RETAINING COLLARS

FOR PIN DIAMETER	ORDERING NUMBER	ITEM CODE	WT. LBS.
7/32-9/32	HPRET1	40198	.5
23/64-13/32	HPRET2	40199	.5



Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

Non-Listed Items are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM


Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners



## HINGE PINS



FOR R5-1/2, R6,  
RAR6LP & RAR8

FOR R6, RAR6LP

FOR R9

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>*ACS6</b> BARE ARMORED STAINLESS CABLE (3/8" dia.)		
EACH (One Pin)		
ACS6-36/900-1	39274	1.0
ACS6-40-1	39280	1.1
ACS6-42-1	39275	1.2
ACS6-46-1	39281	1.3
ACS6-48-1	39276	1.3
ACS6-52-1	39282	1.4
ACS6-54-1	39277	1.5
ACS6-60-1	39278	1.7
ACS6-72-1	39279	2.1
ACS6-84-1	39283	2.5
PACKAGE (Ten Pins)		
ACS6-36/900	39300	10.0
ACS6-40	39307	11.0
ACS6-42	39301	12.0
ACS6-46	39308	12.3
ACS6-48	39302	13.4
ACS6-52	39306	14.0
ACS6-54	39303	15.8
ACS6-60	39304	17.6
ACS6-72	39305	20.9
ACS6-84	39309	25.0

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>NAC6</b> NYLON COVERED ARMORED CABLE (13/32" dia.)		
EACH (One Pin)		
NAC6-24-1	38144	.7
NAC6-30-1	38145	.8
NAC6-36-1	38146	1.0
NAC6-38-1	40940	1.1
NAC6-40-1	40941	1.1
NAC6-42-1	38147	1.2
NAC6-44-1	40942	1.3
NAC6-46-1	40943	1.4
NAC6-48-1	38148	1.4
NAC6-54-1	38149	1.5
NAC6-60-1	38150	1.7
NAC6-72-1	38151	2.1
NAC6-84-1	38154	2.4
PACKAGE (Ten Pins)		
NAC6-24	40654	6.5
NAC6-30	40657	8.3
NAC6-36	40659	10.0
NAC6-38	40681	10.2
NAC6-40	40670	11.0
NAC6-42	40661	11.8
NAC6-44	40680	12.3
NAC6-46	40679	12.9
NAC6-48	40663	13.5
NAC6-54	40665	15.0
NAC6-60	40667	17.0
NAC6-72	40669	20.1
NAC6-84	40671	24.4

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
		<b>*NCS</b> NYLON COVERED STAINLESS CABLE (5/8" dia.)		
		EACH (One Pin)		
in.	mm	NCS962-48-1	53234	2.2
48"	1200	NCS962-54-1	53235	2.4
54"	1350	NCS962-60-1	53236	2.7
60"	1500	NCS962-72-1	53237	3.3
72"	1800	NCS962-84-1	53238	3.8
84"	2130			

ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>NCS</b> NYLON COVERED STAINLESS CABLE (3/4" dia.)		
EACH (One Pin)		
NCS975-48-1	53255	3.1
NCS975-54-1	53256	3.5
NCS975-60-1	53257	4.0
NCS975-72-1	53258	4.8
NCS975-84-1	53259	5.6

**\*300 SERIES**

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**





# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners

## INSTALLATION TOOLS



### Multiple Rivet Applicator Tool

#### MSRT APPLICATOR COMPLETE

(Includes two SR700 Multiple Guide Blocks, two SR759 Multiple Drive Rods, two 4 lb. Hammers, Lubricant and one Canvas Carry Bag.)

(NOTE: For installation of R5, R5-1/2, and R6 Fasteners.)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
30"	750	MSRT-30	41041	63.0
36"	900	MSRT-36	41042	70.0
42"	1050	MSRT-42	41043	77.0
48"	1200	MSRT-48	41044	85.0
60"	1500	MSRT-60	41046	93.0
72"	1800	MSRT-72	41047	100.0
84"	2130	MSRT-84	41048	110.0



#### MSRT8 APPLICATOR COMPLETE

(NOTE: Installs R6, RAR6 & RAR8 fasteners only.)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
48"	1200	MSRT8-48	41032	85.0
60"	1500	MSRT8-60	41033	93.0
72"	1800	MSRT8-72	41034	100.0
84"	2130	MSRT8-84	41035	110.0

#### ALUMINUM MSRT APPLICATOR COMPLETE

(Includes two SR700 Multiple Guide Blocks, two SR759 Multiple Drive Rods, two 4 lb. Hammers, Lubricant and one Canvas Carry Bag.)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
30"	750	MSRT-30-AL	40771	57.0*
36"	900	MSRT-36-AL	40773	63.0
42"	1050	MSRT-42-AL	40775	69.0
48"	1200	MSRT-48-AL	40776	76.0
60"	1500	MSRT-60-AL	40782	89.0
72"	1800	MSRT-72-AL	40783	105.0
84"	2130	MSRT-84-AL	40784	121.0*
96"	2430	MSRT-96-AL	40785	137.0*

#### MSRT9 APPLICATOR COMPLETE

(NOTE: Installs R9 fasteners only.)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
48"	1200	MSRT9-48	40994	82.0
60"	1500	MSRT9-60	40995	98.0
72"	1800	MSRT9-72	40996	114.0
84"	2130	MSRT9-84	40997	121.0

#### ALUMINUM MSRT8 APPLICATOR COMPLETE


(NOTE: Installs R6, RAR6 & RAR8 fasteners only.)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
48"	1200	MSRT8-48-AL	41115	76.0
60"	1500	MSRT8-60-AL	41116	89.0
72"	1800	MSRT8-72-AL	41117	105.0
84"	2130	MSRT8-84-AL	41118	121.0*
96"	2430	MSRT8-96-AL	41119	137.0*


NOTE: Guide blocks cannot be used with rivet sizes J, K and L.

### MULTIPLE RIVET DRIVER COMPONENTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Multiple Guide Block	SR700	41054	3.0
Multiple 5 Prong Drive Rod	SR759	41055	1.0
Multiple Guide Block - For R8	SR800	41050	5.1
8 Prong Drive Rod	SR859-8	41068	1.2
Multiple Guide Block - For R9	SR900	41045	7.0
2 Prong Drive Rod	SR759-2	41058	.9
Silicone Lubricant	SL5-1	30932	1.4
Four lb. Hammer	4FH	30435	5.3
Six lb. Hammer	6FH	30375	7.3
Canvas Bag	SR-CB	41031	1.3



SR700



SR759

\* Estimated weight

# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners



## INSTALLATION TOOLS


### Single Rivet Applicator Tool

#### SRTA APPLICATOR COMPLETE

(Includes one SR-50 Driver Tool Complete)

(NOTE: For installation of R5, R5-1/2, and R6 Fasteners.)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
30"	750	SRTA-30	41213	35.0
36"	900	SRTA-36	41214	41.8
42"	1050	SRTA-42	41215	48.6
48"	1200	SRTA-48	41216	55.8
60"	1500	SRTA-60	41218	69.8
72"	1800	SRTA-72	41219	83.0
84"	2130	SRTA-84	41220	85.2



#### SINGLE RIVET DRIVER TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Driver Tool Complete	SR-50	40510	.8
Drive Rod	SR5-7	40517	.3

#### METAL TOOL BOX FOR SR™ and BR™ APPLICATOR TOOLS

DESCRIPTION	ORDERING NUMBER / ITEM CODE	WT. LBS.
36" Tool Box	40988	41.2
42" or 48" Tool Box	40990	48.2
60" Tool Box	40991	73.0

#### RIVET SET\*


ORDERING NUMBER	ITEM CODE	WT. LBS.
R5S	40348	1.9

\*If no SRTA Application Tool is available, fasteners may be installed with an R5S Flexco Rivet Set. See Instruction Sheet X0751.

#### FLEXCO® BELT GROOVER

(7/16" WIDE GROOVE PATH)


ORDERING NUMBER	ITEM CODE	WT. LBS.
FBG1	31978	1.8
EXTRA BLADES		
HSP3	31980	0.1



#### FLEXCO® FSK™ BELT SKIVER

Width of Skive 2½" (64 mm)


DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Skiver Complete with Standard Blade	FSK-2	32051	20.7
Sharpening Stone		31987	0.5
STK Tool Box		50009	5.4
REPLACEMENT PARTS			
Skiver Blade-Standard	FSK-1B	31996	0.3
Skiver Blade-High Wear	FSK-1BA	31999	0.3
Skiver Ratchet Assembly	FSK-1R	31991	1.8
Skiver Chain	FSK-1C	31992	0.4
Skiver Sprocket	FSK-1S	31993	0.2
Skiver Fence Assembly	FSK-2F	32056	1.1
Replacement Front Drive Roller Assembly	FSK2-FDRA	32052	0.6



#### BELT CUTTERS

Please refer to page 92.

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.


**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners



## REPLACEMENT PARTS FOR SRT, SRTA, MSRT TOOLS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Gauge Pin Guide with Spring and Cotter Pin-one hole	SR24	40503	.1
Gauge Pin Guide with Spring and Cotter Pin-3 hole	SR25	40504	.1
End Anvil Plate	SR22SAE	41960	1.70
Middle Anvil Plate	SR22SAM	41961	1.70
MSRT8 End Anvil Plate	SR27SAE	41962	1.70
MSRT8 Middle Anvil Plate	SR27SAM	41963	1.70
Anvil Plate Screws (50/Package)	BRPS	40908	.7
Tightening Bolt Complete	SR23	40502	.2
Rivet Guide Locator Assembly	SR747	41056	.2
Clamping Screw	SR757	41057	.1
Collets-Set of Two	SR5-1	40511	.1
Gauge Pin for 30" Tool	SR2-30	40482	.5
Gauge Pin for 36" Tool	SR2-36	40483	.6
Gauge Pin for 42" Tool	SR2-42	40484	.7
Gauge Pin for 48" Tool	SR2-48	40485	.8
Gauge Pin for 60" Tool	SR2-60	40487	1.0
Gauge Pin for 72" Tool	SR2-72	40488	1.2
Gauge Pin for 84" Tool	SR2-84	40489	1.5

## REPLACEMENT PARTS FOR ALUMINUM MSRT TOOL

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Guide Locator	SR747-AL	43022	.2
Gauge Pin Guide	SR25-AL	43023	.1
Gauge Pin Guide	SR24-AL	43024	.1
Anvil Plate-5 Hole	SR22SAAL	43061	1.7
Anvil Plate-8 Hole	SR27SAAL	43062	2.5
Anvil Plate Screws	SRPS-AL	43027	.7
Gauge Pin for 30" Tool	SR2-30-AL	43038	.5
Gauge Pin for 36" Tool	SR2-36-AL	43039	.6
Gauge Pin for 42" Tool	SR2-42-AL	43040	.7
Gauge Pin for 48" Tool	SR2-48-AL	43041	.8
Gauge Pin for 60" Tool	SR2-60-AL	43042	1.0
Gauge Pin for 72" Tool	SR2-72-AL	43043	1.2
Gauge Pin for 84" Tool	SR2-84-AL	43044	1.5
Gauge Pin for 96" Tool	SR2-96-AL	43045	2.0
Clamp Bar Nut W/Screws	SR91-AL	43029	.5
Cambored Clamp Bar Assembly for 30" Tool	SR9-30-AL	43030	3.8
Cambored Clamp Bar Assembly for 36" Tool	SR9-36-AL	43031	4.1
Cambored Clamp Bar Assembly for 42" Tool	SR9-42-AL	43032	5.3
Cambored Clamp Bar Assembly for 48" Tool	SR9-48-AL	43033	6.2
Cambored Clamp Bar Assembly for 60" Tool	SR9-60-AL	43034	6.8
Cambored Clamp Bar Assembly for 72" Tool	SR9-72-AL	43035	7.5
Cambored Clamp Bar Assembly for 84" Tool	SR9-84-AL	43036	7.9
Cambored Clamp Bar Assembly for 96" Tool	SR9-96-AL	43037	8.5

## PARTS REQUIRED TO SPAN THE ENTIRE WIDTH OF SRTA OR MSRT TOOLS

BELT WIDTH		SR700	SR747	SR24	SR25	SR22SA
in.	mm.	MULTIPLE GUIDE BLOCKS	RIVET GUIDE LOCATOR ASSEMBLIES	GAUGE PIN GUIDE	GAUGE PIN GUIDE	ANVIL PLATE COMPLETE
30	750	5	10	4	5	5
36	900	6	12	5	6	6
42	1050	7	14	6	7	7
48	1200	8	16	7	8	8
60	1500	10	20	9	10	10
72	1800	12	24	11	12	12
84	2130	14	28	13	14	14

# Flexco® SR™ Scalloped Edge™ Rivet Hinged Fasteners




## POWER INSTALLATION TOOLS

### PNEUMATIC SINGLE RIVET DRIVER

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Pneumatic Single Rivet Driver*	PNEUDRIVE1	41992	44.0
8 Rivet Pattern SR™ Steel Guide Blocks	35RD-GB8-4	41998	12.0
5 Rivet Pattern SR™ Steel Guide Blocks	35RD-GB5-4	42000	10.0
Nose Piece	PDNP	41999	3.1
Nose Piece Safety	PDNPS	42036	0.8
Tool Bumper	PDBUMP	42037	0.4
O-Ring Kit	PDORING	42038	0.2
Handle	PDHANDLE	42039	0.2
HARDWARE Kit-screwa	PDHK	42040	0.6
CYLINDER	PDCYL	42041	1.2
Nose Spring	PDNSS	42042	0.1
Piston Rod	PDPR	42043	1.0
Trigger Valve	PDTVA	42044	0.1
Regulator Kit	FPD-RK	43008	7.8

\*Includes one Pneumatic Single Rivet Driver, one Regulator, one Airhose, Instruction Manual, and Safety Glasses.

- Works with Standard MSRT Application Tool
- Works with steel guide blocks –sold separately
- Works with Rapid Loader™ Rivet Strips with washers




### ELECTRIC POWERED RIVET DRIVER KIT

(\*Kit includes Driver, two Custom Drive Rods, Convenient Carrying Case)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Standard Kit*	EPRDVK-1	41077	15.0
Replacement Drive Rod	EPRDVS-DR	41078	2.0

- For use with standard 110 volt electric
- Works with standard MSRT application tool and guide block




### AIR POWERED RIVET DRIVER

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Air Powered Rivet Driver-Complete*	PTRDK	41835	5.0
<b>REPLACEMENT PARTS</b>			
Air Powered Rivet Driver	PTAH	41834	4.5
Retaining Spring	PTRD-RS	41837	0.3
Drive Rod with Hold Down Spring and Washer	PTRD-DR	41777	1.0
Hold Down Spring and Washer	DR-SW	41836	0.1

\*Includes Air Powered Rivet Driver, Retaining Spring, and Drive Rod with Hold Down Spring and Washer.

- Requires a minimum 90 psi for operation
- Works with standard MSRT application tool and guide block



- Stock Items** (non-shaded) carried in factory inventory.
- Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.
- Non-Listed Items** are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



## How Flexco® Bolt Solid Plate Fasteners Work

Strength of this fastener is derived from the compression of the plates, mounted above and below the belt, with high tensile strength bolts. This "compression" distributes the splice tension across the full width of each fastener plate. The holding ability is, thereby, increased by not solely relying upon the bolts to resist pull-out.

Additional strength and resistance to pull-out is obtained from the specially formed teeth on each plate. These teeth imbed deep into the belt carcass, without damaging the carcass fibers.

A tight butt splice is achieved through the exaggerated bolt hole spacing in the templet which forces the belt end together. Flexco® Bolt Solid Plate Fasteners permit natural conformance with troughing or transition idlers.

140, 190 and 2-1/2 size fasteners are specifically designed for thinner belting, allowing increased compression, greater reach-back, and more fastener plates per belt width.


Applications	Installation Method	What You Need for Installation
Higher-tension main haulage belts in <ul style="list-style-type: none"> <li>• Coal</li> <li>• Hard-Rock Mining</li> <li>• Foundries</li> <li>• Grain Elevators</li> <li>• Aggregate Plants</li> <li>• Steel Mills</li> </ul>	Holes are punched in belt quickly and accurately with a templet and boring tool. Fasteners are installed on-site with portable, hand, or power tools.	<ul style="list-style-type: none"> <li>• Fastener Plates</li> <li>• Bolts &amp; Nuts</li> <li>• Templet</li> <li>• Belt Punch</li> <li>• Wrench</li> <li>• Bolt Horn</li> <li>• Flexco Installation Tool</li> <li>• Impact Tool or Carpenter's Brace</li> </ul>
How to Specify the Correct Flexco® Bolt Solid Plate Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>1. Determine Belt Tension (PIW).</li> <li>2. Measure your Belt Thickness.</li> <li>3. Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>4. Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> For most applications, steel is recommended.</p> <p><b>MegAlloy®.</b> For superior resistance to wear and abrasion.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel provides extra resistance to abrasion, magnetic attraction and corrosion from acids and chemicals.</p> <p><b>Everdur®.</b> Spark-free material compared to steel and fully non-magnetic.</p> <p><b>Flexco®VP®.</b> Rubber covered steel top plates.</p> <p><b>Promal.</b> For superior abrasion resistance. Some minor chemical and corrosion resistance.</p>	No Hinge Pin Required.

### Flexco® Bolt Solid Plate Fastener Selection Chart

Fastener Size	For Belts With Mechanical Fastener Ratings Up To:		Belt Thickness Range		Recommended Min. Pulley Diameter (90°)					
					Operating Tension 75-100% of Belt Rating		Operating Tension 50-75% of Belt Rating		Operating Tension Under 50% of Belt Rating	
	P.I.W.	kN/m	in.	mm	in.	mm	in.	mm	in.	mm
1	150	30	3/16-7/16	5-11	12	300	10	260	8	200
140*, 140VP	225	40	3/16-7/16	5-11	14	360	12	300	10	250
190, 190VP	375	65	5/16-9/16	8-14	18	460	16	410	14	360
1-1/2	300	50	7/16-11/16	11-17	18	460	16	410	14	360
2, 2VP	440	75	9/16-13/16	14-21	30	760	28	710	24	610
2-1/4	620	105	9/16-1-3/16	14-30	36	920	34	860	34	860
2-1/2	450	75	3/4-1	19-25	42	1070	42	1070	42	1070
3	560	100	15-16 & over	24 & over	48	1220	48	1220	48	1220



# Flexco® Bolt Solid Plate Fasteners



## FASTENERS

### Exclusive Piloted Bolt Design Simplifies Installation:

The new piloted bolt is currently being phased in to replace standard bolt designs.  
To order the new piloted bolts as they become available, use standard bolt ordering numbers.

#### "E" BOX 25 FASTENER SETS

ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>STEEL</b>		<b>MEGALLOY® TOP &amp; BOTTOM PLATES, STEEL BOLTS &amp; NUTS</b>		<b>STAINLESS – 300 SERIES</b>		<b>EVERDUR</b>		
1E	20002	140EMAP	20364	140ES	20034	140EE	20090	2.9
140E	20000	190EMAP	20365	190ES	20035	190EE	20091	4.6
190E	20001							4.8
1-1/2E	20004	1-1/2EMAP	20366	1-1/2ES	20038	1-1/2EE	20094	5.9
2E	20005	2EMAP	20367	2ES	20039	2EE	20095	8.0
2-1/4E	20006	2-1/4EMAP	20368	2-1/4ES	20040	2-1/4EE	20096	10.8
2-1/2*	20007							6.4
3*	20008							7.0

\*10 Fastener Sets

#### "E" BOX 25 FASTENER SETS

ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>PROMAL TOP PLATES BALANCE STEEL</b>		<b>MEGALLOY® TOP PLATES BALANCE STEEL</b>		<b>300 SERIES STAINLESS TOP PLATES, BALANCE STEEL</b>		<b>1/8" RUBBER-COVERED T.P. BALANCE STEEL</b>		
140EP	20164	140EMA	20330	140EST	20118			
1-1/2EP	20168	190EMA	20331	190EST	20119			
2EP	20169	1-1/2EMA	20334	1-1/2EST	20122			
		2EMA	20335	2EST	20123			
		2-1/4EMA	20336	2-1/4EST	20124	2-1/4ERCT	20191	10.3

#### "C" BUCKET (100 FASTENER SETS – BOTTOM PLATES PRE-ASSEMBLED)

ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
<b>STEEL</b>		<b>MEGALLOY® TOP PLATES BALANCE STEEL</b>		<b>MEGALLOY® TOP &amp; BOTTOM PLATES, STEEL BOLTS &amp; NUTS</b>		
1C	20014	1CMA	20327	140CMAP	20370	10.9
140C	20012	140CMA	20340	190CMAP	20371	15.7
190C	20013	190CMA	20341			18.5
1-1/2C	20016	1-1/2CMA	20344	1-1/2CMAP	20372	21.9
2C	20017	2CMA	20345	2CMAP	20373	30.3
2-1/4C	20018	2-1/4CMA	20346			42.3
2-1/2L*	20052					32.0
3L*	20053					34.9

\*L Buckets are in quantities of 50.

NOTE: Stainless and Everdur fastener sets are also available in "C" Buckets.

### FASTENER SETS

#### REQUIRED FOR VARIOUS BELT WIDTHS

BELT WIDTH	FASTENER SIZE 1, 140 & 190				FASTENER SIZE 1-1/2, 2 & 2-1/4				FASTENER SIZE 2-1/2 & 3				
	90°		45°		90°		45°		90°		45°		
	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	
12	300	10	9	12	12	8	8	9	10	6	6	7	7
18	450	15	14	19	19	12	11	15	15	9	9	12	12
24	600	20	19	26	26	16	15	21	21	12	13	17	16
30	750	25	24	33	33	20	19	27	27	16	16	21	21
36	900	30	29	41	40	24	23	33	32	19	19	26	26
	1000		32		45		26		36		21		29
42	1050	35	34	48	47	28	27	39	38	22	21	31	30
48	1200	40	39	55	54	32	31	44	43	26	26	35	35
54	1350	45	44	63	61	36	35	48	49	29	29	40	40
60	1500	50	49	69	68	40	39	56	55	32	32	44	44
72	1800	61	59	83	82	48	49	68	65	39	39	53	53

NOTE: Required fastener sets may vary from those listed depending on exact fastener size.



- Stock Items (non-shaded) carried in factory inventory.
- Made To Order Items (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

Non-Listed Items are available. Request quote for price and delivery.

### FLEXCO® VP™ FASTENERS


RUBBER COVERED TOP PLATES BALANCE STEEL				RUBBER COVERED TOP PLATES MEGALLOY® BOTTOM PLATES			
BOX*				BOX*			
ORDERING NUMBER	ITEM CODE	PLATES PER STRIP	STRIPS PER BOX	ORDERING NUMBER	ITEM CODE	PLATES PER STRIP	STRIPS PER BOX
140VP	20057	6	5	140VPMA	20081	6	5
190VP	20056	6	5	190VPMA	20060	6	5
2VP	20058	4	6				
BUCKET				BUCKET			
140VPB	20061	6	16	140VPBMA	20082	6	16
190VPB	20059	6	16	190VPBMA	20080	6	16
2VPB	20083	4	24				

\*Box quantities provide enough fasteners to splice a 36" (900 mm) belt.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Flexco® Bolt Solid Plate Fasteners



## INSTALLATION TOOLS

### 90° TEMPLETS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	1		140		190		
12"	300	1-12	30516	140-12	30483	190-12	30500	1.3
14"	350	1-14	30517	140-14	30484	190-14	30501	1.5
16"	400	1-16	30518	140-16	30485	190-16	30502	1.7
18"	450	1-18	30519	140-18	30486	190-18	30503	1.9
20"	500	1-20	30520	140-20	30487	190-20	30504	2.1
24"	600	1-24	30521	140-24	30488	190-24	30505	2.6
26"	650					190-26	30506	2.6
28"	700					190-28	30507	3.0
30"	750	1-30	30524	140-30	30491	190-30	30508	3.3
36"	900	1-36	30525	140-36	30492	190-36	30509	3.9
42"	1050	1-42	30526	140-42	30493	190-42	30510	4.5
48"	1200	1-48	30527	140-48	30494	190-48	30511	4.8
60"	1500					190-60	30513	5.9
				<b>1-1/2</b>		<b>2</b>		
12"	300			1-1/2-12	30548	2-12	30564	1.2
18"	450			1-1/2-18	30551	2-18	30567	1.9
20"	500			1-1/2-20	30552			1.8
24"	600			1-1/2-24	30553	2-24	30569	2.5
30"	750			1-1/2-30	30556	2-30	30572	3.1
36"	900			1-1/2-36	30557	2-36	30573	3.8
42"	1050			1-1/2-42	30558	2-42	30574	4.4
48"	1200			1-1/2-48	30559	2-48	30575	5.2
54"	1350			1-1/2-54	30560	2-54	30576	5.6
60"	1500			1-1/2-60	30561	2-60	30577	6.6
72"	1800			1-1/2-72	30562	2-72	30578	7.2
				<b>2-1/4</b>		<b>3</b>		
20"	500			2-1/2-20	30600			2.9
24"	600	2-1/4-24	30585	2-1/2-24	30601			3.5
30"	750	2-1/4-30	30588	2-1/2-30	30604			4.4
36"	900	2-1/4-36	30589	2-1/2-36	30605	3-36	30620	5.3
42"	1050	2-1/4-42	30590	2-1/2-42	30606	3-42	30621	6.2
48"	1200	2-1/4-48	30591	2-1/2-48	30607	3-48	30622	7.1
54"	1350	2-1/4-54	30592	2-1/2-54	30608			7.9
60"	1500	2-1/4-60	30593	2-1/2-60	30609	3-60	30624	8.8
72"	1800	2-1/4-72	30594	2-1/2-72	30610	3-72	30625	10.6

### 45° TEMPLETS

ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	ORDERING NUMBER	ITEM CODE	WT. LBS.
1		140		190		
1-12-45	30673					1.1
1-18-45	30676			190-18-45	30661	2.3
1-24-45	30678	140-24-45	30647	190-24-45	30663	3.0
1-30-45	30681	140-30-45	30650	190-30-45	30666	3.7
1-36-45	30682	140-36-45	30651	190-36-45	30667	4.5
1-48-45	30684	140-42-45	30652	190-42-45	30668	5.2
		140-48-45	30653	190-48-45	30669	6.0
		140-60-45	30655	190-60-45	30671	7.5
		<b>1-1/2</b>		<b>2</b>		
		1-1/2-18-45	30707			2.0
		1-1/2-24-45	30709	2-24-45	30725	3.0
		1-1/2-30-45	30712	2-30-45	30728	3.7
		1-1/2-36-45	30713	2-36-45	30729	5.3
		1-1/2-42-45	30714	2-42-45	30730	5.2
		1-1/2-48-45	30715			6.0
		1-1/2-60-45	30717	2-60-45	30733	7.5



**Stock Items** (non-shaded) carried in factory inventory.

**Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.


**Non-Listed Items** are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086










**We Ship  
World Wide**

# Flexco® Bolt Solid Plate Fasteners



## INSTALLATION TOOLS

### HAND & POWER TOOLS

	DESCRIPTION	FOR FASTENER NUMBER	ORDERING NUMBER	ITEM CODE	WT. LBS.	
<b>HAND TOOLS</b>	BOLT HORN 		2BH	30480	.1	
	BOLT BREAKER (Two Per Package) 		110	30474	1.2	
		1 1/2, 2, 2 1/4 & RP2	112*	30475	1.4	
		2 1/2 & 3	113*	30479	2.0	
	PUNCH 		P1P	30460	.1	
		1 1/2, 2, 2 1/4 & RP2	P2P	30461	.2	
2 1/2 & 3		P3P	30462	.3		
BORING BIT 		B1B	30468	.1		
	1 1/2, 2, 2 1/4 & RP2	B2B	30469	.1		
	2 1/2 & 3	B3B	30470	.1		
WRENCH 		S1S**	30442	.2		
	1 1/2, 2, 2 1/4 & RP2	S2S	30443	.2		
	2 1/2 & 3	S3S	30444	.2		
<b>POWER TOOLS</b>	POWER PUNCH 		HP1	30463	.2	
	POWER BORING BIT 		HP2	30464	.2	
		1 1/2, 2, 2 1/4 & RP2	HP3	30465	.2	
		2 1/2 & 3				
	POWER WRENCH 	GREEN	1,140,190 & RP1	HW1**	30447	.3
		RED	1 1/2, 2, 2 1/4 & RP2	HW2	30448	.3
		BLUE	2 1/2 & 3	HW3	30449	.4
	QUICK CHANGE CHUCK 		5552	30481	.4	
	1/2" IMPACT TOOL		30453	30453	8.9	

\*Sizes 112 & 113 are straight bolt breakers – no bend.  
\*\*For use with slotted nuts only.

### NAILS FOR TEMPLETS

FOR USE WITH TEMPLETS	ORDERING NUMBER	ITEM CODE	WT. LBS.	NAILS/PKG. (Approx.)
#1-1/2, 2, 2-1/4, 2-1/2 & 3	8D	30437	1.0	90

### FLEXCO-LOK®


Belt tape 100' per carton

FASTENER SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.	TAPE WIDTH
Nos. 140, 1	FL7C	30888	.8	7/16"
Nos. 190	FL11C	30889	1.0	11/16"
1-1/2, 2, 2-1/4				



### CRACKING CHISEL


NUT SIZE	ORDERING NUMBER	ITEM CODE	WT. LBS.
1, 140 or 190	C1C	30438	1.2
1-1/2, 2, 2-1/4	C2C	30439	1.2
2-1/2-3	C3C	30499	1.6



### FLEXCO® BELT GROOVER

(7/16" wide groove path)

ORDERING NUMBER	ITEM CODE	WT. LBS.
FBG1	31978	1.8
<b>EXTRA BLADES</b>		
HSP3	31980	0.1




### FLEXCO® SILICONE LUBRICANT

ORDERING NUMBER	ITEM CODE	PKG. QTY.	WT. LBS.
SL5-1	30932	1	1.4



### FLEXCO® BELT IDENTIFICATION TOOL


ORDERING NUMBER	ITEM CODE	WT. LBS.
BT-1	31075	.06



**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Flexco® Bolt Solid Plate Fasteners


## Exclusive Piloted Bolt Design Simplifies Installation:

The new piloted bolt is currently being phased in to replace standard bolt designs.

To order the new piloted bolts as they become available, use standard bolt ordering numbers.

### EXTRA BOLTS PER 100

FOR FASTENER NUMBER	ORDERING NUMBER / ITEM CODE	ORDERING NUMBER / ITEM CODE	ORDERING NUMBER / ITEM CODE	WT. LBS.
	<b>STEEL</b>	<b>STAINLESS – 300 SERIES</b>	<b>EVERDUR</b>	
1	20391			
140 & 190	20399	20400	20397	2.4
RP1	20398		20397	2.1
1-1/2, 2 & RP2	20406	20407	20409	4.1
2-1/4	20410	20411	20412	4.8
2-1/2 & 3	20414			7.2




### EXTRA NUTS PER 100

FOR FASTENER NUMBER	ORDERING NUMBER / ITEM CODE	ORDERING NUMBER / ITEM CODE	ORDERING NUMBER / ITEM CODE	WT. LBS.
	<b>STEEL</b>	<b>STAINLESS – 300 SERIES</b>	<b>EVERDUR</b>	
1, 140, 190 & RP1	20377	20381	20387	.8
1-1/2,				
2, 2-1/4, & RP2	20378	20382	20388	1.1
2-1/2 & 3	20379			2.2

### RIP REPAIR FASTENERS

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>STEEL</b>			
RP1E	20010	25	4.7
RP1C	20022	100	19.1
RP2E	20011	25	10.2
RP2C	20023	100	42.0
2-1/4E	20006	25	10.6
2-1/4C	20018	100	43.0
<b>STAINLESS</b>			
RP1ES	20041	25	4.9
RP2ES	20042	25	10.1
2-1/4ES	20040	25	10.7
<b>EVERDUR</b>			
2-1/4EE	20096	25	11.6




### RIP REPAIR SELECTION INFORMATION

Belt Thickness		Fastener Size
in.	mm.	
3/8-9/16	10-14	No. 16
1/4-1/2	6-13	RP1
3/8-13/16	10-21	RP2
9/16-1-3/16	14-30	2-1/4

### TURTLE® FASTENER—STEEL


ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
16	20206	50	4.3




### WEDLOK®

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Splice Kit*	2W	20200	4.0
Stainless Splice Kit	2WS	20201	4.0
Leading End Kit	2WL	20202	3.0
Trailing End Kit	2WT	20203	2.9
Templet Set	T2W	20204	6.3
72" Side Templet	T2WS72	20205	7.6

### WEDLOK SPLICE KIT

 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.


**Non-Listed Items** are available. Request quote for price and delivery.

\*Stainless Top Plates, Balance Steel.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



## How Flexco® Rivet Solid Plate Fasteners Work

The Flexco® BR™ fastener offers longer service life in demanding, higher-tension applications and is an excellent replacement for vulcanized splicing in a wide range of industries.

Designed for high strength synthetic carcass belting, the fastener is installed with a staggered pattern of rivets to ensure maximum grip on the belt fibers. Working between these fibers without severing them, the strength of the belt is left intact. The specially-shaped head of each pilot nail

works with the installation tool's anvil plate to "self-set" the rivets.

The same hammer blows that drive and set the rivets also tightly compress the fastener plates for the strongest possible splice. The broad width and heavy gauge of the plates give extended wear life. These plates compress uniformly and are specially coined so there are no high spots or edges to hang up.

FLEXCO® Rivet Solid Plate Fastening System

Applications	Installation Method	What You Need for Installation
<ul style="list-style-type: none"> <li>Sand</li> <li>Gravel</li> <li>Crushed Stone</li> <li>Grain</li> <li>Coal</li> <li>Cement</li> <li>Salt</li> </ul>	<p>Designed for fast, simple installation. All that is needed is a hammer and the portable MBRT tool. Belt ends and fastener strip are held in proper alignment. Upon proper alignment, the rivets can be hammer-driven and set from the top side of belt.</p>	<ul style="list-style-type: none"> <li>Fasteners</li> <li>Rivets</li> <li>Flexco Installation Tool</li> <li>Hammer</li> </ul>
How to Specify the Correct Flexco® Rivet Solid Plate Fastener	Fastener Metal Selection	Hinge Pin Selection
<ol style="list-style-type: none"> <li>Determine Belt Tension (PIW).</li> <li>Measure your Belt Thickness.</li> <li>Measure the Diameter of the Smallest Pulley in your Drive with Belt Wrap more than 90°.</li> <li>Choose the fastener size that is appropriate for your specifications in the selection chart below.</li> </ol>	<p><b>Steel.</b> For most applications, plated steel is recommended.</p> <p><b>MegAlloy®.</b> For superior resistance to wear and abrasion.</p> <p><b>Stainless Steel.</b> Type 316 Stainless Steel provides extra resistance to abrasion, magnetic attraction and corrosion from acids and chemicals.</p> <p><b>Everdur®.</b> Spark-free material compared to steel and fully non-magnetic.</p>	<p>No Hinge Pin Required.</p>

### Flexco® Rivet Solid Plate Fastener Selection Chart

Fastener Size	For Belts With Mechanical Fastener Ratings Up To:		Belt Thickness Range		Recommended Min. Pulley Diameter					
					Operating Tension 75-100% of Belt Rating		Operating Tension 50-75% of Belt Rating		Operating Tension Under 50% of Belt Rating	
	P.I.W.	kN/m	in.	mm	in.	mm	in.	mm	in.	mm
BR6	400*	70*	1/4-21/32	6.5-17	14	350				
BR10	650	114	7/32-11/16	6-17	18	450	16	400	14	350
BR14	800	140	13/32-15/16	10-24	36	900	34	860	34	860


\* Contact Flexco Engineering for applications greater than 400 PIW (70kN/m).

**GOODYEAR**  
GOODYEARBELTING.COM

**Call Toll Free: 1-866-711-4673**  
**International: +1-727-342-5086**


**We Ship  
World Wide**





# Flexco® BR™ Rivet Solid Plate Fasteners

## FASTENERS



Order each component separately for a complete splice: Fasteners + Rivets

### NOTE:

In most cases, fastener strip length is not equal to belt width. Order by belt width.

### FLEXCO® BR6 FASTENERS

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm	STEEL		
24	600	BR6-SE-24	40658	4.6
30	750	BR6-SE-30	40682	5.7
36	900	BR6-SE-36	40683	7.0
42	1050	BR6-SE-42	40684	8.0
STAINLESS				
24	600	BR6S-SE-24	40769	4.6
30	750	BR6S-SE-30	40787	5.7
36	900	BR6S-SE-36	40790	6.9
42	1050	BR6S-SE-42	40791	7.8

Each box of BR6 fasteners contains 4 fastener strips and hold down assembly clips.

### FLEXCO® BR6 MEGALLOY®

ORDERING NUMBER	ITEM CODE	WT. LBS.
BR6MA-SE	41776	5.5

Each box of BR6 MegAlloy contains Ten 9-Plate fastener strips for 60"/1500 mm of splicing.

### Fasteners and Rivets Required for one BR6 Joint

BELT WIDTH		FASTENER SETS REQUIRED	RIVETS REQUIRED
in.	mm		
24	600	18	108
30	750	22	132
36	900	27	162
42	1050	31	186
48	1200	36	216
60	1500	44	264
72	1800	54	324
84	2130	62	372
96	2430	72	432

### RIVET SELECTION CHART




FASTENER SIZE	BELT THICKNESS RANGE		RIVET SIZE
	in.	mm	
BR6	1/4 - 11/32	6.5-9	A
	5/16 - 13/32	8-10.5	B
	3/8 - 15/32	9.5-12	C
	7/16 - 17/32	11-13.5	C/D
	1/2 - 19/32	13-15	D
BR10	9/16 - 21/32	14-17	E
	7/32-5/16	6-8	SRA
	9/32-3/8	7-9.5	SRB
	11/32-7/16	9-11	SRC
	13/32-1/2	10-13	SRC/D
BR14	15/32-9/16	12-14	SRD
	17/32-5/8	13.5-16	SRE
	19/32-11/16	15-17	SRF
	13/32-1/2	10-13	SRD
	15/32-9/16	12-14	SRE
	17/32-5/8	13.5-16	SRF
	19/32-11/16	15-17	SRG
	21/32-3/4	16-19	SRH
23/32-13/16	18-21	SRI	
25/32-7/8	20-22	SRJ	
27/32-15/16	21-24	SRK	

### FLEXCO® BR10 & BR14 FASTENERS

FASTENER METAL	ORDERING NUMBER	ITEM CODE	WT. LBS.
BOX (35 Fastener Sets)			
STEEL	BR-10-SE	40750	8.0
MEGALLOY®	BR-10MA-SE	40752	7.9
STAINLESS	BR-10S-SE	40751	8.1
EVERDUR	BR-10E-SE	40753	7.9
STEEL	BR-14	40755	12.9
MEGALLOY®	BR-14MA	40756	13.1

### Flexco® Rivet Solid Plate Fasteners And Rivets Required For one BR10 or BR14 Joint and Various Belt Widths

BELT WIDTH		SETS OF BR-10 OR BR-14 FASTENERS REQUIRED	RIVETS NEEDED FOR COMPLETE SPLICE	
in.	mm		BR-10	BR-14
18	450	10	100	140
24	600	14	140	196
26	650	15	150	210
28	700	16	160	224
30	750	17	170	238
36	900	21	210	294
42	1000	23	230	322
	1050	24	240	336
	1200	27	270	378
48	1350	28	280	392
	1500	31	310	434
	1600	35	350	490
72	1800	41	410	574
	2100	42	420	588
	2100	48	480	672



### ADDITIONAL FASTENER PARTS

DESCRIPTION	PKG. QTY.	ORDERING NUMBER	ITEM CODE	WT. LBS.
Hold Down Clips for BR10	23	BR101	40786	.5
Hold Down Clips for BR14	23	BR141	40788	.4
Black Plastic Retainers	49	BR103	40789	.1

Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.


**Non-Listed Items** are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

We Ship  
World Wide

# Flexco® BR™ Rivet Solid Plate Fasteners



## RIVETS



Self-setting, pre-assembled with pilot nails

### STEEL

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (100 Rivets)</b>			
SRA-100	40539	100	.9
SRB-100	40540	100	1.0
SRC-100	40541	100	1.1
<b>BOX (250 Rivets)</b>			
SRA	40527	250	2.3
SRB	40528	250	2.5
SRC	40529	250	2.6
SRC/D	40538	250	2.8
SRD	40530	250	2.9
SRE	40531	250	3.1
SRF	40532	250	3.1
SRG	40533	250	3.2
SRH	40534	250	3.4
SRI	40535	250	3.5
SRJ	40536	250	3.6
SRK	40537	250	3.7
<b>BUCKET (2000 Rivets)</b>			
SRA-2M	41190	2000	16.6
SRB-2M	41191	2000	18.1
SRC-2M	41192	2000	20.2
SRC/D-2M	41193	2000	21.2
SRD-2M	41194	2000	21.9
SRE-2M	41195	2000	23.1
SRF-2M	41196	2000	24.4
SRG-2M	41197	2000	24.9
SRH-2M	41198	2000	25.1
SRI-2M	41199	2000	25.9

### STAINLESS (TYPE 430)

ORDERING NUMBER	ITEM CODE	BOX QTY.	WT. LBS.
<b>BOX (250 Rivets)</b>			
SRA-S	40542	250	2.3
SRB-S	40543	250	2.5
SRC-S	40544	250	2.6
SRC/D-S	40548	250	2.8
SRD-S	40545	250	2.9
SRE-S	40546	250	3.1
SRF-S	40547	250	3.1
SRG-S	40523	250	3.2
SRH-S	40522	250	3.4
SRI-S	40506	250	16.7
SRJ-S	40507	250	18.4
SRK-S	40520	250	19.9
SRL-S	40519	250	4.2
<b>BUCKET (2000 Rivets)</b>			
SRA-S-2M	41200	2000	17.1
SRB-S-2M	41201	2000	18.9
SRC-S-2M	41202	2000	20.6
SRC/D-S-2M	41203	2000	21.3
SRD-S-2M	41204	2000	21.9
SRE-S-2M	41205	2000	22.9
SRF-S-2M	41206	2000	23.5
SRG-S-2M	41207	2000	24.7
SRH-S-2M	41208	2000	25.1
SRI-S-2M	41181	2000	26.3
SRJ-S-2M	41183	2000	27.5
SRK-S-2M	41185	2000	28.7
SRL-S-2M	41781	2000	29.9

## RAPID LOADER™ RIVET STRIPS

Self-setting, pre-assembled with pilot nails

### FOR FLEXCO® BR6

32 Strips/ 768 Rivets per Bucket

DESCRIPTION		ORDERING NUMBER	ITEM CODE	WT. LBS.
Size	Color Code			
<b>STEEL</b>				
A	Red	CBR6A	41785	10.5
B	White	CBR6B	41786	11.0
C	Blue	CBR6C	41788	11.0
C/D	Orange	CBR6C/D	41792	11.5
D	Green	CBR6D	41793	12.0
E	Purple	CBR6E	41794	12.0
F	Yellow			
<b>STAINLESS (SERIES 400)</b>				
A	Red	CBR6A-S	41795	10.0
B	White	CBR6B-S	41796	10.5
C	Blue	CBR6C-S	41797	11.0
C/D	Orange	CBR6C/D-S	41798	11.5
D	Green	CBR6D-S	41799	12.0
E	Purple	CBR6E-S	41800	12.0
F	Yellow			

### FOR FLEXCO® BR10

60 Strips / 1200 Rivets per Bucket

ORDERING NUMBER	ITEM CODE	WT. LBS.
CSRLA	40857	13.00
CSRLB	40858	13.92
CSRLC	40859	14.84
CSRLC/D	40860	15.56
CSRLD	40861	16.06
CSRLE	40862	16.62
CSRLF	40863	17.34
CSRLA-S	40978	12.90
CSRLB-S	40979	13.80
CSRLC-S	40980	14.92
CSRLC/D-S	40981	15.31
CSRLD-S	40982	15.92
CSRLE-S	40983	16.48
CSRLF-S	40984	16.94

## RAPID LOADER™ RIVET STRIPS

### WITH WASHERS

(For BR10)

For use with the Flexco® Pneumatic Single Rivet Driver

60 Strips / 1200 Rivets per Bucket

DESCRIPTION		ORDERING NUMBER	ITEM CODE	WT. LBS.
Size	Color Code			
<b>STEEL</b>				
A	Red	CSRLA-W	40891	13.00
B	White	CSRLB-W	40892	13.92
C	Blue	CSRLC-W	40893	14.84
C/D	Orange	CSRLC/D-W	40895	15.56
D	Green	CSRLD-W	40897	16.06
E	Purple	CSRLE-W	40898	16.62
F	Yellow	CSRLF-W	40899	17.34
G	Black	CSRLG-W	40901	17.90
<b>STAINLESS (TYPE 430)</b>				
A	Red	CSRLA-S-W	40955	12.90
B	White	CSRLB-S-W	40956	13.80
C	Blue	CSRLC-S-W	40957	14.92
C/D	Orange	CSRLC/D-S-W	40958	15.31
D	Green	CSRLD-S-W	40959	15.92
E	Purple	CSRLE-S-W	40961	16.48
F	Yellow	CSRLF-S-W	40969	16.94
G	Black	CSRLG-S-W	40971	17.52



**2M RIVET BUCKET**  
(Contains 2000 Rivets)




**NOTE:** Use standard rivet selection criteria for collated rivet strips.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**





# Flexco® BR™ Rivet Solid Plate Fasteners

## INSTALLATION TOOLS

### Multiple Rivet Applicator Tool

For Power Installation of Flexco® BR™ Fasteners, see page 79.



MBRTA TOOL WITH  
MULTIPLE RIVET DRIVER

### MBRTA APPLICATOR TOOL Complete (For BR10 and BR14)

(Includes two SR759 Multiple Drive Rods, BR500D Multiple Guide Blocks, one SR-50 Driver Tool, one BR151 Bridge Removal Tool, one Nut Driver, two 4 lb. Hammers, Lubricant and Metal Tool Box.)

TOOL WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.	MULTIPLE GUIDE BLOCKS INCLUDED
in.	mm				
30	750	MBRTA-30	40927	111.3	4
36	900	MBRTA-36	40928	115.5	5
42	1050	MBRTA-42	40920	125.0	6
48	1200	MBRTA-48	40921	166.6	7
60	1500	MBRTA-60	40922	178.6	9
72	1800	MBRTA-72	40923	192.3	10
84	2130	MBRTA-84	40924	227.8	12
96	2430	MBRTA-96	40925	263.2	14

### MBRT TOOL COMPONENTS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Multiple Guide Block-Blue, BR6	BR300	40882	3.8
Multiple Drive Rod-3 Prong	BR359	41187	1.0
Multiple Guide Block-Yellow, BR10, BR14	BR500D	41016	3.0
Multiple Drive Rod-5 Prong	SR759	41055	.9
Nut Driver	41008	41008	.5
Driver Tool Complete	SR-50	40510	.8
Bridge Removal Tool	BR151	40760	.5
Silicone Lubricant	SL5-1	30932	1.4
Four lb. Hammer	4FH	30435	5.3

### ALUMINUM MBRT6 APPLICATOR Complete

(Includes one BR359 three prong multiple drive rod, two BR300 multiple guide blocks, one BR151 bridge removal tool, one 4 lb. hammer, and lubricant.)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
30	750	MBRT6-30-AL	41089	75.0
36	900	MBRT6-36-AL	41097	85.0
42	1050	MBRT6-42-AL	41098	92.0
48	1200	MBRT6-48-AL	41099	106.0
60	1500	MBRT6-60-AL	41107	120.0
72	1800	MBRT6-72-AL	41123	136.0
84	2130	MBRT6-84-AL	41124	156.0
96	2430	MBRT6-96-AL	41126	173.0

### ACCESSORY TOOLS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Repair Tool Kit Complete	BRR-1014	40794	3.8
Anvil Plate w/Screws	BRP3	40907	.9
Center Block w/Screws	BRR-11	40796	.6
Center Punch	BRR-DP	40793	.1
Flexco Belt Groover	FBG1	31978	1.8
Extra Blades	HSP3	31980	.1

### METAL TOOL BOX FOR SR™ and BR™ APPLICATOR TOOLS

DESCRIPTION	ORDERING NUMBER/ITEM CODE	WT. LBS.
36" Tool Box	40988	41.2
42" or 48" Tool Box	40990	48.2
60" Tool Box	40991	73.0

### ALUMINUM MBRT10 APPLICATOR Complete

(Includes one SR759 five prong multiple drive rod, two BR500D multiple guide blocks, one BR151 bridge removal tool, one 4 lb. hammer, and lubricant.)

BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
in.	mm			
30	750	MBRT10-30-AL	41138	79.0
36	900	MBRT10-36-AL	41139	89.0
42	1050	MBRT10-42-AL	41148	138.0
48	1200	MBRT10-48-AL	41149	105.0
60	1500	MBRT10-60-AL	41152	124.0
72	1800	MBRT10-72-AL	41153	141.0
84	2130	MBRT10-84-AL	41168	161.0
96	2430	MBRT10-96-AL	41179	177.0

### BELT CUTTERS/SKIVER

Please refer to page 84.

### Aluminum Content



ALUMINUM ALLOY TYPE	PERCENT	
	Mg - Magnesium	Ti - Titanium
5356	5.5	0.2
6005	0.6	0.1
6061	1.0	0.0
7075	2.5	0.0

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Flexco® BR™ Rivet Solid Plate Fasteners



## MBRTA APPLICATOR TOOL – REPLACEMENT PARTS

DESCRIPTION	TOOL WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Clamp Bar Assembly	30"	750	BRP59-30	40800	5.1
	36"	900	BRP59-36	40801	5.7
	42"	1050	BRP59-42	40802	6.3
	48"	1200	BRP59-48	40803	7.0
	60"	1500	BRP59-60	40804	7.9
MBRTA Top Aligning Bar Assembly (Includes two end plates and fasteners)	30"	750	BR-530	41020	4.7
	36"	900	BR-536	41021	5.0
	42"	1050	BR-542	41022	5.3
	48"	1200	BR-548	41023	6.0
	60"	1500	BR-560	41024	7.4
Channel Base Assembly (Includes Channel Base, Anvil plates, End plates, and Gauge Rod Guides)	42"	1050	BRP100-42	40915	51.0
	48"	1200	BRP100-48	40916	58.0
	60"	1500	BRP100-60	40918	72.5
	72"	1800	BRP100-72	40919	87.0
Anvil Plate Assembly (includes screws)			BRP3	40907	.9
Anvil Plate Screws			BRPS	40908	.5
Channel Base Handle			BRP21	40930	.6
Ball Lock Pin w/Chain			BRP31	40960	.1
Hold Down Cam Rods (Includes Two)	30"	750	BRP22-30	40962	.6
	36"	900	BRP22-36	40963	.6
	42"	1050	BRP22-42	40964	.6
	48"	1200	BRP22-48	40965	.6
	60"	1500	BRP22-60	40966	.9
Cam Guide Assembly			BRP26	40970	.1
End Plate Assembly			BRP2	40975	1.9


**Stock Items** (non-shaded) carried in factory inventory.  
 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.  
**Non-Listed Items** are available. Request quote for price and delivery.




**Call Toll Free: 1-866-711-4673**  
**International: +1-727-342-5086**







# Flexco® BR™ Rivet Solid Plate Fasteners



## ALUMINUM MBRT6/MBRT10 APPLICATOR TOOL – REPLACEMENT PARTS


DESCRIPTION	TOOL WIDTH		BR6/BR10		
	in.	mm	ORDERING NUMBER	ITEM CODE	WT. LBS.
BR6 & BR10 Clamp Bar Assembly	30"	750	BRP6-10AL30CB	41915	7.7
	36"	900	BRP6-10AL36CB	41916	8.3
	42"	1050	BRP6-10AL42CB	41917	9.0
	48"	1200	BRP6-10AL48CB	41918	9.7
	60"	1500	BRP6-10AL60CB	41919	10.4
	72"	1800	BRP6-10AL72CB	41920	11.0
	84"	2130	BRP6-10AL84CB	41921	11.6
	96"	2430	BRP6-10AL96CB	41922	12.0
Aligning Bar Assembly			BR6		
	30"	750	BRP6AL-30AB	41906	4.7
	36"	900	BRP6AL-36AB	41907	5.0
	42"	1050	BRP6AL-42AB	41908	5.3
	48"	1200	BRP6AL-48AB	41909	5.6
	60"	1500	BRP6AL-60AB	41910	6.2
	72"	1800	BRP6AL-72AB	41911	6.6
	84"	2130	BRP6AL-84AB	41912	7.0
	96"	2430	BRP6AL-96AB	41913	7.4
			BR10		
			BRP10AL-30AB	41924	4.7
			BRP10AL-36AB	41925	5.0
			BRP10AL-42AB	41926	5.3
			BRP10AL-48AB	41927	5.6
		BRP10AL-60AB	41928	6.2	
		BRP10AL-72AB	41929	6.6	
		BRP10AL-84AB	41930	7.0	
		BRP10AL-96AB	41931	7.4	



# Heavy-Duty Belt Maintenance Tools

## FOUR LB. HAMMER

ORDERING NUMBER	ITEM CODE	WT. LBS.
4FH	30435	5.3
6FH	30375	7.3




## FLEXCO® SILICONE LUBRICANT

ORDERING NUMBER	ITEM CODE	PKG. QTY.	WT. LBS.
SL5-1	30932	1	1.4




## FLEXCO® BELT IDENTIFICATION TOOL

ORDERING NUMBER	ITEM CODE	WT. LBS.
BT-1	31075	.06




## BELT NIPPER

ORDERING NUMBER	ITEM CODE	WT. LBS.
BN-1	50003	.8



## FLEXCO® BELT GROOVER (7/16" WIDE GROOVE PATH)

ORDERING NUMBER	ITEM CODE	WT. LBS.
FBG1	31978	1.8
<b>EXTRA BLADES</b>		
HSP3	31980	0.1




## ROUTER COUNTERSINKING TOOLS


DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Template Guide	RTG-2	30890	.08
Router Templet	FRT-1	30875	0.7
Router Bit	RT-5/8	30877	0.2


## FLEXCO® BELT GRIPS

GRIPS BELTS UP TO 5/8" (16 mm) SOLD BY THE PAIR

ORDERING NUMBER	ITEM CODE	WT. LBS.
22	30882	2.5



 **Stock Items** (non-shaded) carried in factory inventory.

 **Made To Order Items** (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

**Non-Listed Items** are available. Request quote for price and delivery.


**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086


**We Ship  
World Wide**




# Heavy-Duty Belt Maintenance Tools



300 Series Belt Cutter



900 Series Belt Cutter




840 Belt Cutter

## 300 SERIES STRAIGHT CUTTER

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete	12"	300	300312	30900	14.2
	18"	450	300318	30901	15.6
	24"	600	300324	30902	17.4
	30"	750	300330	30903	19.1
	36"	900	300336	30904	20.0
	42"	1050	300342	30905	26.1
	48"	1200	300348	30906	27.9
	60"	1500	300360	30907	32.8
Cutter Base Only	30"	750	330	30937	10.8
	36"	900	336	30938	12.3
	42"	1050	342	30939	14.0
	48"	1200	348	30940	15.6
"E" Base Only			360	30941	18.9
			324E	30961	9.0
			330E	30962	10.8
			336E	30963	12.4
		348E	30964	15.8	
		360E	30965	18.9	
Connecting Bar			30027	30910	4.6
Cutter Head Only			300	30908	2.4
Cutter Blade			30023	30909	.2
for belts up to 1 1/8" thick					
Cutter Blade - Long			30023L	30913	.2
for belts up to 1 3/16" thick					
Extra Nails (90/Package)			8D	30437	1.0

FOR CURVED BELT CUTTER, SEE PAGE 57 BOLT HINGED FASTENER SECTION.



Electric Belt Cutter with cord

## ELECTRIC BELT CUTTER

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Electric Cutter Complete	EBC1	30001	30.0
Electric Cutter Complete	EBC2	30002	40.0
Cordless Electric Cutter Complete	CEBC1	30018	30.0
Cordless Electric Cutter Complete	CEBC2	30019	40.0
<b>Spare Parts List</b>			
Replacement blade for EBC1/CEBC1	EBC1-B	30003	2.0
Replacement blade for EBC2/CEBC2	EBC2-B	30004	2.8
Replacement electric hammer drill for EBC1	EBC1-DR	30005	7.5
Replacement electric hammer drill for EBC2	EBC2-DR	30006	12.1
Replacement eye bolt for EBC1 & EBC2	EBC-EB	30007	.9
Replacement handle for EBC1 & EBC2	EBC-H	30008	.4

## Cutting Capacity-Electric Belt Cutter

BELT TYPE	EBC1/CEBC1		EBC2/CEBC2	
	IMPERIAL	METRIC	IMPERIAL	METRIC
Rubber	Up to 1"	Up to 25 mm	Up to 2"	Up to 50 mm
PVC	Up to 360 PIW	Up to 630 EP	Up to 1140 PIW	Up to 2000 EP

## 900 SERIES\* BELT CUTTER

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete for belts up to 1.5" (38 mm)	24"	600	900924	04200	32.0
	36"	900	900936	04143	39.0
	48"	1200	900948	04144	45.0
	60"	1500	900960	04145	53.0
	72"	1800	900972	04146	61.0
	84"	2130	900984	04147	69.0
Replacement Blade Kit			900CBK	04149	0.2
Drive Handle Assembly				04140	2.0

\* Patent pending

## 840 SERIES ALUMINUM BELT CUTTER

(REPLACES THE 820 SERIES BELT CUTTER.)

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Cutter Complete for belts up to 3/8" - 1" thick	36"	900	840836	32267	25.0
	48"	1200	840848	32268	31.0
	60"	1500	840860	32269	37.0
	72"	1800	840872	32270	42.0
	84"	2130	840884	32271	48.0
Drive Handle Assembly			820/840WA	32272	2.0
Extra Blade (with screw)			820/840-1CB	32273	0.5
1" - 25 mm					
Optional Squaring Device			840SD	32274	2.0


## Aluminum Content-900 Series

ALUMINUM ALLOY TYPE	PERCENT	
	Mg Magnesium	Ti Titanium
5356	5.5	0.2
6005	0.6	0.1
6061	1.0	0.0
7075	2.5	0.0

## Aluminum Content-840 Series

ALUMINUM ALLOY TYPE	PERCENT	
	Mg Magnesium	Ti Titanium
6061	1.00%	0%

FSK™ Belt Skiver



## FLEXCO® FSK™ BELT SKIVER

Width of Skive 2 1/2" (64 mm)

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Skiver Complete with Standard Blade	FSK-2	32051	20.7
Sharpening Stone		31987	0.5
STK Tool Box		50009	5.4
<b>REPLACEMENT PARTS</b>			
Skiver Blade-Standard	FSK-1B	31996	0.3
Skiver Blade-High Wear	FSK-1BA	31999	0.3
Skiver Ratchet Assembly	FSK-1R	31991	1.8
Skiver Chain	FSK-1C	31992	0.4
Skiver Sprocket	FSK-1S	31993	0.2
Skiver Fence Assembly	FSK-2F	32056	1.1
Replacement Front Drive Roller Assembly	FSK2-FDRA	32052	0.6

Stock Items (non-shaded) carried in factory inventory.

Made To Order Items (shaded) allow one week for production. In most cases, the next standard stock item can be adapted to meet your requirements.

Non-Listed Items are available. Request quote for price and delivery.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Heavy-Duty Belt Maintenance Tools



## FAR-PUL® HD® BELT CLAMPS

Load Capacity up to 3 tons (2.7 metric tons) when used with two 1-1/2 ton (1.4 metric ton) come-a-longs.


DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Belt Clamp Complete includes:	Up to 30"	Up to 750	LSHD30	30393	79.0
	Up to 36"	Up to 900	LSHD36	30394	87.0
	Up to 42"	Up to 1050	LSHD42	30395	91.0
	Up to 48"	Up to 1200	LSHD48	30396	98.0
	Up to 54"	Up to 1350	LSHD54	30397	103.0
4 Belt Clamp Bars and 4 Belt Clamp Scissors	Up to 60"	Up to 1500	LSHD60	30398	110.0
	Up to 72"	Up to 1800	LSHD72	30399	121.0
	30" Belt Clamp Bar Set*	Up to 30"	Up to 750	LSHDB30-2	30418
36" Belt Clamp Bar Set*	Up to 36"	Up to 900	LSHDB36-2	30414	23.0
42" Belt Clamp Bar Set*	Up to 42"	Up to 1050	LSHDB42-2	30421	26.0
48" Belt Clamp Bar Set*	Up to 48"	Up to 1200	LSHDB48-2	30423	30.0
54" Belt Clamp Bar Set*	Up to 54"	Up to 1350	LSHDB54-2	30424	33.0
60" Belt Clamp Bar Set*	Up to 60"	Up to 1500	LSHDB60-2	30430	36.0
72" Belt Clamp Bar Set*	Up to 72"	Up to 1800	LSHDB72-2	30408	40.0
Steel Belt Clamp Scissor - Each			LSHDS	30392	10.5
Belt Locator Pin - includes Washer and Locking Nut			LSHDLP	30400	.15
Retaining Pin Kit			LSHD-RPK	30390	2.0
Clamp Bar Screw			LSHDCBS	30373	1.0

\*Includes 2 Bars Per Set

## Aluminum Content-Far-Pul® HD®

ALUMINUM ALLOY TYPE	PERCENT	
	Mg - Magnesium	Ti - Titanium
6061	1.00%	0%

Far-Pul® HD® Belt Clamps (belt not included)




## FLEX-LIFTER™ CONVEYOR BELT LIFTER

Easy and safe way to lift tensioned belts so mechanical splicing or other maintenance work can be done.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Medium Flex-Lifter 36" - 60" (900 - 1500 mm)	FL-M	76469	87.0
Large Flex-Lifter 48" - 72" (1200 - 1800 mm) incl. return bar	FL-L	76470	121.0
XL Flex-Lifter 72" - 96" (1800 - 2400 mm) does not incl. return bar	FL-XL	76983	152.0
Flex-Lifter Cart	FLCK	77729	20.0


Lifts troughed or flat belts.  
Lead time: 1 working day



Flex-Lifter (M/L)

## Replacement Parts

REF	DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
1a	Extension Leg - Medium	FLEL-M	76472	3.1
1b	Extension Leg - Large	FLEL-L	76473	3.7
1c	Extension Leg Kit - XL (includes 2 ext. legs)	FLELK-XL	76986	13.0
2	Extension Leg Pin (with lanyard)	FLELP	76474	0.1
3a	Trough Wing - Medium (with brace)	FLTW-M	76476	1.2
3b	Trough Wing - Large (with brace)	FLTW-L	76477	1.5
3c	Trough Wing - XL (with brace)	FLTW-XL	76985	4.2
4	Retainer Pin Pack (includes 4 pins)	FLRP	76478	1.0
5	Retainer Clip Pack (includes 4 clips)	FLCP	76479	0.1
6a	Return Lift Bar - Medium	FLRLB-M	76482	18.4
6b	Return Lift Bar - Large	FLRLB-L	76481	40.0
6c	V-Return Lift Bar - XL	FLVRL-XL	76984	63.0
7a	Shear Pin Kits - Medium/Large	FL-PKIT-ML	77250	0.3
7b	Shear Pin Kits - XL	FL-PKIT-XL	77251	0.5




Flex-Lifter (XL)

## Safe Lifting Capacity

Height	Max. Weight				
	Medium/Large		XL		
in.	mm	lbs.	kg.	lbs.	kg.
0-1	0-25	500	225	1100	500
1-2	25-50	1000	450	1800	815
2-3	50-75	1500	675	2500	1140
3-4	75-100	2000	900	3200	1450
4-5	100-125	2500	1150	3700	1680
5-6	125-150	3000	1350	4600	2090
6-7	150-175	3500	1600	5300	2400
>7	>175	4000	1800	6000	2725

## Aluminum Content Flex-Lifter

ALUMINUM ALLOY TYPE	PERCENT	
	Mg Magnesium	Ti Titanium
4043	0.05%	0.2%
5356	5.5%	0.2%
6005	0.6%	0.1%
6061	1.0%	0.0%
6063	0.7%	0.0%
7075	2.5%	0.0%



Flex-Lifter Cart

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

We Ship  
World Wide

# Belt Conveyor Products

## Belt Positioner™

### BELT POSITIONERS WITH CORETECH™ ROLLERS\*

SIZE	BELT WIDTH (Min-Max)		POSITIONER WIDTH (Min-Max)		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	in.	mm			
Small	18-24	450-600	24-34	600-850	RBP1C-S	78851	60.5
Medium	30-48	750-1200	34-56	850-1400	RBP1C-M	78852	73.5
Large	54-72	1350-1800	56-83	1400-2075	RBP1C-L	78853	94.0
Extra Large	72-96	1800-2400	72-120	1800-3000	RBP1C-XL	78854	182.0

\*Positioners come standard with CoreTech™ rollers.

Use next larger size for belt widths between ranges.

**NOTE:** Idler Rollers on sizes S, M and L are 5" (125 mm) diameter and rated CEMA D.

Idler Rollers on the XL size are 6" (150 mm) diameter and rated CEMA E.

Lead time: 1 working day

### BELT POSITIONERS WITH EXALON ROLLERS

SIZE	BELT WIDTH (Min-Max)		POSITIONER WIDTH (Min-Max)		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	in.	mm			
Small	18-24	450-600	24-34	600-850	RBP1E-S	73140	60.5
Medium	30-48	750-1200	34-56	850-1400	RBP1E-M	73142	73.5
Large	54-72	1350-1800	56-83	1400-2075	RBP1E-L	73144	94.0
Extra Large	72-96	1800-2400	72-120	1800-3000	RBP1E-XL	73146	182.0

Use next larger size for belt widths between ranges.

**NOTE:** Idler Rollers on sizes S, M and L are 5" (125 mm) diameter and rated CEMA D.

Idler Rollers on the XL size are 6" (150 mm) diameter and rated CEMA E.

Lead time: 1 working day

### BELT POSITIONERS WITH STEEL ROLLERS

SIZE	BELT WIDTH (Min-Max)		POSITIONER WIDTH (Min-Max)		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm	in.	mm			
Small	18-24	450-600	24-34	600-850	RBP1S-S	74558	69.8
Medium	30-48	750-1200	34-56	850-1400	RBP1S-M	74559	84.6
Large	54-72	1350-1800	56-83	1400-2075	RBP1S-L	74560	109.5
Extra Large	72-96	1800-2400	72-120	1800-3000	RBP1S-XL	74561	199.6

Lead time: 1 working day

### REPLACEMENT ROLLERS

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Small CoreTech™ Roller	N5D3T-24-8.875-B31	26095	7.9
Medium CoreTech Roller	N5D3T-36-12.875-B31	26096	11.0
Large CoreTech Roller	N5D3T-54-18.875-B31	26097	15.5
Extra Large CoreTech Roller	N6E3T-60-21.5-B36	26098	27.8
Small Exalon Roller	RBPER-S	73169	7.9
Medium Exalon Roller	RBPER-M	73170	11.0
Large Exalon Roller	RBPER-L	73171	15.5
Extra Large Exalon Roller	RBPER-XL	73172	27.8
Small Steel Roller	RBPSR-S	74562	12.2
Medium Steel Roller	RBPSR-M	74563	16.5
Large Steel Roller	RBPSR-L	74564	23.2
Extra Large Steel Roller	RBPSR-XL	74565	36.6
Roller Retainer Kit*	RBPRET	73163	0.5

Positioners come standard with CoreTech™ rollers.

Idler rollers on sizes S, M and L are 5" (125 mm) diameter and rated CEMA D.

Idler rollers on the XL size are 6" (150 mm) diameter and rated CEMA E.

\*Roller Retainer Kit not required for XL rollers (SDX style).

Lead time: 1 working day

### ROLLER DIMENSIONS

SIZE	LENGTH		DIAMETER	
	in.	mm	in.	mm
Small	9	225	5	125
Medium	13	325	5	125
Large	19	475	5	125
Extra Large	21	525	6	150

### Product Notes:

- Optimal location: no closer than 3' (.9 M) and no further than 6' (1.8 M) from a return roller.
- Belt Positioners come standard with CoreTech™ rollers.
- All rollers are "sealed for life". No regreasing maintenance is required.
- MSHA approved.



### Product Notes:

- The Positioner should be centered between two standard return rollers. For general applications--standard belts up to 72" (1800 mm): position the unit no closer than 3' (.9 M) to a return roller and no further than 6' (1.8 M).
- Works on the return side of the conveyor using simple angled rollers mounted in a fixed position to quickly and continuously funnel the belt into the correct path.
- A "quick fix" solution for belts that consistently wander to one side.
- Typically installed before the tail pulley to keep the belt centered at the critical loading point. Center loading is the key to solving many top side tracking problems.
- Idler rollers make smooth contact with the return belt's bottom cover, eliminating excessive wear and damage to the belt's edges.
- Has no pivoting mechanism to freeze up and cause the unit to stop working.
- Once installed, no further adjustment is required.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Belt Conveyor Products

## V-Plow

### V-PLOW\*

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Extra Small	18-24"	450-600	CBV-XS	73131	53.0
Small	30-36"	750-900	CBV-S	73132	65.0
Medium	42-48"	1050-1200	CBV-M	73133	74.0
Large	54-60"	1350-1500	CBV-L	73134	84.0
72"	72"	1800	CBV-72	74389	150.0
84"	84"	2100	CBV-84	74390	175.0
96"	96"	2400	CBV-96	74391	200.0

\*Use next larger size for belt widths between ranges.  
Lead time: 1 working day



### REPLACEMENT BLADE KITS\*

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Extra Small	18-24"	450-600	VBK-XS	73190	4.5
Small	30-36"	750-900	VBK-S	73191	6.0
Medium	42-48"	1050-1200	VBK-M	73192	7.5
Large	54-60"	1350-1500	VBK-L	73193	9.0
72"	72"	1800	VBK-72	74457	13.0
84"	84"	2100	VBK-84	74458	15.0
96"	96"	2400	VBK-96	74459	17.0

\*Kit includes blades and replacement blade bolts.  
Lead time: 1 working day



### OPTIONAL URETHANE BLADE KITS\*


Typically provides 3 to 5 times longer wear life.

DESCRIPTION	BELT WIDTH		ORDERING NUMBER	ITEM CODE	WT. LBS.
	in.	mm			
Extra Small	18-24"	450-600	VUBK-XS	75570	5.4
Small	30-36"	750-900	VUBK-S	75571	8.0
Medium	42-48"	1050-1200	VUBK-M	75572	10.5
Large	54-60"	1350-1500	VUBK-L	75573	13.0
72"	72"	1800	VUBK-72	75574	15.9
84"	84"	2100	VUBK-84	75575	18.5
96"	96"	2400	VUBK-96	75576	21.0

\*Kit includes blades and replacement blade bolts.  
Lead time: 1 working day

### Product Notes:

- Exclusive blade design - 20° slant on leading edge spirals debris off the belt.
- Self-adjusting blade - the blade floats on the belt and self-adjusts as it wears.
- Unique blade adjuster - turnbuckle-type adjuster allows the blade to be accurately positioned to the belt.
- Easy to install - comes fully assembled and can be placed right into position on the conveyor.

 **Made To Order Items** (shaded) allow 10 working days for production.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**



# Belt Conveyor Products


## Flex-Lok™ Skirt Clamps

### FLEX-LOK™ SKIRT CLAMP

One Skirt Clamp includes one 6' (1.8 M) clamp runner, 4 clamp plates, 4 clamp pins and one 6' (1.8 M) restraining bar. Skirt board and rubber not included.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Skirt Clamp	FLSC-I	71052	31.1
<b>REPLACEMENT PARTS</b>			
Clamp Runner - 6 ft. (1.8 M)	FL-RPI	71058	7.3
Clamp Plate	FL-PC-I	71057	2.1
Clamp Pin	FL-CP-I	71141	1.9
Restraining Bar - 6 ft. (1.8 M)	FL-RBI	71060	11.3

**NOTE:** Skirt Rubber Thickness Range: 5/16" to 1" (8 - 25 mm)  
Lead time: 1 working day




STANDARD

### MINI FLEX-LOK™ SKIRT CLAMP

One Mini Skirt Clamp includes one 6' (1.8 M) clamp runner, 3 mini clamp plates, 3 clamp pins and one 6' (1.8 M) restraining bar. Skirt board and rubber not included.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
Mini Skirt Clamp	FLSCM-I	71055	27.6
<b>REPLACEMENT PARTS</b>			
Clamp Runner - 6 ft. (1.8 M)	FL-RPI	71058	7.3
Clamp Plate	FLM-PC	71140	2.1
Clamp Pin	FL-CP-I	71141	1.9
Restraining Bar - 6 ft. (1.8 M)	FL-RBI	71060	11.3

**NOTE:** Skirt Rubber Thickness Range: 5/16" to 5/8" (8 - 16 mm)  
Lead time: 1 working day



MINI

### STAINLESS STEEL\* FLEX-LOK™ SKIRT CLAMP

One SS Clamp includes one 6' (1.8 M) clamp runner, 4 clamp plates, 4 clamp pins and one 6' (1.8 M) restraining bar.

DESCRIPTION	ORDERING NUMBER	ITEM CODE	WT. LBS.
SS Skirt Clamp	FLSC-ISS	75778	25.0
<b>REPLACEMENT PARTS</b>			
SS Clamp Plate	FL-PC-ISS	71168	1.9
Clamp Pin	FLCP-ISS	71164	1.9

\*316SS (all parts)  
Lead time: 1 working day

#### SERVICE MAINTENANCE


- Inspection - Periodically inspect the clearance between the skirt rubber and the belt. If this gap is more than 1/4" (6 mm) or if excessive fines are escaping, readjust the skirt rubber.
- Adjustment - Unlock the wedges on the clamp pins and slide the skirt rubber down to the belt. Relock the clamp pins.

#### TROUBLESHOOTING

Problem: Skirt rubber slips out of skirt clamp.

Solution:

1. Check to insure wedges in clamp pins are locked.
2. Check skirt rubber position. Skirt rubber must not fold and lie on top of belt.



MINI STANDARD

Two models are available to fit your conveyor requirements



Anti-Vibration Clamp Pins  
(Standard)

☐ Made To Order Items (shaded) allow 10 working days for production.

**GOODYEAR**  
GOODYEARBELTING.COM

Call Toll Free: 1-866-711-4673  
International: +1-727-342-5086

**We Ship  
World Wide**

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
00	35	1-1/2C	81	1&7SH24	34	15-22	32
00-12	32	1-1/2CMA	81	1&7SH30	34	15-24	32
00-14	32	1-1/2CMAP	81	1&7SH36	34	15-26	32
00-16	32	1-1/2E	81	1&7SH48	34	15-28	32
00-18	32	1-1/2EE	81	1&7SH60	34	15-30	32
00-20	32	1-1/2EMA	81	100	66	15-32	32
00-22	32	1-1/2EMAP	81	100T-1200	45	15-36	32
00-24	32	1-1/2EP	81	100T-300	45	15-42	32
00-30	32	1-1/2ES	81	100T-600	45	15-48	32
00-36	32	1-1/2EST	81	100T-900	45	15-60	32
00-42	32	1-12	82	110	59	15&20CLIP	34
00-48	32	1-12-45	82	110	66	150T-1200	45
00-60	32	1-14	82	110	83	150T-300	45
00H12	34	1-16	82	112	83	150T-600	45
00H18	34	1-18	82	113	83	150T-900	45
00H24	34	1-18-45	82	125-RET-50	39	15E	35
00H30	34	1-20	82	125MA	40	15H12	34
00H36	34	1-24	82	12LACER	26	15H18	34
00H48	34	1-24-45	82	12LACER-CHAIN	26	15H24	34
00H6	34	1-30	82	140-12	82	15H30	34
00H60	34	1-30-45	82	140-14	82	15H36	34
00S	35	1-36	82	140-16	82	15H48	34
00S-12	33	1-36-45	82	140-18	82	15H60	34
00S-14	33	1-42	82	140-20	82	15RH12	35
00S-16	33	1-48	82	140-24	82	15S	35
00S-18	33	1-48-45	82	140-24-45	82	15S-12	33
00S-20	33	1.5MM-P2C25/36	27	140-30	82	15S-14	33
00S-24	33	1.5MM-P4C25/36	27	140-30-45	82	15S-16	33
00S-30	33	1.5MM-P6C2-60	27	140-36	82	15S-18	33
00S-36	33	1.5MM-P6C25/36-24	27	140-36-45	82	15S-20	33
00S-42	33	1.5MM-P6C25/36-36	27	140-42	82	15S-24	33
00S-48	33	1.5MM-P6C25/36-48	27	140-42-45	82	15S-28	33
00S-60	33	1.8MM-P2C1	27	140-48	82	15S-30	33
00SH24	34	1.8MM-P4C1	27	140-48-45	82	15S-36	33
00SH36	34	1.8MM-P6C1-24	27	140-60-45	82	15S-42	33
00SH48	34	1.8MM-P6C1-36	27	140C	81	15S-48	33
00SH60	34	1.8MM-P6C1-60	27	140CMA	81	15S-60	33
1-1/2-12	82	1.8MM-P6C1-48	27	140CMAP	81	15SH18	34
1-1/2-18	82	1.8X1.5MM-P2C25/36	27	140E	81	15SH24	34
1-1/2-18-45	82	1.8X1.5MM-P4C25/36	27	140EE	81	15SH30	34
1-1/2-20	82	1.8X1.5MM-P6C25/36-24	27	140EMA	81	15SH36	34
1-1/2-24	82	1.8X1.5MM-P6C25/36-36	27	140EMAP	81	15SH48	34
1-1/2-24-45	82	1.8X1.5MM-P6C25/36-48	27	140EP	81	15SH60	34
1-1/2-30	82	1.8X1.5MM-P6C25/36-60	27	140ES	81	16	84
1-1/2-30-45	82	1&7CLIP	34	140EST	81	187-RET-50	39
1-1/2-36	82	1&7H12	34	140VP	81	187MA	40
1-1/2-36-45	82	1&7H18	34	140VPB	81	190-12	82
1-1/2-42	82	1&7H24	34	140VPBMA	81	190-14	82
1-1/2-42-45	82	1&7H30	34	140VPMMA	81	190-16	82
1-1/2-48	82	1&7H36	34	15	35	190-18	82
1-1/2-48-45	82	1&7H48	34	15-12	32	190-18-45	82
1-1/2-54	82	1&7H6	34	15-14	32	190-20	82
1-1/2-60	82	1&7H60	34	15-16	32	190-24	82
1-1/2-60-45	82	1&7SH12	34	15-18	32	190-24-45	82
1-1/2-72	82	1&7SH18	34	15-20	32	190-26	82

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
190-28	82	1LLS6NYS	11	1XSPSS12	11	2.0X1.5MM-P2C25/36	27
190-30	82	1LLSPG12	10	1XSPSS6	11	2.0X1.5MM-P4C25/36	27
190-30-45	82	1LLSPG6	10	2-1/2	81	2.0X1.5MM-P6C25/36-24	27
190-36	82	1LLSPHT12	10	2-1/2-20	82	2.0X1.5MM-P6C25/36-36	27
190-36-45	82	1LLSPS12	11	2-1/2-24	82	2.0X1.5MM-P6C25/36-48	27
190-42	82	1LLSPSS12	11	2-1/2-30	82	2.0X1.5MM-P6C25/36-60	27
190-42-45	82	1LLSS12	11	2-1/2-36	82	2.5MM-P2C2	27
190-48	82	1LLSS6	11	2-1/2-42	82	2.5MM-P4C2	27
190-48-45	82	1LLXSPG12	10	2-1/2-48	82	2.5MM-P6C2-24	27
190-60	82	1LLXSPG6	10	2-1/2-54	82	2.5MM-P6C2-36	27
190-60-45	82	1LLXSPHT12	10	2-1/2-60	82	2.5MM-P6C2-48	27
190C	81	1LLXSPS12	11	2-1/2-72	82	2.5MM-P6C2-60	27
190CMA	81	1LLXSPSS12	11	2-1/2L	81	2.5X2.0MM-P2C1	27
190CMAP	81	1LW95	25	2-1/4-24	82	2.5X2.0MM-P4C1	27
190E	81	1S-12	33	2-1/4-30	82	2.5X2.0MM-P6C1-24	27
190EE	81	1S-14	33	2-1/4-36	82	2.5X2.0MM-P6C1-36	27
190EMA	81	1S-16	33	2-1/4-42	82	2.5X2.0MM-P6C1-48	27
190EMAP	81	1S-18	33	2-1/4-48	82	2.5X2.0MM-P6C1-60	27
190ES	81	1S-20	33	2-1/4-54	82	20	35
190EST	81	1S-24	33	2-1/4-60	82	20-12	32
190VP	81	1S-30	33	2-1/4-72	82	20-14	32
190VPB	81	1S-36	33	2-1/4C	81	20-16	32
190VPBMA	81	1S-42	33	2-1/4C	84	20-18	32
190VPMA	81	1S-48	33	2-1/4CMA	81	20-20	32
1A	35	1S-54	33	2-1/4E	81	20-22	32
1A-12	32	1S-60	33	2-1/4E	84	20-24	32
1A-14	32	1S12	11	2-1/4EE	81	20-28	32
1A-16	32	1S12NYS	11	2-1/4EE	84	20-30	32
1A-18	32	1S6	11	2-1/4EMA	81	20-32	32
1A-20	32	1S6NYS	11	2-1/4EMAP	81	20-36	32
1A-22	32	1SPG12	10	2-1/4ERCT	81	20-42	32
1A-24	32	1SPG12NY	10	2-1/4ES	81	20-48	32
1A-30	32	1SPG6	10	2-1/4ES	84	20-60	32
1A-36	32	1SPG6NY	10	2-1/4EST	81	20377	84
1A-42	32	1SPHT12	10	2-12	82	20378	84
1A-48	32	1SPHT6	10	2-18	82	20379	84
1A-60	32	1SPS12	11	2-24	82	20380	65
1AS	35	1SPS12NYS	11	2-24-45	82	20381	65
1C	81	1SPS6	11	2-30	82	20381	84
1CMA	81	1SPS6NYS	11	2-30-45	82	20382	84
1E	81	1SPSS12	11	2-36	82	20387	65
1G12	10	1SPSS6	11	2-36-45	82	20387	84
1G12NY	10	1SS12	11	2-42	82	20388	84
1G6	10	1SS6	11	2-42-45	82	20391	84
1G6NY	10	1VL-7	25	2-48	82	20397	65
1HT12	10	1XSPG12	10	2-54	82	20397	84
1HT6	10	1XSPG12NY	10	2-60	82	20397	84
1LLG12	10	1XSPG6	10	2-60-45	82	20398	65
1LLG12NY	10	1XSPG6NY	10	2-72	82	20398	84
1LLG6	10	1XSPHT12	10	2.0MM-P2C1	27	20399	65
1LLG6NY	10	1XSPHT6	10	2.0MM-P4C1	27	20399	84
1LLHT12	10	1XSPS12	11	2.0MM-P6C1-24	27	20400	65
1LLHT6	10	1XSPS12NYS	11	2.0MM-P6C1-36	27	20400	84
1LLS12	11	1XSPS6	11	2.0MM-P6C1-48	27	20406	84
1LLS6	11	1XSPS6NYS	11	2.0MM-P6C1-60	27	20407	84

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
20409	84	25&27SH18	34	25S-48	33	27-54	32
20410	84	25&27SH24	34	25S-60	33	27-60	32
20411	84	25&27SH30	34	25SP-G-035W-P	29	27E	35
20412	84	25&27SH36	34	25SP-G-040W-P	29	27K	35
20414	84	25&27SH48	34	25SP-G-048W-P	29	27KS	35
20E	35	25&27SH60	34	25SP-G-050W-P	29	27L	35
20H12	34	25D	35	25SP-G-057W-P	29	27RH12	35
20H18	34	25DS	35	25SP-G-063W-P	29	27S-12	33
20H24	34	25E	35	25SP-G-075W-P	29	27S-14	33
20H30	34	25G	35	25SP-G-090W-P	29	27S-16	33
20H36	34	25G1-1/2NY	14	25SP-G-100W-P	29	27S-18	33
20H48	34	25G1-1/4NY	14	25SP-G-115W-P	29	27S-20	33
20H60	34	25G1-3/4NY	14	25SP-SS-035W-P	29	27S-24	33
20RH12	35	25G1-7/8NY	14	25SP-SS-040W-P	29	27S-30	33
20S	35	25G12	13	25SP-SS-048W-P	29	27S-36	33
20S-12	33	25G12NY	13	25SP-SS-050W-P	29	27S-42	33
20S-14	33	25G1NY	14	25SP-SS-057W-P	29	27S-48	33
20S-16	33	25G2-1/2NY	14	25SP-SS-063W-P	29	27S-60	33
20S-18	33	25G2-1/4NY	14	25SP-SS-075W-P	29	2B	8
20S-20	33	25G2-3/4NY	14	25SP-SS-090W-P	29	2BH	83
20S-24	33	25G2NY	14	25SP-SS-100W-P	29	2C	81
20S-30	33	25G3-1/2NY	14	25SP-SS-115W-P	29	2CMA	81
20S-36	33	25G3-1/4NY	14	25SRH12	35	2CMAP	81
20S-42	33	25G3/4NY	14	25SS1-1/2NYS	14	2E	81
20S-48	33	25G3NY	14	25SS1-1/4NYS	14	2EE	81
20S-60	33	25G4-1/2NY	14	25SS1-7/8NYS	14	2EMA	81
20SH24	34	25G4NY	14	25SS12	13	2EMAP	81
20SH30	34	25G5/8NY	14	25SS12NYS	13	2EP	81
20SH36	34	25G6	13	25SS1NYS	14	2ES	81
20SH48	34	25G6NY	13	25SS2-1/2NYS	14	2EST	81
20SRH12	35	25G7/8NY	14	25SS2-1/4NYS	14	2G	7
22	91	25LEVER	25	25SS2-3/4NYS	14	2GNY	7
25-12	32	25LLG12	13	25SS2NYS	14	2HT	7
25-14	32	25LLG12NY	13	25SS3-1/2NYS	14	2M	8
25-16	32	25LLG6	13	25SS3/4NYS	14	2S	8
25-18	32	25LLG6NY	13	25SS3NYS	14	2SNYS	8
25-20	32	25LLSS12	13	25SS4NYS	14	2SPB	8
25-22	32	25LLSS6	13	25SS5/8NYS	14	2SPG	7
25-24	32	25LLSS6NYS	13	25SS6	13	2SPGNY	7
25-26	32	25LPG12	13	25SS6NYS	13	2SPHT	7
25-28	32	25LPG12NY	13	25VL-7	25	2SPM	8
25-30	32	25LPG6	13	25XLW	25	2SPS	8
25-36	32	25LPG6NY	13	27-12	32	2SPSNYS	8
25-42	32	25LPSS12	13	27-14	32	2SPSS	8
25-48	32	25LPSS12NYS	13	27-16	32	2SS	8
25-54	32	25LPSS6	13	27-18	32	2VP	81
25-60	32	25LPSS6NYS	13	27-20	32	2VPB	81
25&27CLIP	34	25S-12	33	27-22	32	2W	84
25&27H12	34	25S-14	33	27-24	32	2WL	84
25&27H18	34	25S-16	33	27-26	32	2WS	84
25&27H24	34	25S-18	33	27-28	32	2WT	84
25&27H30	34	25S-20	33	27-30	32	3	81
25&27H36	34	25S-24	33	27-32	32	3-1G	7
25&27H48	34	25S-30	33	27-36	32	3-1GNY	7
25&27H60	34	25S-36	33	27-42	32	3-1HT	7
25&27SH12	34	25S-42	33	27-48	32	3-1S	8

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
3-1SS	8	35-20	32	375X-20	65	3G	7
3-36	82	35-24	32	375X-24	65	3GNY	7
3-4-1/2G	7	35-30	32	375X-26	65	3HT	7
3-4-1/2G(26)W-8	9	35-36	32	375X-2STS	63	3HT-WIDE	7
3-4-1/2G(42)W-4	9	35-42	32	375X-3	63	3L	81
3-4-1/2G(67)-10POP	9	35-48	32	375X-30	65	3M	8
3-4-1/2GNY	7	35-54	32	375X-36	65	3S	8
3-42	82	35-60	32	375X-3STS	63	3SNYS	8
3-48	82	35CLIP	34	375X-42	65	3SS	8
3-60	82	35E	35	375X-48	65	4-1/2-3HT	7
3-72	82	35H12	34	375X-54	65	4-1/2-3RHTX	7
3.0X2.0MM-P2C1	27	35H18	34	375X-60	65	4-1/2-3RHTX(45)W-4	9
3.0X2.0MM-P4C1	27	35H24	34	375X-72	65	4-1/2-4RHTX(42)W-4	9
3.0X2.0MM-P6C1-24	27	35H30	34	375XEJ18NB	62	4-1/2G	7
3.0X2.0MM-P6C1-36	27	35H36	34	375XEJ24NB	62	4-1/2GVV	7
3.0X2.0MM-P6C1-48	27	35H48	34	375XEJ30NB	62	4-1/2HT	7
3.0X2.0MM-P6C1-60	27	35H60	34	375XEJ36NB	62	4-1/2M	8
3.5X3.0MM-P2C2	27	35N	35	375XEJ42NB	62	4-1/2RHTX	7
3.5X3.0MM-P4C2	27	35NS	35	375XJ12NC	62	4-1/2RHTX(26)W-8	9
3.5X3.0MM-P6C2-60	27	35RD-GB5-4	79	375XJ14NC	62	4-1/2RHTX(41)W-4	9
3.5X3.0MM-P6C2-24	27	35RD-GB8-4	79	375XJ16NC	62	4-1/2RHTX(45)W-4	9
3.5X3.0MM-P6C2-36	27	35RH12	35	375XJ18NC	62	4-1/2S	8
3.5X3.0MM-P6C2-48	27	35S-12	33	375XJ18NCS	62	4-1/2SS	8
300	92	35S-14	33	375XJ20NC	62	4-1/2SW	8
30023	65	35S-16	33	375XJ24NC	62	4-2G	7
30023	92	35S-18	33	375XJ24NCS	62	4-2GNY	7
30023L	65	35S-20	33	375XJ24SC	62	4-2HT	7
30023L	92	35S-24	33	375XJ26NC	62	4-2S	8
30027	92	35S-30	33	375XJ30NC	62	4-2SNYS	8
300312	92	35S-36	33	375XJ30NCS	62	4.0X3.0MM-P2C2	27
300318	92	35S-42	33	375XJ36NC	62	4.0X3.0MM-P4C2	27
300324	92	35S-48	33	375XJ36NCS	62	4.0X3.0MM-P6C2-24	27
300330	92	35S-60	33	375XJ36SC	62	4.0X3.0MM-P6C2-36	27
300336	92	35SH12	34	375XJ42NC	62	4.0X3.0MM-P6C2-48	27
300342	92	35SH24	34	375XJ42NCS	62	4.0X3.0MM-P6C2-60	27
300348	92	35SH30	34	375XJ48NC	62	400	65
300360	92	35SH36	34	375XJ48NCS	62	400430	65
30453	83	35SH48	34	375XJ48SC	62	400436	65
30LPSS	12	360	92	375XJ60NC	62	400442	65
30LSS	12	360E	92	375XS-2	63	400448	65
30PSS	12	36H	12	375XS-2STS	63	400460	65
30SS	12	36LEVER	25	375XS-3	63	430	65
310-RET-50	66	36LLH	12	375XS-3STS	63	436	65
310-RET-50	73	36LLLSS	12	375XSJ18NCS	62	442	65
324E	92	36LLSPH	12	375XSJ24NCS	62	448	65
330	92	36LLSPSS	12	375XSJ24SSC	62	45-12	32
330E	92	36LLSS	12	375XSJ30NCS	62	45-14	32
336	92	36SPH	12	375XSJ30SSC	62	45-16	32
336E	92	36SPSS	12	375XSJ36NCS	62	45-18	32
342	92	36SS	12	375XSJ36SSC	62	45-20	32
348	92	36VL-7	25	375XSJ42NCS	62	45-24	32
348E	92	375X-12	65	375XSJ42SSC	62	45-30	32
35-12	32	375X-14	65	375XSJ48NCS	62	45-36	32
35-14	32	375X-16	65	375XSJ48SSC	62	45-42	32
35-16	32	375X-18	65	375XSJ60SSC	62	45-48	32
35-18	32	375X-2	63	3B	8	45-60	32



# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
45CLIP	34	55&65H24	34	550SJ36NCS	63	7-28	32
45H12	34	55&65H36	34	550SJ36SSC	63	7-30	32
45H24	34	55&65H48	34	550SJ42NCS	63	7-32	32
45H36	34	55&65H60	34	550SJ42SSC	63	7-36	32
45H48	34	55&65RH12	35	550SJ48NCS	63	7-42	32
45H60	34	55&65SH24	34	550SJ48SSC	63	7-48	32
45RH12	35	550-1	63	550SJ60NCS	63	7-60	32
45S-12	33	550-1STS	63	550SJ60SSC	63	7G	7
45S-18	33	550-3	63	554	65	7GW	7
45S-24	33	550-3STS	63	5552	59	7S	8
45S-30	33	550J18NC	63	5552	66	7S-12	33
45S-36	33	550J20NC	63	5552	83	7S-14	33
45S-42	33	550J24NAC	63	55S-18	33	7S-16	33
45S-48	33	550J24NC	63	55S-24	33	7S-18	33
45SH36	34	550J24NCS	63	55S-30	33	7S-20	33
45SH48	34	550J24SC	63	55S-36	33	7S-24	33
45U	35	550J24SSC	63	55S-48	33	7S-28	33
45US	35	550J26NC	63	55W	35	7S-30	33
460	65	550J30NAC	63	55WS	35	7S-36	33
4APSS	12	550J30NC	63	560	65	7S-42	33
4B	8	550J30NCS	63	572	65	7S-48	33
4FH	76	550J30SC	63	5APSS	12	7S-60	33
4FH	88	550J30SSC	63	5G	7	7S-TRANS	35
4FH	91	550J36NAC	63	5GW	7	7SS	8
4G	7	550J36NC	63	5HT	7	7SW	8
4GNY	7	550J36NCS	63	5S	8	820/840-1CB	92
4HT	7	550J36SC	63	5SS	8	820/840WA	48
4M	8	550J36SSC	63	5SW	8	820/840WA	92
4S	8	550J42NAC	63	62-RET-50	39	840-36CL	48
4SNYS	8	550J42NC	63	65-12	32	840-48CL	48
4SS	8	550J42NCS	63	65-18	32	840-60CL	48
5-3G	7	550J42SC	63	65-24	32	840-72CL	48
5-3GW	7	550J42SSC	63	65-30	32	840836	92
5-3HT	7	550J48NAC	63	65-36	32	840848	92
5-3S	8	550J48NC	63	65-48	32	840860	92
512	65	550J48NCS	63	65-60	32	840872	92
516	65	550J48SC	63	65X	35	840884	92
518	65	550J48SSC	63	6APPSS	12	840SD	48
520	65	550J54NAC	63	6APSS	12	840SD	92
524	65	550J54NC	63	6FH	76	845-CBK	48
526	65	550J60NC	63	6FH	91	845836LD	48
530	65	550MA-1	63	6G	7	845848LD	48
536	65	550MAJ18SSC	63	6GW	7	845860LD	48
542	65	550MAJ24SSC	63	6HT	7	845872LD	48
548	65	550MAJ30SSC	63	6S	8	8D	83
55-12	32	550MAJ36SSC	63	6SS	8	8D	92
55-14	32	550MAJ42SSC	63	6SW	8	900924	48
55-16	32	550MAJ48SSC	63	7	35	900924	92
55-18	32	550S-1	63	7-12	32	900936	48
55-20	32	550S-1STS	63	7-14	32	900936	92
55-24	32	550SJ18NCS	63	7-16	32	900948	48
55-30	32	550SJ18SSC	63	7-18	32	900948	92
55-36	32	550SJ24NCS	63	7-20	32	900960	48
55-42	32	550SJ24SSC	63	7-22	32	900960	92
55-48	32	550SJ30NCS	63	7-24	32	900972	48
55-60	32	550SJ30SSC	63	7-26	32	900972	92

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
900984	48	AC6-42-1	74	ACS6-84	75	APF100B-500	44
900984	92	AC6-44	74	ACS6-84-1	75	APF100BLUE-100	44
900CBK	48	AC6-44-1	74	ADAPTOR SPRING CLIP	27	APF100BLUE-50	44
900CBK	92	AC6-48	74	AERO-1200	51	APF100BLUE-500	44
A10	59	AC6-48-1	74	AERO-1500	51	APF100W-100	44
A100P	45	AC6-54	74	AERO-300	51	APF100W-50	44
A10S	59	AC6-54-1	74	AERO-600	51	APF100W-500	44
A150P	45	AC6-60	74	AERO-900	51	APF150B-100	44
A312	47	AC6-60-1	74	AERO-CA-1X230	51	APF150B-50	44
A31255	47	AC6-72	74	AERO-CA-3X400+N	51	APF150B-500	44
A31274	47	AC6-72-1	74	AERO-CA-3X460	51	APF150BLUE-100	44
AC-18	64	AC6-84	74	AERO-CABLE-230V1PH-6-30	51	APF150BLUE-50	44
AC-18	73	ACS-30	64	AERO-CABLE-230V1PH-L6-30	51	APF150BLUE-500	44
AC-18-1	64	ACS-30	73	AERO-CABLE-230V3PH-L15-20	51	APF150W-100	44
AC-18-1	73	ACS-30-1	64	AERO-CABLE-230V3PH-L15-30	51	APF150W-50	44
AC-24	64	ACS-30-1	73	AERO-CABLE-460V3PH-L16-20	51	APF150W-500	44
AC-24	73	ACS-36	64	AERO-CABLE-460V3PH-L16-30	51	AR1P	42
AC-24-1	64	ACS-36	73	AERO-SI-0.5-10M	51	AR1P	42
AC-24-1	73	ACS-36-1	64	AERO-SI-3-1200	51	AR3-15	42
AC-26	64	ACS-36-1	73	AERO-SI-3-1500	51	AREO-CA-3X230	51
AC-26	73	ACS-42	64	AERO-SI-3-300	51	ARJ10/250	42
AC-26-1	64	ACS-42	73	AERO-SI-3-600	51	ARJ14/350	42
AC-26-1	73	ACS-42-1	64	AERO-SI-3-900	51	ARJ4/100	42
AC-30	64	ACS-42-1	73	AERO-SI0.5-1200	51	ARJ6/150	42
AC-30	73	ACS-48	64	AERO-SI0.5-1500	51	ARJ6/150SS1	42
AC-30-1	64	ACS-48	73	AERO-SI0.5-300	51	ARJ7/175	42
AC-30-1	73	ACS-48-1	64	AERO-SI0.5-600	51	ARSH10/250	42
AC-36	64	ACS-48-1	73	AERO-SI0.5-900	51	ARSH14/350	42
AC-36	73	ACS-54	64	AERO-SPLICE-TAPE-66X101	51	ARSH4/100	42
AC-36-1	64	ACS-54	73	AERO-STAND	51	ARSH6/150	42
AC-36-1	73	ACS-54-1	64	AERO-STAND-UMBILICAL-EXT	51	ARSH7/175	42
AC-42	64	ACS-54-1	73	AH37530	66	ARSS1-10/250	42
AC-42	73	ACS-60	64	AH37536	66	ARSS1-14/350	42
AC-42-1	64	ACS-60	73	AH37542	66	ARSS1-4/100	42
AC-42-1	73	ACS-60-1	64	AH37548	66	ARSS1-6/150	42
AC-48	64	ACS-60-1	73	AH530	66	ARSS1-7/175	42
AC-48	73	ACS-72	73	AH536	66	ART-14	42
AC-48-1	64	ACS-72-1	73	AH542	66	ART-7	42
AC-48-1	73	ACS6-36/900	75	AH548	66	ART14-5	42
AC-54-1	64	ACS6-36/900-1	75	AMIGO-1000-SPLICEPRESS	52	ART7-5	42
AC-54-1	73	ACS6-40	75	AMIGO-1000-TMPLT-VDD	52	ART7-7	42
AC-60-1	64	ACS6-40-1	75	AMIGO-1000-BLADES-5	52	ARTK-14	42
AC-60-1	73	ACS6-42	75	AMIGO-1000-CABLE-1X115-IEC520	52	ARTK-7	42
AC-72-1	64	ACS6-42-1	75	AMIGO-1000-CABLE-1X230-IECL620	52	ASL160/25	45
AC-72-1	73	ACS6-46	75	AMIGO-1000-TMPLT-AA	52	ASL160/3	45
AC6-24	74	ACS6-46-1	75	AMIGO-1000-TMPLT-CV	52	ASL190/10	45
AC6-24-1	74	ACS6-48	75	AMIGO-1000-TMPLT-FLAT	52	ASL190/3	45
AC6-30	74	ACS6-48-1	75	AMIGO-1000-TMPLT-HXVT	52	ASL50/3	45
AC6-30-1	74	ACS6-52	75	AMIGO-1000-TMPLT-ITD	52	ASL50/30	45
AC6-36	74	ACS6-52-1	75	AMIGO-1000-TMPLT-VSD	52	ASL50/30	45
AC6-36-1	74	ACS6-54	75	AMIGO-FRICTIONTAPE-33X35	52	ASL60/10	45
AC6-38	74	ACS6-54-1	75	APC-1	18	ASL60/3	45
AC6-38-1	74	ACS6-60	75	APC-1	39	ASL60/30	45
AC6-40	74	ACS6-60-1	75	APC-1	49	ASL60D/10	45
AC6-40-1	74	ACS6-72	75	APF100B-100	44	ASL60D/3	45
AC6-42	74	ACS6-72-1	75	APF100B-50	44	ASL60D/30	45

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
ASL60H/3	45	BLADE-25	48	BRP3	88	CBR6A-S	87
ASL80H/3	45	BLADE-25-6	48	BRP3	89	CBR6B	87
ASL90/10	45	BLADE-6	48	BRP31	89	CBR6B-S	87
ASL90/3	45	BLOCK-10	48	BRP59-30	89	CBR6C	87
ASL90/30	45	BLOCK-14	48	BRP59-36	89	CBR6C-S	87
ASL90D/10	45	BLOCK-6	48	BRP59-42	89	CBR6C/D	87
ASL90D/3	45	BN-1	39	BRP59-48	89	CBR6C/D-S	87
ASL90D/30	45	BN-1	49	BRP59-60	89	CBR6D	87
ASLB50/10	45	BN-1	91	BRP6-10AL30CB	90	CBR6D-S	87
ASLB50/3	45	BR-10-SE	86	BRP6-10AL36CB	90	CBR6E	87
ASLB60/3	45	BR-10E-SE	86	BRP6-10AL42CB	90	CBR6E-S	87
ASLB60/30	45	BR-10MA-SE	86	BRP6-10AL48CB	90	CBV-72	95
ASLB90/3	45	BR-10S	86	BRP6-10AL60CB	90	CBV-84	95
ASLB90/30	45	BR-14	86	BRP6-10AL72CB	90	CBV-96	95
ASLB90D/10	45	BR-14MA	86	BRP6-10AL84CB	90	CBV-L	95
ASLB90D/3	45	BR-530	89	BRP6-10AL96CB	90	CBV-M	95
ASLB90D/30	45	BR-536	89	BRP6AL-30AB	90	CBV-S	95
ASLBLUE50/3	45	BR-542	89	BRP6AL-36AB	90	CBV-XS	95
ASLBLUE60/3	45	BR-548	89	BRP6AL-42AB	90	CEBC1	92
ASLBLUE90/3	45	BR-560	89	BRP6AL-48AB	90	CEBC2	92
ASLHP60C	45	BR101	86	BRP6AL-60AB	90	CLAMP KNOB COMB ASSY	44
ASLHP80	45	BR103	86	BRP6AL-72AB	90	CLIPPER SCISSORS	49
ASLHP90C	45	BR141	86	BRP6AL-84AB	90	CLIPPER-HOOKGAUGE	49
AV100	47	BR151	88	BRP6AL-96AB	90	CLIPS(550)	63
AV20	47	BR300	88	BRPS	78	COMB-BUSHING	27
AV250	47	BR359	88	BRPS	89	COVER-12	26
AVGBNE	60	BR500D	88	BRR-1014	88	COVER-25	26
AVGBNE-500	60	BR6-SE-24	86	BRR-11	88	COVER-38	26
AVGBNEB	60	BR6-SE-30	86	BRR-DP	88	CP1.4-035-100/BX	29
AVGBNEB-500	60	BR6-SE-36	86	BT-1	83	CP1.4-040-100/BX	29
AVGWNE-500	60	BR6-SE-42	86	BT-1	91	CP1.4-048-100/BX	29
AVGWNEB	60	BR6MA-SE	86	BV100	47	CP1.4-050-100/BX	29
AVGWNEB-500	60	BR6S-SE-24	86	BV20	47	CP1.4-057-100/BX	29
B10	59	BR6S-SE-30	86	BV250	47	CP1.4-063-100/BX	29
B10S	59	BR6S-SE-36	86	BVGBNE-500	60	CP1.4-075-100/BX	29
B1B	66	BR6S-SE-42	86	BVGBNEB	60	CP1.4-090-100/BX	29
B1B	83	BRP100-42	89	BVGBNEB-500	60	CP1.4-100-50/BX	29
B2B	83	BRP100-48	89	BVGWNE-500	60	CP1.4-115-50/BX	29
B3B	83	BRP100-60	89	BVGWNEB-500	60	CSRL8C/D	72
B437	47	BRP100-72	89	C10	59	CSRL8C/D-S	72
B43740	47	BRP10AL-30AB	90	C10S	59	CSRL8C/D-S-W	72
B43750	47	BRP10AL-36AB	90	C150	40	CSRL8C/D-W	72
B43755	47	BRP10AL-42AB	90	C1C	83	CSRL8D	72
B43760	47	BRP10AL-48AB	90	C2C	83	CSRL8D-S	72
B43774	47	BRP10AL-60AB	90	C3C	83	CSRL8D-S-W	72
B43774M	47	BRP10AL-72AB	90	C531	47	CSRL8D-W	72
BB	47	BRP10AL-84AB	90	C53150	47	CSRL8E	72
BB4	47	BRP10AL-96AB	90	C53155	47	CSRL8E-S	72
BB455	47	BRP2	89	C53174	47	CSRL8E-S-W	72
BBL-10	25	BRP21	89	C62520	47	CSRL8E-W	72
BBL-7	25	BRP22-30	89	C62523	47	CSRL8F	72
BINDER-GAL	49	BRP22-36	89	C62540	47	CSRL8F-S	72
BINDER-PT	49	BRP22-42	89	C62560	47	CSRL8F-S-W	72
BINDER-QT	49	BRP22-48	89	CABLE STRIPPER	18	CSRL8F-W	72
BLADE-10	48	BRP22-60	89	CARDING	49	CSRL8G	72
BLADE-14	48	BRP26	89	CBR6A	87	CSRL8G-S	72

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
CSRL8G-S-W	72	CSRLD-S-W	87	DRIVE HANDLE ASSEMBLY 900	92	FGB-W3-12/305	56
CSRL8G-W	72	CSRLD-W	72	DSS065	19	FGB-W3-18/457	56
CSRL8H	72	CSRLD-W	87	DSS065-C	17	FGB-W3-24/610	56
CSRL8H-S	72	CSRLE	72	DSS093	19	FGB-W3-30/762	56
CSRL8H-S-W	72	CSRLE	87	DSS093-123	19	FGB-W3-36/914	56
CSRL8H-W	72	CSRLE-S	72	DSS093-246	19	FGB-W3-42/1067	56
CSRL8I	72	CSRLE-S	87	DSS093-C	17	FGB-W3-48/1219	56
CSRL8I-S	72	CSRLE-S-W	72	DSS109	19	FGB-W3-54/1372	56
CSRL8I-S-W	72	CSRLE-S-W	87	DSS109-C	17	FGB-W3-60/1524	56
CSRL8I-W	72	CSRLE-W	72	EBC-EB	92	FGENDPLT	56
CSRL8J	72	CSRLE-W	87	EBC-H	92	FGHEXNUT	56
CSRL8J-S	72	CSRLE-W	72	EBC1	92	FGHRDWRKIT	56
CSRL8J-S-W	72	CSRLE-W	87	EBC1-B	92	FGO-RGKIT-1	56
CSRL8J-W	72	CSRLE-W	72	EBC1-DR	92	FGO-RGKIT-16	56
CSRL8K	72	CSRLE-W	87	EBC2	92	FGO-RSM/1 RPL SM ORG 1 PC	56
CSRL8K-S	72	CSRLE-W	72	EBC2-B	92	FGP-30/762 RPL POLE	56
CSRL8K-S-W	72	CSRLE-W	87	EBC2-DR	92	FGP-BL3-12	55
CSRL8K-W	72	CSRLE-W	72	EC1-1/4	58	FGP-BL3-18	55
CSRL8L-S-W	72	CSRLE-W	87	EC1-1/4-C	58	FGP-BL3-24	55
CSRLA	72	CSRLE-W	72	EC1-1/4-T	58	FGP-BL3-30	55
CSRLA	87	CSRLE-W	87	EC2	58	FGP-BL3-36	55
CSRLA-S	72	CSRLE-W	72	EC2-C	58	FGP-BL3-42	55
CSRLA-S	87	CSRLE-W	87	EC2-T	58	FGP-BL3-48	55
CSRLA-S-W	72	CSRLE-W	72	EC3	58	FGP-BL3-54	55
CSRLA-S-W	87	CSRLE-W	87	EC3-C	58	FGP-BL3-60	55
CSRLA-W	72	CSS01.4X30M	21	EC3-T	58	FGP-W3-12	55
CSRLA-W	87	CUTTER-14	48	EC4	58	FGP-W3-18	55
CSRLB	72	CUTTER-25-6	48	EC4-C	58	FGP-W3-24	55
CSRLB	87	CUTTER-UNIBAR	49	EC4-T	58	FGP-W3-30	55
CSRLB-S	72	CV100	47	EC4F	58	FGP-W3-36	55
CSRLB-S	87	CV250	47	EC4FT	58	FGP-W3-42	55
CSRLB-S-W	72	CVGBNE-300	60	EC6	58	FGP-W3-48	55
CSRLB-S-W	87	CVGBNEB-300	60	EC6-C	58	FGP-W3-54	55
CSRLB-W	72	CVGWNE-300	60	EC6F	58	FGP-W3-60	55
CSRLB-W	87	CVGWNEB-300	60	ECF	58	FGPBSG	56
CSRLC	72	CW1024	59	ECFS	58	FGPIN	56
CSRLC	87	CW25/100	59	ECFT	58	FGPW-36/914 RPL POLE	56
CSRLC-S	72	CWS1024	59	EH-12	26	FGPW-42/1067 RPL POLE	56
CSRLC-S	87	D750	47	EH-25	26	FGPW-48/1219 RPL POLE	56
CSRLC-S-W	72	D75050	47	EH-38	26	FGPW-54/1372 RPL POLE	56
CSRLC-S-W	87	D75060	47	EPRDVS-DR	79	FGPW-60/1524 RPL POLE	56
CSRLC-W	72	D75074	47	EPRDVSK-1	79	FGPW-66/1676 RPL POLE	56
CSRLC-W	87	DL065	19	FBG1	77	FGPW-72/1829 RPL POLE	56
CSRLC/D	72	DL065-C	17	FBG1	83	FGSTNDOFFKIT-1	56
CSRLC/D	87	DL065X25FT-W/5FT	18	FBG1	88	FGSTNDOFFKIT-8	56
CSRLC/D-S	72	DL079	19	FBG1	91	FGTBSG	56
CSRLC/D-S	87	DL093	19	FG-C-GAUGE C DIMENSION GAUGE	56	FGTHSG	56
CSRLC/D-S-W	72	DL093-C	17	FGB-BL2-12/305	56	FGTHUB	56
CSRLC/D-S-W	87	DL093X10FT-W/10FT	18	FGB-BL3-18/457	56	FGTS-20/500	56
CSRLC/D-W	72	DL093X25FT-W/5FT	18	FGB-BL3-24/610	56	FGTS-36/900	56
CSRLC/D-W	87	DL109	19	FGB-BL3-30/762	56	FGTS-60/1500	56
CSRLD	72	DL109-C	17	FGB-BL3-36/914	56	FHGP18	62
CSRLD	87	DL125	19	FGB-BL3-42/1067	56	FHGP24	62
CSRLD-S	72	DL125-C	17	FGB-BL3-48/1219	56	FHGP24-1	62
CSRLD-S	87	DOOR BATTERY BOX ASSY	48	FGB-BL3-54/1372	56	FHGP30	62
CSRLD-S-W	72	DR-SW	79	FGB-BL3-60/1524	56	FHGP30-1	62

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
FHGP36	62	FSGOLD36-48	22	G005-SS-1200W-8/BX	21	HR25-25	26
FHGP36-1	62	FSGOLD36-60	22	G005-SS-1500W-8/BX	21	HR25-38	26
FHGP42	62	FSGOLD4-1/2-24	22	G005-SS-300W-12/BX	21	HR25LW95	25
FHGP42-1	62	FSGOLD4-1/2-36	22	G005-SS-600W-8/BX	21	HR2LW95	25
FHGP48	62	FSGOLD4-1/2-48	22	G005-SS-900W-8/BX	21	HR36-12	26
FHGP48-1	62	FSGOLD4-1/2-60	22	G005A-SS-1200W-8/BX	21	HR36-25	26
FHGP60	62	FSGOLDG-1201	22	G005A-SS-1500W-8/BX	21	HR36-38	26
FHGP60-1	62	FSGOLDG-1501	22	G005A-SS-300W-12/BX	21	HR36LW95	25
FL-CP-I	96	FSGOLDG-601	22	G005A-SS-600W-8/BX	21	HR2-12	26
FL-CP-I	96	FSGOLDG-901	22	G005A-SS-900W-8/BX	21	HR2-25	26
FL-CP-ISS	96	FSK-1B	77	G006-SS-1200W-8/BX	21	HR2-38	26
FL-L	93	FSK-1B	92	G006-SS-1500W-8/BX	21	HSP3	77
FL-M	93	FSK-1BA	77	G006-SS-300W-12/BX	21	HSP3	83
FL-PC-I	96	FSK-1BA	92	G006-SS-600W-8/BX	21	HSP3	88
FL-PC-ISS	96	FSK-1C	77	G006-SS-900W-8/BX	21	HSP3	91
FL-PKIT-ML	93	FSK-1C	92	G006A-SS-1200W-8/BX	21	HW1 Power Wrench	66
FL-PKIT-XL	93	FSK-1R	77	G006A-SS-1500W-8/BX	21	HW1 Power Wrench	83
FL-RBI	96	FSK-1R	92	G006A-SS-300W-12/BX	21	HW2	83
FL-RBI	96	FSK-1S	77	G006A-SS-600W-8/BX	21	HW3	83
FL-RPI	96	FSK-1S	92	G006A-SS-900W-8/BX	21	KNOB-FACE	23
FL-RPI	96	FSK2	77	G1/2-F	59	KNOB-FACE	24
FL-XL	93	FSK2	92	G1/2-FS	59	L1-1/2-B	58
FL1-1/2BNE	60	FSK2-F	77	G3/4-F	59	L1-1/2-BS	58
FL11C	83	FSK2-F	92	G3/4-FS	59	L1-1/2-W	58
FL1BNE	60	FSK2-FDRA	77	G5/8-F	59	L1-1/2-WS	58
FL7C	66	FSK2-FDRA	92	G5/8-FS	59	L1-B	58
FL7C	83	FSMAN1-24	23	GC-1	49	L1-BS	58
FLCK	93	FSMAN1-36	23	GCB-50	49	L1-F	58
FLCP	93	FSMAN1-48	23	GUIDE	23	L1-W	58
FLEL-L	93	FSMAN1-60	23	GUIDE	24	L1-WS	58
FLEL-M	93	FSMAN1-MICRO	24	GUIDE-BLOCK-KIT-S/N50000+	23	L1/2-F	58
FLELK-XL	93	FSMAN2-24	23	GUIDE-BLOCK-KIT-S/N50000+	24	L1/2-FS	58
FLELP	93	FSMAN2-36	23	H100	66	L2-B	58
FLM-PC	96	FSMAN2-48	23	HB1	66	L2-BS	58
FLRLB-L	93	FSMAN2-60	23	HB1	83	L2-W	58
FLRLB-M	93	FSMAN2-MICRO	24	HB2	83	L2-WS	58
FLRP	93	FSMAN30-24	23	HB3	83	L3-B	58
FLSC-I	96	FSMAN30-36	23	HD1	58	L3-BS	58
FLSC-ISS	96	FSMAN30-48	23	HD1-1/4-F	58	L3-W	58
FLSCM-I	96	FSMAN30-60	23	HD1-F	58	L3-WS	58
FLTW-L	93	FSMAN30-MICRO	24	HD1-FS	58	L3/4-F	58
FLTW-M	93	FSMAN36-24	23	HD1S	58	L3/4-FS	58
FLTW-XL	93	FSMAN36-36	23	HD2	58	L5/8-B	58
FLVRL-XL	93	FSMAN36-48	23	HP1	59	L5/8-BS	58
FPD-RK	79	FSMAN36-60	23	HP1	66	L5/8-F	58
FRT-1	91	FSMAN36-MICRO	24	HP1	83	L5/8-FS	58
FSGOLD1-24	22	FSMAN4-1/2-24	23	HP2	83	L5/8-W	58
FSGOLD1-36	22	FSMAN4-1/2-36	23	HP3	59	L5/8-WS	58
FSGOLD1-48	22	FSMAN4-1/2-48	23	HP3	83	LACING	49
FSGOLD1-60	22	FSMAN4-1/2-60	23	HPRET1	74	LBS-LASER-BELT-SQUARE	48
FSGOLD2-24	22	FSMAN4-1/2-MICRO	24	HPRET2	74	LG1-1/2	59
FSGOLD2-36	22	FSMANG-1201	23	HR1-12	26	LG1-1/2-C	59
FSGOLD2-48	22	FSMANG-1501	23	HR1-25	26	LG2	59
FSGOLD2-60	22	FSMANG-351-MICRO	24	HR1-38	26	LG2-C	59
FSGOLD36-24	22	FSMANG-601	23	HR1LW95	25	LG3/4-F	59
FSGOLD36-36	22	FSMANG-901	23	HR25-12	26	LG3/4-FS	59



# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
LINEAR BEARING ASSY	27	MARGB-14	42	MSRT8-72-AL	76	NAC6-24	75
LP1/36-12	26	MARGB-7	42	MSRT8-84	76	NAC6-24-1	75
LP1/36-12	26	MART-14	42	MSRT8-84-AL	76	NAC6-30	75
LP1/36-25	26	MART-7	42	MSRT8-96-AL	76	NAC6-30-1	75
LP1/36-38	26	MART-GBFW	42	MSRT9-48	76	NAC6-36	75
LP2-12	26	MART-GBK	42	MSRT9-60	76	NAC6-36-1	75
LP2-12	26	MART-GBPWS	42	MSRT9-72	76	NAC6-38	75
LP2-25	26	MARTK-14	42	MSRT9-84	76	NAC6-38-1	75
LP2-38	26	MARTK-7	42	MW043	19	NAC6-40	75
LPG-1201-1.6	22	MBRT10-30-AL	88	MW054	19	NAC6-40-1	75
LPG-1201-1.6	23	MBRT10-42-AL	88	MW072	19	NAC6-42	75
LPG-1501-1.6	22	MBRT10-48-AL	88	MW090	19	NAC6-42-1	75
LPG-1501-1.6	23	MBRT10-60-AL	88	MW090-100	19	NAC6-44	75
LPG-1801-1.6	22	MBRT10-72-AL	88	N054	19	NAC6-44-1	75
LPG-351-1.6	24	MBRT10-84-AL	88	N093	19	NAC6-46	75
LPG-601-1.6	23	MBRT10-96-AL	88	N5D3T-24-8.875-B31	94	NAC6-46-1	75
LPG-901-1.6	22	MBRT1036-AL	88	N5D3T-36-12.875-B31	94	NAC6-48	75
LPG-901-1.6	23	MBRT6-30-AL	88	N5D3T-54-18.875-B31	94	NAC6-48-1	75
LPGOLD1/36-24	22	MBRT6-36-AL	88	N6E3T-60-21.5-B36	94	NAC6-54	75
LPGOLD1/36-36	22	MBRT6-42-AL	88	NAC-18	64	NAC6-54-1	75
LPGOLD1/36-48	22	MBRT6-48-AL	88	NAC-18	73	NAC6-60	75
LPGOLD1/36-60	22	MBRT6-60-AL	88	NAC-18-1	64	NAC6-60-1	75
LPGOLDREG-24	22	MBRT6-72-AL	88	NAC-18-1	73	NAC6-72	75
LPGOLDREG-36	22	MBRT6-84-AL	88	NAC-24	64	NAC6-72-1	75
LPGOLDREG-48	22	MBRT6-96-AL	88	NAC-24	73	NAC6-84	75
LPGOLDREG-60	22	MBRTA-30	88	NAC-24-1	64	NAC6-84-1	75
LPMAN1/36-24	23	MBRTA-36	88	NAC-24-1	73	NB-18-1	64
LPMAN1/36-36	23	MBRTA-42	88	NAC-26	64	NB-24-1	64
LPMAN1/36-48	23	MBRTA-48	88	NAC-26	73	NB-30-1	64
LPMAN1/36-60	23	MBRTA-60	88	NAC-26-1	64	NB-36-1	64
LPMAN1/36-MICRO	24	MBRTA-72	88	NAC-26-1	73	NB-42-1	64
LPMANREG-24	23	MBRTA-84	88	NAC-30	64	NC-12	64
LPMANREG-36	23	MBRTA-96	88	NAC-30	73	NC-12-1	64
LPMANREG-48	23	MDT-1	44	NAC-30-1	64	NC-12-1	73
LPMANREG-60	23	MDT220-1	44	NAC-30-1	73	NC-14	64
LPMANREG-MICRO	24	MICROLACER	24	NAC-36	64	NC-14-1	64
LSHD-RPK	93	MSRT-30	76	NAC-36	73	NC-14-1	73
LSHD30	93	MSRT-30-AL	76	NAC-36-1	64	NC-16	64
LSHD36	93	MSRT-36	76	NAC-36-1	73	NC-16-1	64
LSHD42	93	MSRT-36-AL	76	NAC-42	64	NC-16-1	73
LSHD48	93	MSRT-42	76	NAC-42	73	NC-18	64
LSHD54	93	MSRT-42-AL	76	NAC-42-1	64	NC-18	73
LSHD60	93	MSRT-48	76	NAC-42-1	73	NC-18-1	64
LSHD72	93	MSRT-48-AL	76	NAC-48	64	NC-18-1	73
LSHDB30-2	93	MSRT-60	76	NAC-48	73	NC-20	64
LSHDB36-2	93	MSRT-60-AL	76	NAC-48-1	64	NC-20-1	64
LSHDB42-2	93	MSRT-72	76	NAC-48-1	73	NC-20-1	73
LSHDB48-2	93	MSRT-72-AL	76	NAC-54	64	NC-24	64
LSHDB54-2	93	MSRT-84	76	NAC-54-1	64	NC-24	73
LSHDB60-2	93	MSRT-84-AL	76	NAC-54-1	73	NC-24-1	64
LSHDB72-2	93	MSRT-96-AL	76	NAC-60	64	NC-24-1	73
LSHDCBS	93	MSRT8-48	76	NAC-60-1	64	NC-26	64
LSHDLP	93	MSRT8-48-AL	76	NAC-60-1	73	NC-26	73
LSHDS	93	MSRT8-60	76	NAC-72	64	NC-30	64
LW95	25	MSRT8-60-AL	76	NAC-72-1	64	NC-30	73
M-4	49	MSRT8-72	76	NAC-72-1	73	NC-30-1	64

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
NC-30-1	73	NCS-48-1	64	NP079-C	17	NYS053	19
NC-36	64	NCS-48-1	73	NP093	19	NYS053-C	17
NC-36	73	NCS-54	64	NP093-12	18	NYS065	19
NC-36-1	64	NCS-54	73	NP093-C	17	NYS065-1-1/2-100	18
NC-36-1	73	NCS-54-1	64	NP109	19	NYS065-1-100	18
NC-42	64	NCS-54-1	73	NP109-12	18	NYS065-1-7/8-100	18
NC-42	73	NCS-60	64	NP109-C	17	NYS065-12	18
NC-42-1	64	NCS-60	73	NP125	19	NYS065-2-1/2-100	18
NC-42-1	73	NCS-60-1	64	NP125-12	18	NYS065-2-1/4-100	18
NC-48	64	NCS-60-1	73	NP125-C	17	NYS065-2-100	18
NC-48	73	NCS-72	64	NP156	19	NYS065-3-1/4-50	18
NC-48-1	64	NCS-72-1	64	NP156-12	18	NYS065-3-100	18
NC-48-1	73	NCS-72-1	73	NP156-C	17	NYS065-4-50	18
NC-54	64	NCS-C	73	NS054	19	NYS065-6-24	18
NC-54	73	NCS065	19	NS093	19	NYS065-C	17
NC-54-1	64	NCS065-C	17	NUT DRIVER	88	NYS079	19
NC-54-1	73	NCS065X10FT-W/10FT	18	NY053	19	NYS079-C	17
NC-60	64	NCS065X25FT-W/5FT	18	NY053-C	17	NYS093	19
NC-60	73	NCS093	19	NY065	19	NYS093-12	18
NC-60-1	64	NCS093-C	17	NY065-1-1/2-100	18	NYS093-C	17
NC-60-1	73	NCS093X10FT-W/10FT	18	NY065-1-1/4-100	18	NYS109	19
NC-72	64	NCS093X15-W/2FT	18	NY065-1-100	18	NYS109-12	18
NC-72	73	NCS093X25FT-W/10FT	18	NY065-1-3/4-100	18	NYS109-C	17
NC-72-1	64	NCS093X25FT-W/5FT	18	NY065-1-7/8-100	18	NYS125	19
NC-72-1	73	NCS093X50FT-W/4FT	18	NY065-12	18	NYS125-12	18
NC-C	64	NCS093X5FT-W/5FT	18	NY065-2-1/2-100	18	NYS125-C	17
NC-C	73	NCS1-C	38	NY065-2-1/4-100	18	NYS156	19
NC1-C	38	NCS1-X	38	NY065-2-100	18	NYS156-12	18
NC1-X	38	NCS125	19	NY065-2-3/4-100	18	NYS156-C	17
NC187-C	38	NCS125-C	17	NY065-3-1/2-50	18	NYS065-1-1/4-100	18
NC187-X	38	NCS156	19	NY065-3-1/4-50	18	ORANGE FILLER TUBING	66
NC62-C	38	NCS156-C	17	NY065-3-100	18	OVGBNEB-500	60
NC62-X	38	NCS187-C	38	NY065-3/4-100	18	OVGWNE-500	60
NCS-12	64	NCS187-X	38	NY065-4-1/2-50	18	OVGWNEB-500	60
NCS-14	64	NCS62-C	38	NY065-4-50	18	P-120CLPR25SPP	30
NCS-16	64	NCS62-X	38	NY065-5/8-100	18	P-150CLPR25SPP	30
NCS-18	64	NCS962-48-1	75	NY065-6-24	18	P-150CLPR25SPP230V	30
NCS-20	64	NCS962-54-1	75	NY065-7/8-100	18	P1/2-F	59
NCS-24	64	NCS962-60-1	75	NY065-C	17	P1P	59
NCS-24	73	NCS962-72-1	75	NY079	19	P1P	66
NCS-24-1	64	NCS962-84-1	75	NY079-C	17	P1P	83
NCS-24-1	73	NCS975-48-1	75	NY093	19	P2C2	27
NCS-30	64	NCS975-54-1	75	NY093-100	19	P2CLPR1	27
NCS-30	73	NCS975-60-1	75	NY093-12	18	P2CLPR25	27
NCS-30-1	64	NCS975-72-1	75	NY093-123	19	P2CLPR36	27
NCS-30-1	73	NCS975-84-1	75	NY093-246	19	P2P	83
NCS-36	64	NL250-C	44	NY093-C	17	P3/4-F	59
NCS-36	73	NL250-X	44	NY109	19	P3P	59
NCS-36-1	64	NL350-C	44	NY109-12	18	P3P	83
NCS-36-1	73	NL350-X	44	NY109-C	17	P4C2	27
NCS-42	64	NP053	19	NY125	19	P4CLPR1	27
NCS-42	73	NP053-C	17	NY125-12	18	P4CLPR25	27
NCS-42-1	64	NP065	19	NY125-C	17	P4CLPR36	27
NCS-42-1	73	NP065-12	18	NY156	19	P6CLPR1M-24	27
NCS-48	64	NP065-C	17	NY156-12	18	P6CLPR1M-36	27
NCS-48	73	NP079	19	NY156-C	17	P6CLPR1M-48	27

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
P6CLPR1M-60	27	POLY047X15FT-W/3	45	R2S-18/450	68	RAR5-1/2-SE-30/750	69
P6CLPR25M-24	27	POWER NUTDRIVER BIT 7/16	23	R2S-24/600	68	RAR5-1/2-SE-36/900	69
P6CLPR25M-36	27	PRL4	45	R2S-30/750	68	RAR5-1/2-SE-42/1050	69
P6CLPR25M-48	27	PRO-120	30	R2S-36/900	68	RAR5-1/2-SE-46/1150	69
P6CLPR25M-60	27	PRO-120TC-115V-60HZ	30	R2S-42/1050	68	RAR5-1/2-SE-48/1200	69
P6CLPR2M-24	27	PRO-150-115V1PH-60HZ	30	R2S-48/1200	68	RAR5-1/2-SE-54/1350	69
P6CLPR2M-36	27	PRO-150-200V3PH-50/60HZ	30	R2S-54/1350	68	RAR5-1/2-SE-60/1500	69
P6CLPR2M-48	27	PRO-150-230V1PH-50HZ	30	R2S-60/1500	68	RAR5-1/2-SE-72/1800	69
P6CLPR2M-60	27	PRO-150-230V1PH-60HZ	30	R2T	68	RAR5-SE-24/600	69
P6CLPR36M-24	27	PRO-150-230V3PH-50/60HZ	30	R2T-AI	68	RAR5-SE-26/650	69
P6CLPR36M-36	27	PRO-150-400V3PH-50/60HZ	30	R5-1/2-SE-18/450	69	RAR5-SE-30/750	69
P6CLPR36M-48	27	PRO-200	27	R5-1/2-SE-24/600	69	RAR5-SE-36/900	69
P6CLPR36M-60	27	PRO-200H	27	R5-1/2-SE-30/750	69	RAR5-SE-42/1050	69
P6CLPRGM-1201	27	PRO-400	27	R5-1/2-SE-36/900	69	RAR5-SE-48/1200	69
P6CLPRGM-1501	27	PRO-600	27	R5-1/2-SE-42/1050	69	RAR5-SE-54/1350	69
P6CLPRGM-601	27	PRO-6000	27	R5-1/2-SE-48/1200	69	RAR5-SE-60/1500	69
P6CLPRGM-901	27	PTAH	79	R5-1/2-SE-54/1350	69	RAR6-SE-42/1050	70
PB1	39	PTL1	25	R5-1/2-SE-60/1500	69	RAR6-SE-46/1150	70
PCA7-300	44	PTL25	25	R5-1/2-SE-72/1800	69	RAR6-SE-48/1200	70
PCA7-600	44	PTL30	25	R5-1/2MA-SE	69	RAR6-SE-54/1350	70
PDBUMP	79	PTRD-DR	79	R5-SE-18/450	69	RAR6-SE-60/1500	70
PDCYL	79	PTRD-RS	79	R5-SE-24/600	69	RAR6-SE-72/1800	70
PDHANDLE	79	PTRDK	79	R5-SE-26/650	69	RAR6-SE-84/2130	70
PDHK	79	PUN-B-50X18X31BIAS-300	53	R5-SE-30/750	69	RAR6LP-SE-42/1050	70
PDNP	79	PUN-B-50X18X31BIAS-600	53	R5-SE-36/900	69	RAR6LP-SE-46/1150	70
PDNPS	79	PUN-B-50X18X31BIAS-900	53	R5-SE-42/1050	69	RAR6LP-SE-48/1200	70
PDNSS	79	PUN-B-50X20-300	53	R5-SE-48/1200	69	RAR6LP-SE-54/1350	70
PDORING	79	PUN-B-50X20-600	53	R5-SE-54/1350	69	RAR6LP-SE-60/1500	70
PDPR	79	PUN-B-50X20-900	53	R5-SE-60/1500	69	RAR6LP-SE-72/1800	70
PDTVA	79	PUN-B-70X15-300	53	R5-SE-72/1800	69	RAR6LP-SE-84/2130	70
PG2	59	PUN-B-70X15-600	53	R5MA-SE	69	RAR8-SE-48/1200	70
PG3	59	PUN-B-70X15-900	53	R5S	68	RAR8-SE-54/1350	70
PLY-JG	53	PUN-B-80X20-300	53	R5S	77	RAR8-SE-60/1500	70
PLY130-BLADE	53	PUN-B-80X20-600	53	R5S-SE-18/450	69	RAR8-SE-72/1800	70
PLY130-CART	53	PUN-B-80X20-900	53	R5S-SE-24/600	69	RAR8-SE-84/2130	70
PLY130-STEP CUT	53	PUN-B-80X20XBIAS-600	53	R5S-SE-30/750	69	RB-1	39
PLY130-STEP CUT-BLADES	53	PUN-B-80X20XBIAS-900	53	R5S-SE-36/900	69	RB-1	42
PLY130-STEP CUT-GUIDE-EXT	53	PUN-M-300	53	R5S-SE-42/1050	69	RB-1	49
PLY130-STEP CUT-RETROFIT	53	PUN-M-600	53	R5S-SE-48/1200	69	RB-1	59
PLY130-STEP CUT-TWRENCH	53	PUN-M-900	53	R5S-SE-60/1500	69	RBP1C-L	94
PLY130WB-200V3PH50HZ	53	PUN-M-NYLONPAD-KIT	53	R6-SE-24/600	70	RBP1C-M	94
PLY130WB-200V3PH50HZ-N18-20	53	QDBINDER-QUART	49	R6-SE-30/750	70	RBP1C-S	94
PLY130WB-200V3PH60HZ	53	R-10	25	R6-SE-36/900	70	RBP1C-XL	94
PLY130WB-200V3PH60HZ-N18-20	53	R-4	25	R6-SE-42/1050	70	RBP1E-L	94
PLY130WB-230V3PH50HZ-IEC	53	R-7	25	R6-SE-46/1150	70	RBP1E-M	94
PLY130WB-230V3PH60HZ	53	R2-12/300	68	R6-SE-48/1200	70	RBP1E-S	94
PLY130WB-230V3PH60HZ-L15-20	53	R2-18/450	68	R6-SE-54/1350	70	RBP1E-XL	94
PLY130WB-230V3PH60HZ-L15-30	53	R2-24/600	68	R6-SE-60/1500	70	RBP1S-L	94
PLY130WB-3x230-60HZ-IEC60309	53	R2-30/750	68	R6-SE-72/1800	70	RBP1S-M	94
PLY130WB-3x460-60Z-IEC60309	53	R2-36/900	68	R6-SE-84/2130	70	RBP1S-S	94
PLY130WB-400V50HZ	53	R2-42/1050	68	R9S-SE-48/1200	70	RBP1S-XL	94
PLY130WB-460V3PH60HZ	53	R2-48/1200	68	R9S-SE-54/1350	70	RBPER-L	94
PLY130WB-460V3PH60HZ-L16-20	53	R2-54/1350	68	R9S-SE-60/1500	70	RBPER-M	94
PLY130WB-460V3PH60HZ-L16-30	53	R2-60/1500	68	R9S-SE-72/1800	70	RBPER-S	94
PNEUDRIVE1	79	R2MA	68	R9S-SE-84-2130	70	RBPER-XL	94
POLY035X15FT-W/3	45	R2S-12/300	68	RAR5-1/2-SE-24/600	69	RBPRET	94

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
RBPSR-L	94	RS125SJ20/500SS	37	RS62J18/450SP	37	SC-24-1	64
RBPSR-M	94	RS125SJ24/600NCS	37	RS62J20/500NC	37	SC-24-1	73
RBPSR-S	94	RS125SJ24/600SS	37	RS62J20/500SP	37	SC-26	64
RBPSR-XL	94	RS125SJ30/750NCS	37	RS62J24/600NC	37	SC-30	64
RETURN SPRINGS	27	RS125SJ30/750SS	37	RS62J24/600SP	37	SC-30	73
RL CARRYING STRAP- LARGE	23	RS125SJ36/900NCS	37	RS62J30/750NC	37	SC-30-1	64
RL CARRYING STRAP- SMALL	23	RS125SJ36/900SS	37	RS62J30/750SP	37	SC-30-1	73
RL-24	23	RS125SJ42NCS	37	RS62J36/900NC	37	SC-36	64
RL-36	23	RS125SJ42SS	37	RS62J36/900SP	37	SC-36	73
RL-48	23	RS125SJ48NCS	37	RS62J42NC	37	SC-36-1	64
RL-60	23	RS125SJ48SS	37	RS62J42SP	37	SC-36-1	73
RL-G24	22	RS125SJ60NCS	37	RS62J48NC	37	SC-42	64
RL-G36	22	RS125SJ60SS	37	RS62J48SP	37	SC-42	73
RL-G48	22	RS187J12/300NC	37	RS62J60NC	37	SC-42-1	64
RL-G60	22	RS187J16/400NC	37	RS62J60SP	37	SC-42-1	73
RP1C	84	RS187J18/450NC	37	RS62MJ24/600MS	37	SC-48	64
RP1E	84	RS187J18/450SP	37	RS62SJ12/300NCS	37	SC-48	73
RP1ES	84	RS187J20/500NC	37	RS62SJ12/300SS	37	SC-48-1	64
RP2C	84	RS187J20/500SP	37	RS62SJ18/450NCS	37	SC-48-1	73
RP2E	84	RS187J24/600NC	37	RS62SJ18/450SS	37	SC-54	73
RP2ES	84	RS187J24/600SP	37	RS62SJ20/500SS	37	SC-54-1	73
RS-GOLD-DA	39	RS187J30/750NC	37	RS62SJ24/600NCS	37	SC-60	73
RS-GOLD-DRIVER	39	RS187J30/750SP	37	RS62SJ24/600SS	37	SC-60-1	73
RS125J10NC	37	RS187J36/900NC	37	RS62SJ30/750NCS	37	SC-72-1	73
RS125J12/300NC	37	RS187J36/900SP	37	RS62SJ30/750SS	37	SC6-36	74
RS125J14NC	37	RS187J42NC	37	RS62SJ36/900NCS	37	SC6-38	74
RS125J16/400NC	37	RS187J42SP	37	RS62SJ36/900SS	37	SC6-38-1	74
RS125J16/400SP	37	RS187J48NC	37	RS62SJ42SS	37	SC6-40	74
RS125J18/450NC	37	RS187J48SP	37	RS62SJ48NCS	37	SC6-40-1	74
RS125J18/450SP	37	RS187J4NC	37	RS62SJ48SS	37	SC6-42	74
RS125J20/500NC	37	RS187J60NC	37	RS62SJ60NCS	37	SC6-42-1	74
RS125J20/500SP	37	RS187J60SP	37	RS62SJ60SS	37	SC6-44	74
RS125J24/600NC	37	RS187SJ12/300NCS	37	RSAS-1	38	SC6-44-1	74
RS125J24/600SP	37	RS187SJ12/300SS	37	RSC187	39	SC6-46	74
RS125J30/750NC	37	RS187SJ16/400NCS	37	RSC187-12	39	SC6-46-1	74
RS125J30/750SP	37	RS187SJ16/400SS	37	RSC187-24	39	SC6-48	74
RS125J36/900NC	37	RS187SJ18/450NCS	37	RSC187-4	39	SC6-48-1	74
RS125J36/900SP	37	RS187SJ18/450SS	37	RSC187-6	39	SC6-54	74
RS125J42NC	37	RS187SJ20/500NCS	37	RSTK4-12	38	SC6-54-1	74
RS125J42SP	37	RS187SJ20/500SS	37	RSTK4-6	38	SC6-60	74
RS125J48NC	37	RS187SJ24/600NCS	37	RT-5/8	91	SC6-60-1	74
RS125J48SP	37	RS187SJ24/600SS	37	RTBS	39	SC6-72	74
RS125J4NC	37	RS187SJ30/750NCS	37	RTBS	49	SC6-72-1	74
RS125J60NC	37	RS187SJ30/750SS	37	RTBS	52	SC6-84	74
RS125J60SP	37	RS187SJ36/900NCS	37	RTG-2	91	SC6-84-1	74
RS125MJ24/600MS	37	RS187SJ36/900SS	37	S100B	44	SC932-18-1	74
RS125SJ10NCS	37	RS187SJ42NCS	37	S125	40	SC932-24-1	74
RS125SJ12/300NCS	37	RS187SJ42SS	37	S150B	44	SC932-30	74
RS125SJ12/300SS	37	RS187SJ48NCS	37	S187	40	SC932-30-1	74
RS125SJ14NCS	37	RS187SJ48SS	37	S1S	66	SC932-36	74
RS125SJ14SS	37	RS187SJ60NCS	37	S1S	83	SC932-36-1	74
RS125SJ16/400NCS	37	RS187SJ60SS	37	S2S	83	SC932-38	74
RS125SJ16/400SS	37	RS62J12/300NC	37	S3S	83	SC932-38-1	74
RS125SJ18/450NCS	37	RS62J12/300SP	37	SC-18	73	SC932-40	74
RS125SJ18/450SS	37	RS62J16/400NC	37	SC-24	64	SC932-40-1	74
RS125SJ20/500NCS	37	RS62J18/450NC	37	SC-24	73	SC932-42	74

# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
SC932-42-1	74	SR-25-AL	78	SRA-100	68	SRE	87
SC932-44	74	SR-50	68	SRA-100	71	SRE-2M	71
SC932-44-1	74	SR-50	77	SRA-100	87	SRE-2M	87
SC932-46	74	SR-50	88	SRA-2M	68	SRE-S	71
SC932-46-1	74	SR-CB	76	SRA-2M	71	SRE-S	87
SC932-48	74	SR2-30	78	SRA-2M	87	SRE-S-2M	71
SC932-48-1	74	SR2-30-AL	78	SRA-S	68	SRE-S-2M	87
SC932-54	74	SR2-36	78	SRA-S	71	SRF	71
SC932-54-1	74	SR2-36-AL	78	SRA-S	87	SRF	87
SC932-60	74	SR2-42	78	SRA-S-2M	71	SRF-2M	71
SC932-60-1	74	SR2-42-AL	78	SRA-S-2M	87	SRF-2M	87
SC932-72-1	74	SR2-48	78	SRAA	68	SRF-S	71
SHARPENING STONE	77	SR2-48-AL	78	SRAA-100	68	SRF-S	87
SHARPENING STONE	92	SR2-60	78	SRAA-2M	68	SRF-S-2M	71
SL5-1	76	SR2-60-AL	78	SRAA-S	68	SRF-S-2M	87
SL5-1	83	SR2-72	78	SRB	68	SRG	71
SL5-1	88	SR2-72-AL	78	SRB	71	SRG	87
SL5-1	91	SR2-84	78	SRB	87	SRG-2M	71
SM054	19	SR2-84-AL	78	SRB-100	68	SRG-2M	87
SM093	19	SR2-96-AL	78	SRB-100	71	SRG-S	71
SMART-LOCK	49	SR22SAAL	78	SRB-100	87	SRG-S	87
SMART-LOCK-KIT	49	SR22SAE	78	SRB-2M	68	SRG-S-2M	71
SMARTCLAMP-COMPLETE	48	SR22SAM	78	SRB-2M	71	SRG-S-2M	87
SMS040	19	SR23	78	SRB-2M	87	SRH	71
SMS054	19	SR24	78	SRB-S	68	SRH	87
SMS093	19	SR24-AL	78	SRB-S	71	SRH-2M	71
SMSC065	19	SR25	78	SRB-S	87	SRH-2M	87
SMSC093	19	SR26	68	SRB-S-2M	71	SRH-S	71
SP1-16/400	38	SR27SAAL	78	SRB-S-2M	87	SRH-S	87
SP1-18/450	38	SR27SAE	78	SRC	71	SRH-S-2M	71
SP1-20	38	SR27SAM	78	SRC	87	SRH-S-2M	87
SP1-24/600	38	SR5-1	78	SRC-100	71	SRI	71
SP1-30/750	38	SR5-7	68	SRC-100	87	SRI	87
SP1-36/900	38	SR5-7	77	SRC-2M	71	SRI-2M	71
SP1-42	38	SR700	76	SRC-2M	87	SRI-2M	87
SP1-48	38	SR747	78	SRC-S	71	SRI-S	71
SP1-60	38	SR747-AL	78	SRC-S	87	SRI-S	87
SP2-18/450	38	SR757	78	SRC-S-2M	71	SRI-S-2M	71
SP2-20	38	SR759	76	SRC-S-2M	87	SRI-S-2M	87
SP2-24/600	38	SR759	88	SRC/D	71	SRJ	71
SP2-30/750	38	SR759-2	76	SRC/D	87	SRJ	87
SP2-36/900	38	SR800	76	SRC/D-2M	71	SRJ-S	71
SP2-42	38	SR859-8	76	SRC/D-2M	87	SRJ-S	87
SP2-48	38	SR9-30-AL	78	SRC/D-S	71	SRJ-S-2M	71
SP2-60	38	SR9-36-AL	78	SRC/D-S	87	SRJ-S-2M	87
SP62-12/300	38	SR9-42-AL	78	SRC/D-S-2M	71	SRK	71
SP62-16/400	38	SR9-48-AL	78	SRC/D-S-2M	87	SRK	87
SP62-18/450	38	SR9-60-AL	78	SRD	71	SRK-S	71
SP62-20	38	SR9-72-AL	78	SRD	87	SRK-S	87
SP62-24/600	38	SR9-84-AL	78	SRD-2M	71	SRK-S-2M	71
SP62-30/750	38	SR9-96-AL	78	SRD-2M	87	SRK-S-2M	87
SP62-36/900	38	SR900	76	SRD-S	71	SRL-S	71
SP62-42	38	SR91-AL	78	SRD-S	87	SRL-S	87
SP62-48	38	SRA	68	SRD-S-2M	71	SRL-S-2M	71
SP62-54	38	SRA	71	SRD-S-2M	87	SRL-S-2M	87
SP62-60	38	SRA	87	SRE	71	SRPS-AL	78



# Book Index By Ordering Number

Order Number	Page	Order Number	Page	Order Number	Page	Order Number	Page
SRTA-30	77	SSC-54	73	T2W	84	U4C24	15
SRTA-36	77	SSC-54-1	73	T2WS72	84	U4S12	15
SRTA-42	77	SSC-60	73	TARGET	48	U4S24	15
SRTA-48	77	SSC-60-1	73	TOOL BOX 36	77	U4SS12	16
SRTA-60	77	SSC-72-1	73	TOOL BOX 36	88	U5C12	15
SRTA-72	77	SSC932-18-1	74	TOOL BOX 48	77	U5C12W	16
SRTA-84	77	SSC932-24-1	74	TOOL BOX 48	88	U5C24	15
SS1-16/400	38	SSC932-30	74	TOOL BOX 60	77	U5S12	15
SS1-18/450	38	SSC932-30-1	74	TOOL BOX 60	88	U5S24	15
SS1-20	38	SSC932-36	74	TOOL BOX STK	38	U5SS12	16
SS1-24/600	38	SSC932-36-1	74	TOOL BOX STK	77	U6C12	15
SS1-30/750	38	SSC932-38	74	TOOL BOX STK	92	U6C12W	16
SS1-36/900	38	SSC932-38-1	74	U2C12	15	U6S12	15
SS1-42	38	SSC932-40	74	U2C12W	16	U7S12	15
SS1-48	38	SSC932-40-1	74	U2C24	15	UA2SS12	16
SS1-60	38	SSC932-42	74	U2S12	15	UA3SS12	16
SS2-18/450	38	SSC932-42-1	74	U2S24	15	UCM36LLSPSS12	16
SS2-20	38	SSC932-44	74	U2SPC12	15	UCM36LLSPSS24	16
SS2-24/600	38	SSC932-44-1	74	U2SPS12	15	UCM36LLSS12	16
SS2-30/750	38	SSC932-46	74	U2SPS24	15	UCM36LLSS24	16
SS2-36/900	38	SSC932-46-1	74	U2SS12	16	UCM36LPSS12	16
SS2-42	38	SSC932-48	74	U2SS24	16	UCM36LPSS24	16
SS2-48	38	SSC932-48-1	74	U3-1C12	15	UCM36SLSPSS12	16
SS2-60	38	SSC932-54	74	U3-1C24	15	UCM36SLSPSS24	16
SS62-12/300	38	SSC932-54-1	74	U3-1C6	15	UCM36SLXSPSS12	16
SS62-16/400	38	SSC932-60	74	U3-1RHTS12	15	UCM36SLXSPSS24	16
SS62-18/450	38	SSC932-60-1	74	U3-1RHTS12	15	UCM36SPSS12	16
SS62-20	38	SSC932-72-1	74	U3-1RHTS24	15	UCM36SPSS24	16
SS62-24/600	38	ST-28	39	U3-1RHTS24	15	UCM36SS12	16
SS62-30/750	38	ST3-13	40	U3-1S12	15	UCM36SS24	16
SS62-36/900	38	ST3-14	40	U3-1S24	15	UCM36XSPSS12	16
SS62-42	38	ST3-15-6	40	U3-1S6	15	UCM36XSPSS24	16
SS62-48	38	ST3-3	40	U3-2C12	15	URETHANE	23
SS62-54	38	ST3-9	40	U3-2C24	15	URETHANE	24
SS62-60	38	ST4-16	40	U3-2C6	15	UX1LLS12	15
SSC-18	73	ST4-21	40	U3-2RHTS12	15	UX1LLS24	15
SSC-24	64	ST4-21H	40	U3-2RHTS12	15	UX1LLSPS12	15
SSC-24	73	ST4-5	40	U3-2RHTS24	15	UX1LLSPS24	15
SSC-24-1	64	ST4-8	40	U3-2RHTS24	15	UX1LLSPSS12	16
SSC-24-1	73	ST4-8H	40	U3-2S12	15	UX1LLSPSS24	16
SSC-30	64	ST5-16	40	U3-2S24	15	UX1LLSS12	16
SSC-30	73	ST5-3	40	U3-2S6	15	UX1LLSS24	16
SSC-30-1	64	ST5-3	42	U3C12	15	UX1S12	15
SSC-30-1	73	ST5-5	39	U3C12W	16	UX1S24	15
SSC-36	64	ST5-5	40	U3C24	15	UX1S6	15
SSC-36	73	ST6-9	39	U3C6	15	UX1SPS12	15
SSC-36-1	64	ST7-5	39	U3RHTS12	15	UX1SPS24	15
SSC-36-1	73	ST8-A	39	U3RHTS12	15	UX1SPS6	15
SSC-42	64	ST8-C	39	U3RHTS24	15	UX1SPSS12	16
SSC-42	73	T-1-1/2BNIB	60	U3RHTS24	15	UX1SPSS24	16
SSC-42-1	64	T-1-1/2WVNB	60	U3S12	15	UX1SPSS6	16
SSC-42-1	73	T-1BNIB	60	U3S24	15	UX1SS12	16
SSC-48	64	T-1WVNB	60	U3S6	15	UX1SS24	16
SSC-48	73	T-2BNIB	60	U3SS12	16	UX1SS6	16
SSC-48-1	64	T-2WVNB	60	U4C12	15	VBK-72	95
SSC-48-1	73	T-3BNIB	60	U4C12W	16	VBK-84	95

# Book Index By Ordering Number

---

<b>Order Number</b>	<b>Page</b>
VBK-96	95
VBK-L	95
VBK-M	95
VBK-S	95
VBK-XS	95
VUBK-72	95
VUBK-84	95
VUBK-96	95
VUBK-L	95
VUBK-M	95
VUBK-S	95
VUBK-XS	95

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
01125	15	01338	15	01847	9	02084	11	02173	7	02288	11	02576	18	02640	18	02773	19
01126	15	01340	16	01848	9	02089	10	02174	8	02289	11	02577	18	02641	18	02775	19
01137	15	01342	16	01849	9	02090	10	02175	8	02294	8	02578	18	02642	18	02777	19
01138	15	01350	49	01853	9	02100	10	02182	7	02295	7	02579	18	02643	18	02779	19
01143	15	01351	15	01854	9	02101	10	02183	7	02300	7	02580	18	02644	18	02781	19
01144	15	01352	15	01859	14	02102	10	02185	8	02301	7	02581	18	02645	19	02783	19
01178	15	01353	16	01861	14	02103	10	02186	8	02303	8	02582	18	02646	19	02784	19
01179	15	01354	16	01864	14	02104	11	02187	8	02304	8	02583	18	02648	19	02787	19
01183	15	01355	15	01871	14	02105	11	02189	7	02305	8	02584	18	02649	17	02788	19
01184	15	01356	15	01879	14	02106	11	02191	8	02307	7	02585	18	02650	18	02789	19
01188	16	01357	16	01884	14	02110	11	02193	8	02310	8	02586	18	02651	19	02790	19
01189	16	01358	16	01887	14	02111	11	02195	8	02316	7	02587	18	02652	17	02791	19
01193	16	01359	15	01891	14	02113	10	02196	7	02323	7	02588	18	02656	18	02826	17
01194	16	01360	15	01898	14	02114	10	02197	7	02326	8	02589	18	02657	19	02830	17
01230	15	01361	15	01911	14	02118	10	02198	7	02327	8	02590	18	02658	17	02832	18
01231	15	01362	15	01917	14	02119	10	02206	7	02328	8	02591	18	02662	18	02833	18
01250	15	01363	15	01920	14	02120	10	02209	9	02330	7	02592	18	02663	19	02834	17
01251	15	01364	15	01926	14	02126	11	02210	7	02339	7	02594	19	02664	17	02847	18
01254	15	01385	16	01933	14	02128	11	02216	7	02340	7	02595	19	02668	18	02853	19
01255	15	01732	14	01939	14	02130	11	02217	7	02341	8	02597	19	02669	19	02854	17
01258	16	01744	14	01941	14	02133	10	02219	8	02342	7	02598	17	02670	17	02859	18
01279	15	01746	13	01946	14	02139	10	02220	8	02348	7	02600	18	02725	19	02860	19
01283	15	01748	13	01949	14	02140	10	02221	8	02351	8	02606	19	02726	17	02861	17
01292	16	01752	13	01954	14	02141	10	02223	7	02352	8	02607	17	02727	19	02863	17
01293	16	01754	13	01958	14	02143	11	02225	8	02353	8	02611	18	02731	19	02864	17
01294	15	01764	13	01963	14	02144	11	02227	8	02355	7	02613	19	02732	17	02865	18
01301	15	01766	13	01970	14	02145	11	02232	7	02363	7	02614	17	02736	19	02866	19
01305	15	01772	13	01985	13	02146	11	02233	7	02365	7	02619	18	02737	17	02867	17
01308	16	01774	13	01987	13	02147	11	02234	8	02367	8	02621	19	02738	19	02868	19
01309	16	01786	14	01990	13	02149	10	02239	11	02368	8	02622	17	02742	19	02869	19
01312	16	01793	14	01993	13	02150	10	02240	11	02370	8	02625	18	02743	17	02870	19
01313	16	01798	14	02006	13	02154	7	02242	10	02378	12	02627	19	02744	19	02871	19
01314	16	01810	13	02008	13	02155	7	02243	10	02379	12	02628	17	02750	19	02872	17
01315	16	01811	13	02010	13	02157	8	02267	10	02380	12	02629	19	02751	17	02873	17
01317	16	01813	13	02012	13	02158	8	02268	10	02381	12	02630	19	02755	19	03006	48
01318	16	01814	13	02072	10	02159	8	02269	10	02382	12	02631	19	02756	17	03008	48
01319	16	01817	13	02073	10	02161	7	02272	11	02383	12	02632	18	02761	19	03009	48
01320	16	01818	13	02075	10	02163	8	02274	11	02384	12	02633	18	02762	17	03010	48
01321	16	01821	13	02076	10	02164	8	02275	11	02385	12	02634	18	02766	19	03012	48
01322	16	01828	14	02079	11	02168	7	02278	10	02386	12	02635	18	02767	17	03014	25
01323	16	01831	9	02080	11	02169	7	02283	10	02397	8	02636	18	02769	19	03018	25
01324	16	01841	14	02081	11	02170	8	02284	10	02429	7	02637	18	02770	19	03019	25
01325	16	01845	14	02082	11	02171	8	02285	10	02432	7	02638	18	02771	19	03020	25
01336	15	01846	9	02083	11	02172	8	02287	11	02574	18	02639	18	02772	19	03037	26

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
03038	26	03368	24	03709	27	03822	26	04028	23	04147	48	04386	29	05362	7	08002	51
03039	26	03370	23	03710	27	03823	26	04029	24	04147	92	04387	29	05463	45	08003	51
03051	26	03371	23	03711	27	03824	26	04030	23	04149	48	04388	29	05492	21	08004	51
03054	26	03372	23	03712	27	03827	25	04031	23	04149	92	04389	29	05493	21	08005	51
03074	25	03375	23	03713	27	03892	45	04032	23	04200	48	04390	29	05494	21	08006	51
03075	25	03433	23	03714	27	03897	23	04033	23	04200	92	04391	29	05495	21	08007	51
03076	25	03433	24	03715	27	03897	24	04034	22	04223	25	04392	29	05496	21	08008	51
03081	25	03434	25	03716	27	03913	45	04035	22	04261	45	04393	29	05497	21	08013	53
03085	25	03435	25	03717	27	03985	22	04036	22	04262	45	04394	29	05498	21	08015	53
03119	25	03441	49	03718	27	03986	22	04037	22	04281	45	04410	27	05499	21	08016	53
03128	49	03442	49	03719	27	03987	22	04038	22	04281	45	04411	27	05500	21	08017	53
03129	49	03445	49	03720	27	03988	22	04039	22	04305	48	04412	27	05501	21	08018	53
03132	49	03450	48	03721	27	03996	24	04040	22	04306	48	04413	27	05502	21	08019	53
03140	27	03451	48	03722	27	03997	23	04041	22	04307	48	04415	30	05503	21	08020	53
03143	26	03452	26	03723	27	03998	23	04042	22	04316	19	04416	45	05504	21	08021	53
03148	26	03453	26	03724	27	03999	23	04043	22	04358	24	04417	45	05505	21	08022	53
03150	26	03519	26	03725	27	04000	23	04044	22	04359	23	04418	45	05506	21	08023	53
03154	26	03524	27	03726	27	04001	24	04045	22	04360	23	04419	22	05507	21	08024	53
03155	26	03525	27	03727	27	04002	23	04046	22	04361	23	04467	45	05508	21	08025	53
03156	26	03526	27	03728	27	04003	23	04047	22	04362	23	05019	18	05509	21	08026	53
03162	26	03527	27	03729	27	04004	23	04048	22	04363	22	05020	18	05510	21	08027	53
03163	26	03528	27	03731	27	04005	23	04049	22	04364	22	05021	18	05511	21	08036	51
03167	26	03529	27	03732	27	04006	22	04051	23	04365	22	05022	18	05512	29	08037	51
03168	26	03531	27	03733	27	04007	22	04052	23	04366	22	05023	18	05513	29	08038	51
03168	26	03532	27	03734	27	04008	22	04063	24	04368	24	05024	18	05514	29	08039	51
03169	26	03533	27	03735	27	04009	22	04064	23	04369	23	05025	18	05515	29	08040	51
03169	26	03534	27	03736	27	04010	22	04065	23	04370	22	05193	18	05516	29	08041	51
03170	26	03535	27	03737	27	04011	22	04066	23	04370	23	05194	18	05517	29	08046	53
03170	26	03536	27	03738	27	04012	22	04067	23	04371	22	05195	18	05518	29	08053	53
03211	26	03537	27	03739	27	04013	22	04068	23	04371	23	05196	18	05519	29	08054	53
03211	26	03538	27	03740	27	04014	24	04073	48	04372	22	05200	45	05520	29	08055	53
03222	26	03539	27	03741	27	04015	23	04093	19	04372	23	05201	45	05521	29	08056	53
03222	26	03550	27	03742	27	04016	23	04094	19	04373	21	05338	15	05522	29	08100	53
03225	26	03551	27	03743	27	04017	23	04101	48	04374	30	05338	15	05523	29	08102	53
03230	48	03591	27	03744	27	04018	23	04102	48	04376	30	05339	15	05524	29	08103	51
03236	25	03649	27	03745	27	04019	24	04140	92	04377	30	05339	15	05525	29	08104	51
03238	25	03650	27	03772	48	04020	23	04143	48	04378	30	05340	15	05526	29	08105	51
03239	39	03651	27	03773	48	04021	23	04143	92	04379	30	05340	15	05527	29	08106	51
03239	49	03670	49	03774	48	04022	23	04144	48	04380	30	05341	15	05528	29	08107	51
03239	52	03671	49	03775	48	04023	23	04144	92	04381	30	05341	15	05529	29	08108	51
03241	18	03672	49	03814	25	04024	24	04145	48	04382	30	05342	15	05530	29	08109	51
03244	49	03704	49	03817	23	04025	23	04145	92	04383	30	05342	15	05531	29	08110	51
03274	23	03707	27	03817	24	04026	23	04146	48	04384	30	05343	15	08000	51	08111	51
03274	24	03708	27	03822	26	04027	23	04146	92	04385	29	05343	15	08001	51	08112	51

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
08113	51	10007	35	10091	32	10153	32	10207	32	10529	33	10593	33	10669	33	11197	34
08114	51	10008	35	10092	32	10154	32	10208	32	10530	33	10595	33	10670	33	11199	34
08151	53	10009	35	10093	32	10155	32	10210	32	10531	33	10596	33	10671	33	11205	34
08152	53	10011	35	10094	32	10156	32	10212	32	10532	33	10597	33	10677	33	11210	34
08246	53	10012	35	10095	32	10157	32	10213	32	10534	33	10598	33	10680	33	11212	34
08279	53	10013	35	10096	32	10158	32	10214	32	10537	33	10600	33	10683	33	11214	34
08319	51	10014	35	10097	32	10160	32	10215	32	10539	33	10603	33	10685	33	11220	34
08439	53	10020	35	10098	32	10161	32	10217	32	10540	33	10605	33	10687	33	11225	34
08440	53	10021	35	10099	32	10162	32	10220	32	10541	33	10606	33	11075	34	11227	34
08457	53	10022	35	10100	32	10163	32	10222	32	10543	33	10607	33	11078	34	11229	34
08462	53	10023	35	10101	32	10164	32	10223	32	10545	33	10609	33	11081	34	11831	34
08468	51	10024	35	10102	32	10165	32	10224	32	10546	33	10611	33	11084	34	11836	34
08490	53	10030	34	10103	32	10166	32	10226	32	10547	33	10612	33	11086	34	11838	34
08497	53	10031	34	10105	32	10167	32	10232	32	10548	33	10613	33	11088	34	11840	34
08498	53	10033	34	10110	32	10168	32	10235	32	10549	33	10614	33	11090	34	11846	34
08499	53	10034	34	10111	32	10169	32	10238	32	10551	33	10616	33	11092	34	11849	34
08500	53	10035	34	10112	32	10170	32	10240	32	10554	33	10619	33	11095	34	11852	34
08501	53	10037	34	10113	32	10171	32	10242	32	10556	33	10621	33	11098	34	11855	34
08526	53	10038	34	10114	32	10172	32	10244	32	10557	33	10622	33	11101	34	11857	34
08527	53	10050	32	10115	32	10173	32	10482	32	10558	33	10623	33	11103	34	11859	34
08528	53	10051	32	10116	32	10174	32	10483	32	10559	33	10625	33	11105	34	11861	34
08539	53	10052	32	10117	32	10175	32	10484	32	10560	33	10627	33	11107	34	11878	34
08540	53	10053	32	10118	32	10176	32	10485	32	10562	33	10628	33	11126	34	11881	34
08545	52	10054	32	10119	32	10177	32	10486	32	10563	33	10629	33	11129	34	11884	34
08585	52	10055	32	10120	32	10178	32	10487	32	10564	33	10630	33	11132	34	11886	34
08586	52	10056	32	10121	32	10179	32	10488	32	10565	33	10632	33	11134	34	11888	34
08587	52	10059	32	10122	32	10180	32	10489	32	10566	33	10635	33	11136	34	11890	34
08591	52	10061	32	10124	32	10181	32	10491	33	10568	33	10637	33	11138	34	11906	34
08592	52	10062	32	10130	32	10182	32	10492	33	10570	33	10638	33	11142	34	11909	34
08593	52	10063	32	10131	32	10183	32	10493	33	10571	33	10639	33	11145	34	11911	34
08594	52	10065	32	10132	32	10185	32	10494	33	10573	33	10641	33	11148	34	11913	34
08595	52	10070	32	10133	32	10188	32	10495	33	10574	33	10643	33	11150	34	11925	34
08596	52	10071	32	10134	32	10190	32	10496	33	10575	33	10644	33	11152	34	11928	34
08597	52	10072	32	10135	32	10191	32	10512	35	10577	33	10645	33	11154	34	11931	34
08603	52	10073	32	10137	32	10192	32	10513	35	10579	33	10646	33	11157	34	11934	34
08604	52	10074	32	10138	32	10193	32	10514	35	10580	33	10648	33	11160	34	11936	34
08710	52	10075	32	10139	32	10194	32	10515	35	10581	33	10651	33	11163	34	11938	34
08717	52	10076	32	10140	32	10196	32	10516	35	10582	33	10653	33	11165	34	11940	34
10000	35	10079	32	10141	32	10197	32	10517	35	10584	33	10654	33	11167	34	11950	34
10001	35	10081	32	10142	32	10198	32	10519	35	10586	33	10655	33	11169	34	11956	34
10002	35	10082	32	10144	32	10199	32	10521	35	10587	33	10657	33	11187	34	11959	34
10003	35	10083	32	10150	32	10201	32	10522	35	10589	33	10661	33	11190	34	11961	34
10004	35	10085	32	10151	32	10204	32	10523	35	10590	33	10664	33	11193	34	11963	34
10005	35	10090	32	10152	32	10206	32	10528	33	10591	33	10667	33	11195	34	11982	34



# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
11984	34	15029	42	18721	17	19473	45	20042	84	20345	81	30003	92	30449	83	30502	82
11998	34	15030	42	18850	15	19474	45	20052	81	20346	81	30004	92	30453	83	30503	82
12375	35	15031	42	18851	15	19475	45	20053	81	20364	81	30005	92	30460	59	30504	82
12376	35	15032	42	18854	15	19476	45	20056	81	20365	81	30006	92	30460	66	30505	82
12378	35	15033	42	18904	12	19477	45	20057	81	20366	81	30007	92	30460	83	30506	82
12379	35	15035	42	18905	12	19478	45	20058	81	20367	81	30008	92	30461	83	30507	82
12380	35	18015	25	18906	12	19479	45	20059	81	20368	81	30018	92	30462	59	30508	82
12381	35	18016	25	18907	12	19480	45	20060	81	20370	81	30019	92	30462	83	30509	82
12388	35	18017	25	18978	27	19481	45	20061	81	20371	81	30373	93	30463	59	30510	82
12389	35	18036	27	19100	27	19483	45	20080	81	20372	81	30375	76	30463	66	30511	82
13250	34	18043	27	19194	27	19484	45	20081	81	20373	81	30375	91	30463	83	30513	82
13252	34	18048	27	19200	27	19485	45	20082	81	20377	84	30390	93	30464	83	30516	82
13253	34	18052	27	19300	27	19486	45	20083	81	20378	84	30392	93	30465	59	30517	82
13254	34	18057	27	19339	27	19489	45	20090	81	20379	84	30393	93	30465	83	30518	82
13256	34	18100	49	19340	27	19490	45	20091	81	20380	65	30394	93	30468	66	30519	82
14983	42	18101	49	19341	27	19491	45	20094	81	20381	65	30395	93	30468	83	30520	82
14990	42	18180	12	19342	27	19494	45	20095	81	20381	84	30396	93	30469	83	30521	82
14991	42	18181	12	19343	27	20000	81	20096	81	20382	84	30397	93	30470	83	30524	82
14992	42	18182	12	19349	27	20001	81	20096	84	20387	65	30398	93	30471	66	30525	82
14993	42	18183	12	19350	27	20002	81	20118	81	20387	84	30399	93	30471	83	30526	82
14994	42	18227	7	19351	27	20004	81	20119	81	20388	84	30400	93	30472	83	30527	82
14995	42	18228	7	19358	27	20005	81	20122	81	20391	84	30408	93	30473	83	30548	82
15000	42	18370	15	19361	27	20006	81	20123	81	20397	65	30414	93	30474	59	30551	82
15001	42	18374	15	19362	27	20006	84	20124	81	20397	84	30418	93	30474	66	30552	82
15002	42	18400	15	19364	27	20007	81	20164	81	20397	84	30421	93	30474	83	30553	82
15003	42	18404	15	19365	27	20008	81	20168	81	20398	65	30423	93	30475	83	30556	82
15004	42	18427	16	19366	27	20010	84	20169	81	20398	84	30424	93	30479	83	30557	82
15005	42	18429	16	19368	27	20011	84	20191	81	20399	65	30430	93	30480	83	30558	82
15006	42	18430	16	19370	27	20012	81	20200	84	20399	84	30435	76	30481	59	30559	82
15007	42	18453	15	19371	27	20013	81	20201	84	20400	65	30435	88	30481	66	30560	82
15008	42	18454	15	19373	27	20014	81	20202	84	20400	84	30435	91	30481	83	30561	82
15009	42	18455	15	19375	27	20016	81	20203	84	20406	84	30437	83	30483	82	30562	82
15010	42	18477	15	19376	27	20017	81	20204	84	20407	84	30437	92	30484	82	30564	82
15011	42	18478	15	19378	27	20018	81	20205	84	20409	84	30438	83	30485	82	30567	82
15012	42	18479	15	19380	27	20018	84	20206	84	20410	84	30439	83	30486	82	30569	82
15013	42	18507	16	19395	27	20022	84	20327	81	20411	84	30442	66	30487	82	30572	82
15014	42	18540	16	19460	45	20023	84	20330	81	20412	84	30442	83	30488	82	30573	82
15015	42	18541	16	19461	45	20034	81	20331	81	20414	84	30443	83	30491	82	30574	82
15017	42	18542	16	19462	45	20035	81	20334	81	26095	94	30444	83	30492	82	30575	82
15025	42	18543	16	19463	45	20038	81	20335	81	26096	94	30445	66	30493	82	30576	82
15026	42	18544	16	19466	45	20039	81	20336	81	26097	94	30446	66	30494	82	30577	82
15027	42	18700	17	19467	45	20040	81	20340	81	26098	94	30447	66	30499	83	30578	82
15027	42	18701	17	19468	45	20040	84	20341	81	30001	92	30447	83	30500	82	30585	82
15028	42	18720	17	19470	45	20041	84	20344	81	30002	92	30448	83	30501	82	30588	82

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page
30589	82	30715	82	30867	49	30961	92	32276	48	38049	64	38137	73	38204	73	38372	74
30590	82	30717	82	30867	59	30962	92	32277	48	38049	73	38138	64	38205	73	38373	74
30591	82	30725	82	30875	91	30963	92	32278	48	38075	64	38138	73	38211	73	38374	74
30592	82	30728	82	30877	91	30964	92	32279	48	38077	64	38143	74	38222	73	38375	74
30593	82	30729	82	30882	91	30965	92	38000	64	38079	64	38144	75	38240	73	38376	74
30594	82	30730	82	30888	66	31075	83	38000	73	38080	64	38145	75	38300	74	38377	74
30600	82	30733	82	30888	83	31075	91	38001	64	38081	64	38146	75	38301	74	38378	74
30601	82	30799	65	30889	83	31978	77	38001	73	38108	64	38147	75	38302	74	38380	74
30604	82	30800	65	30890	91	31978	83	38002	64	38108	73	38148	75	38303	74	38381	74
30605	82	30801	65	30894	66	31978	88	38002	73	38109	64	38149	75	38305	74	38387	74
30606	82	30802	65	30900	92	31978	91	38003	64	38109	73	38150	75	38312	74	38390	74
30607	82	30803	65	30901	92	31980	77	38003	73	38110	64	38151	75	38317	74	38401	74
30608	82	30804	65	30902	92	31980	83	38004	64	38110	73	38154	75	38320	74	38403	74
30609	82	30805	65	30903	92	31980	88	38004	73	38111	64	38161	74	38321	74	38404	74
30610	82	30806	65	30904	92	31980	91	38005	64	38111	73	38162	74	38322	74	38405	74
30620	82	30807	65	30905	92	31987	77	38005	73	38112	64	38164	74	38323	74	38406	74
30621	82	30808	65	30906	92	31987	92	38007	64	38112	73	38165	74	38325	74	38409	74
30622	82	30809	65	30907	92	31991	77	38007	73	38113	64	38166	74	38335	74	38410	74
30624	82	30810	65	30908	92	31991	92	38008	64	38113	73	38167	74	38336	74	38411	74
30625	82	30811	65	30909	65	31992	77	38008	73	38114	64	38168	74	38337	74	38412	74
30647	82	30813	65	30909	92	31992	92	38009	64	38114	73	38169	74	38338	74	38413	74
30650	82	30814	65	30910	92	31993	77	38009	73	38115	64	38170	74	38339	74	38417	74
30651	82	30815	65	30913	65	31993	92	38010	64	38115	73	38171	74	38340	74	38418	74
30652	82	30816	65	30913	92	31996	77	38010	73	38116	64	38180	64	38341	74	38419	74
30653	82	30817	65	30914	65	31996	92	38011	64	38116	73	38180	73	38342	74	38420	74
30655	82	30818	65	30915	65	31999	77	38011	73	38117	64	38182	64	38343	74	38425	74
30661	82	30819	65	30916	65	31999	92	38012	64	38117	73	38182	73	38344	74	38426	74
30663	82	30820	65	30917	65	32051	77	38012	73	38129	64	38183	64	38345	74	38427	74
30666	82	30821	65	30918	65	32051	92	38013	64	38129	73	38183	73	38348	74	38428	74
30667	82	30822	65	30919	65	32052	77	38013	73	38130	64	38184	64	38349	74	38429	74
30668	82	30823	65	30932	76	32052	92	38041	64	38130	73	38184	73	38350	74	39274	75
30669	82	30824	65	30932	83	32056	77	38041	73	38131	64	38185	64	38351	74	39275	75
30671	82	30825	65	30932	88	32056	92	38043	64	38131	73	38185	73	38352	74	39276	75
30673	82	30826	65	30932	91	32267	92	38043	73	38132	64	38188	73	38355	74	39277	75
30676	82	30836	66	30937	92	32268	92	38044	64	38132	73	38195	73	38362	74	39278	75
30678	82	30837	66	30938	92	32269	92	38044	73	38133	64	38199	64	38363	74	39279	75
30681	82	30838	66	30939	92	32270	92	38045	64	38133	73	38199	73	38364	74	39280	75
30682	82	30839	66	30940	92	32271	92	38045	73	38134	64	38201	64	38365	74	39281	75
30684	82	30840	66	30941	92	32272	48	38046	64	38134	73	38201	73	38366	74	39282	75
30707	82	30841	66	30950	65	32272	92	38046	73	38135	64	38202	64	38367	74	39283	75
30709	82	30842	66	30951	65	32273	92	38047	64	38135	73	38202	73	38368	74	39300	75
30712	82	30843	66	30952	65	32274	48	38047	73	38136	64	38203	64	38369	74	39301	75
30713	82	30867	39	30953	65	32274	92	38048	64	38136	73	38203	73	38370	74	39302	75
30714	82	30867	42	30954	65	32275	48	38048	73	38137	64	38204	64	38371	74	39303	75

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
39304	75	39953	63	40054	63	40160	64	40206	64	40483	78	40533	87	40634	73	40714	74
39305	75	39957	63	40058	63	40160	73	40206	73	40484	78	40534	71	40636	64	40716	74
39306	75	39958	63	40059	63	40161	64	40207	64	40485	78	40534	87	40636	73	40718	74
39307	75	39959	63	40060	63	40161	73	40207	73	40487	78	40535	71	40637	64	40720	74
39308	75	39978	62	40061	63	40162	64	40209	73	40488	78	40535	87	40637	73	40721	74
39309	75	39980	62	40062	63	40162	73	40210	64	40489	78	40536	71	40638	64	40750	86
39574	63	39982	62	40063	63	40163	64	40210	73	40502	78	40536	87	40639	64	40751	86
39577	63	39984	62	40066	63	40163	73	40211	64	40503	78	40537	71	40640	64	40752	86
39580	63	39986	62	40068	63	40164	63	40211	73	40504	78	40537	87	40654	75	40753	86
39583	63	39997	62	40069	63	40165	63	40212	64	40506	71	40538	71	40657	75	40755	86
39586	63	40000	62	40070	63	40166	63	40212	73	40506	87	40538	87	40658	86	40756	86
39589	63	40001	62	40071	63	40167	63	40213	64	40507	71	40539	68	40659	75	40760	88
39603	62	40002	62	40073	63	40168	63	40213	73	40507	87	40539	71	40661	75	40769	86
39605	62	40003	62	40074	63	40169	63	40214	64	40508	68	40539	87	40663	75	40771	76
39607	62	40004	62	40075	63	40170	64	40214	73	40509	68	40540	68	40665	75	40773	76
39610	62	40005	62	40076	63	40171	64	40225	62	40510	68	40540	71	40667	75	40775	76
39613	62	40006	62	40077	63	40172	64	40226	62	40510	77	40540	87	40669	75	40776	76
39615	62	40007	62	40100	63	40173	64	40227	62	40510	88	40541	71	40670	75	40782	76
39617	62	40008	62	40101	63	40174	64	40228	62	40511	78	40541	87	40671	75	40783	76
39624	62	40009	62	40102	63	40175	64	40229	62	40517	68	40542	68	40679	75	40784	76
39625	62	40010	62	40103	63	40175	73	40242	63	40517	77	40542	71	40680	75	40785	76
39626	62	40012	62	40108	63	40177	64	40243	63	40519	71	40542	87	40681	75	40786	86
39627	62	40013	62	40109	63	40177	73	40244	63	40519	87	40543	68	40682	86	40787	86
39628	62	40014	62	40110	63	40178	64	40245	63	40520	71	40543	71	40683	86	40788	86
39629	62	40015	62	40134	63	40178	73	40246	63	40520	87	40543	87	40684	86	40789	86
39675	63	40016	62	40135	66	40179	64	40247	63	40522	71	40544	71	40685	64	40790	86
39740	64	40017	62	40135	73	40179	73	40348	68	40522	87	40544	87	40685	73	40791	86
39740	73	40020	62	40138	63	40180	64	40348	77	40523	71	40545	71	40686	64	40793	88
39802	73	40023	62	40150	64	40180	73	40389	70	40523	87	40545	87	40686	73	40794	88
39808	73	40025	62	40151	64	40181	64	40390	70	40527	68	40546	71	40687	64	40796	88
39811	73	40035	62	40152	64	40181	73	40391	70	40527	71	40546	87	40687	73	40800	89
39812	73	40036	62	40153	64	40182	64	40392	70	40527	87	40547	71	40688	64	40801	89
39817	73	40037	62	40153	73	40182	73	40393	70	40528	68	40547	87	40688	73	40802	89
39842	63	40038	62	40154	64	40183	64	40399	70	40528	71	40548	71	40689	64	40803	89
39855	63	40039	62	40155	64	40198	74	40408	70	40528	87	40548	87	40689	73	40804	89
39904	63	40040	62	40155	73	40199	74	40409	70	40529	71	40629	64	40691	64	40828	70
39907	62	40046	63	40156	64	40201	73	40415	70	40529	87	40629	73	40691	73	40829	70
39917	63	40047	63	40156	73	40202	64	40416	70	40530	71	40631	64	40692	64	40830	70
39935	63	40048	63	40157	64	40202	73	40424	68	40530	87	40631	73	40692	73	40831	70
39938	63	40049	63	40157	73	40203	64	40455	68	40531	71	40632	64	40707	74	40832	70
39939	63	40050	63	40158	64	40204	64	40468	68	40531	87	40632	73	40709	74	40833	70
39950	63	40051	63	40158	73	40204	73	40469	68	40532	71	40633	64	40710	74	40834	70
39951	63	40052	63	40159	64	40205	64	40479	68	40532	87	40633	73	40712	74	40857	72
39952	63	40053	63	40159	73	40205	73	40482	78	40533	71	40634	64	40713	74	40857	87

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
40858	72	40927	88	40984	87	41097	88	41197	87	41294	69	41395	69	41738	70	41881	72
40858	87	40928	88	40985	72	41098	88	41198	71	41296	69	41409	69	41739	70	41882	72
40859	72	40930	89	40988	77	41099	88	41198	87	41298	69	41450	69	41740	70	41883	72
40859	87	40940	75	40988	88	41107	88	41199	71	41314	69	41509	69	41741	70	41884	72
40860	72	40941	75	40990	77	41115	76	41199	87	41315	69	41510	69	41776	86	41885	72
40860	87	40942	75	40990	88	41116	76	41200	71	41316	69	41511	69	41777	79	41886	72
40861	72	40943	75	40991	77	41117	76	41200	87	41319	69	41512	69	41781	71	41887	72
40861	87	40955	72	40991	88	41118	76	41201	71	41326	69	41513	69	41781	87	41888	72
40862	72	40955	87	40994	76	41119	76	41201	87	41327	69	41514	69	41785	87	41889	72
40862	87	40956	72	40995	76	41123	88	41202	71	41328	69	41515	69	41786	87	41890	72
40863	72	40956	87	40996	76	41124	88	41202	87	41329	69	41516	69	41788	87	41891	72
40863	87	40957	72	40997	76	41126	88	41203	71	41341	69	41525	69	41792	87	41892	72
40864	72	40957	87	41008	88	41138	88	41203	87	41342	69	41542	70	41793	87	41893	72
40882	88	40958	72	41016	88	41139	88	41204	71	41351	69	41543	70	41794	87	41894	72
40891	72	40958	87	41020	89	41148	88	41204	87	41354	64	41544	70	41795	87	41895	72
40891	87	40959	72	41021	89	41149	88	41205	71	41354	73	41545	70	41796	87	41896	72
40892	72	40959	87	41022	89	41152	88	41205	87	41355	64	41546	70	41797	87	41906	90
40892	87	40960	89	41023	89	41153	88	41206	71	41355	73	41547	70	41798	87	41907	90
40893	72	40961	72	41024	89	41168	88	41206	87	41356	64	41548	70	41799	87	41908	90
40893	87	40961	87	41031	76	41179	88	41207	71	41356	73	41613	68	41800	87	41909	90
40895	72	40962	89	41032	76	41181	71	41207	87	41357	64	41614	68	41834	79	41910	90
40895	87	40963	89	41033	76	41181	87	41208	71	41357	73	41615	68	41835	79	41911	90
40897	72	40964	89	41034	76	41183	71	41208	87	41358	64	41616	68	41836	79	41912	90
40897	87	40965	89	41035	76	41183	87	41213	77	41358	73	41617	68	41837	79	41913	90
40898	72	40966	89	41041	76	41185	71	41214	77	41359	64	41618	68	41845	72	41915	90
40898	87	40969	72	41042	76	41185	87	41215	77	41359	73	41619	68	41846	72	41916	90
40899	72	40969	87	41043	76	41187	88	41216	77	41363	73	41623	68	41847	72	41917	90
40899	87	40970	89	41044	76	41190	68	41218	77	41380	64	41624	68	41848	72	41918	90
40901	72	40971	72	41045	76	41190	71	41219	77	41380	73	41628	68	41849	72	41919	90
40901	87	40971	87	41046	76	41190	87	41220	77	41381	64	41629	68	41850	72	41920	90
40907	88	40975	89	41047	76	41191	68	41276	69	41381	73	41630	68	41851	72	41921	90
40907	89	40978	72	41048	76	41191	71	41277	69	41382	64	41631	68	41852	72	41922	90
40908	78	40978	87	41050	76	41191	87	41278	69	41382	73	41632	68	41853	72	41924	90
40908	89	40979	72	41054	76	41192	71	41279	69	41383	64	41633	68	41854	72	41925	90
40915	89	40979	87	41055	76	41192	87	41283	69	41383	73	41634	68	41855	72	41926	90
40916	89	40980	72	41055	88	41193	71	41284	69	41384	64	41642	68	41856	72	41927	90
40918	89	40980	87	41056	78	41193	87	41285	69	41384	73	41643	68	41857	72	41928	90
40919	89	40981	72	41057	78	41194	71	41286	69	41385	64	41709	68	41858	72	41929	90
40920	88	40981	87	41058	76	41194	87	41287	69	41385	73	41712	70	41859	72	41930	90
40921	88	40982	72	41067	69	41195	71	41288	69	41388	73	41713	70	41860	72	41931	90
40922	88	40982	87	41068	76	41195	87	41289	69	41391	69	41714	70	41861	72	41935	72
40923	88	40983	72	41077	79	41196	71	41290	69	41392	69	41715	70	41862	72	41960	78
40924	88	40983	87	41078	79	41196	87	41291	69	41393	69	41716	70	41879	72	41961	78
40925	88	40984	72	41089	88	41197	71	41292	69	41394	69	41737	70	41880	72	41962	78

# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page		
41963	78	50009	38	50421	38	54113	38	54499	37	54547	37	54617	37	56504	56	70028	47
41992	79	50009	77	50423	38	54114	38	54500	37	54549	37	54618	37	56505	56	70030	47
41998	79	50009	92	50426	38	54115	38	54501	37	54550	37	54619	37	56506	56	70034	47
41999	79	50015	40	50427	38	54116	38	54502	37	54551	37	54620	37	56507	56	70045	47
42000	79	50015	42	50428	38	54117	38	54503	37	54552	37	54621	37	56508	56	70046	47
42036	79	50016	39	50430	38	54118	38	54504	37	54553	37	54622	37	56509	56	70047	47
42037	79	50016	40	50431	38	54119	38	54505	37	54554	37	54624	37	56510	56	70050	47
42038	79	50025	40	50432	38	54120	38	54506	37	54555	37	54626	39	56511	56	70051	47
42039	79	50053	39	50433	38	54121	38	54507	37	54556	37	54627	39	56512	56	70056	47
42040	79	50075	39	50435	38	54148	38	54508	37	54557	37	54628	39	56519	56	70057	47
42041	79	50077	39	50439	38	54149	38	54509	37	54558	37	54629	39	56520	56	70058	47
42042	79	50144	40	50440	38	54150	38	54510	37	54559	37	54631	39	56521	56	70060	47
42043	79	50146	40	50441	38	54151	38	54513	37	54560	37	54633	38	56522	56	70061	47
42044	79	50173	38	50443	38	54152	38	54514	37	54566	37	54634	38	56523	56	70064	47
43008	79	50174	38	50444	38	54153	38	54515	37	54586	37	54635	38	56524	56	70065	47
43022	78	50175	38	50445	38	54154	38	54516	37	54587	37	54715	37	56525	56	70066	47
43023	78	50176	38	50446	38	54155	38	54517	37	54588	37	54765	37	56526	56	70067	47
43024	78	50178	38	50448	38	54156	38	54518	37	54589	37	55541	39	56527	56	70110	47
43027	78	50179	38	50661	38	54157	38	54519	37	54590	37	55554	39	56528	56	70111	47
43029	78	50180	38	50662	38	54158	38	54520	37	54591	37	55590	39	56529	56	70112	47
43030	78	50181	38	50665	38	54473	37	54521	37	54592	37	55591	39	56530	56	70113	47
43031	78	50183	38	50666	38	54476	37	54522	37	54593	37	55592	39	56531	56	70114	47
43032	78	50188	40	50669	38	54477	37	54523	37	54594	37	56000	55	56532	56	70170	47
43033	78	50200	40	50670	38	54478	37	54524	37	54595	37	56001	55	56533	56	70171	47
43034	78	50201	39	50673	38	54479	37	54525	37	54596	37	56002	55	56534	56	70172	47
43035	78	50226	40	50674	38	54480	37	54528	37	54597	37	56003	55	56535	56	70174	47
43036	78	50227	40	53234	75	54481	37	54529	37	54598	37	56004	55	56536	56	70175	47
43037	78	50231	40	53235	75	54482	37	54530	37	54599	37	56005	55	56537	56	70176	47
43038	78	50238	40	53236	75	54483	37	54531	37	54601	37	56006	55	56538	56	70178	47
43039	78	50239	40	53237	75	54484	37	54532	37	54602	37	56007	55	56539	56	70179	47
43040	78	50240	40	53238	75	54485	37	54533	37	54603	37	56008	55	56540	56	71052	96
43041	78	50243	40	53255	75	54486	37	54534	37	54604	37	56009	55	56541	56	71055	96
43042	78	50244	40	53256	75	54487	37	54535	37	54605	37	56010	55	56542	56	71057	96
43043	78	50248	40	53257	75	54488	37	54536	37	54606	37	56011	55	56543	56	71058	96
43044	78	50249	39	53258	75	54489	37	54537	37	54607	37	56012	55	56544	56	71058	96
43045	78	50270	40	53259	75	54490	37	54538	37	54608	37	56013	55	56545	56	71060	96
43061	78	50272	40	54002	38	54491	37	54539	37	54609	37	56014	55	56546	56	71060	96
43062	78	50413	38	54003	38	54492	37	54540	37	54610	37	56015	55	56547	56	71140	96
50003	39	50414	38	54005	38	54493	37	54541	37	54611	37	56016	55	56548	56	71141	96
50003	49	50415	38	54006	38	54494	37	54542	37	54612	37	56017	55	56567	56	71141	96
50003	91	50416	38	54010	40	54495	37	54543	37	54613	37	56500	56	56568	56	71164	96
50004	18	50418	38	54030	39	54496	37	54544	37	54614	37	56501	56	70015	47	71168	96
50004	39	50419	38	54111	38	54497	37	54545	37	54615	37	56502	56	70020	47	73131	95
50004	49	50420	38	54112	38	54498	37	54546	37	54616	37	56503	56	70023	47	73132	95



# Book Index By Item Code

Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page	Item Code	Page
73133	95	76478	93	80079	45	99518	58	99586	58
73134	95	76479	93	80090	45	99519	58	99589	58
73140	94	76481	93	80099	44	99520	58	99590	58
73142	94	76482	93	80100	44	99521	58	99591	58
73144	94	76983	93	80110	44	99522	58	99592	58
73146	94	76984	93	80111	44	99523	58	99593	58
73163	94	76985	93	80150	44	99525	58	99594	58
73169	94	76986	93	80201	44	99529	58	99597	58
73170	94	77250	93	80202	44	99531	58	99598	58
73171	94	77251	93	80203	44	99535	58	99599	58
73172	94	77729	93	80204	44	99536	58	99600	58
73190	95	78851	94	99280	60	99537	59	99601	58
73191	95	78852	94	99281	60	99538	59	99626	59
73192	95	78853	94	99282	60	99539	59	99627	59
73193	95	78854	94	99283	60	99541	59	99648	58
74389	95	80011	44	99287	60	99542	59	99690	59
74390	95	80012	44	99288	60	99543	59	99832	60
74391	95	80013	44	99289	60	99544	59	99844	60
74457	95	80014	44	99290	60	99546	59	99855	60
74458	95	80015	44	99295	60	99547	59	99860	60
74459	95	80016	44	99296	60	99548	59	99861	60
74558	94	80017	44	99297	60	99551	59	99967	60
74559	94	80018	44	99301	60	99552	59	99968	60
74560	94	80019	44	99302	60	99553	59	99969	60
74561	94	80020	44	99303	60	99554	59	99983	60
74562	94	80021	44	99304	60	99555	59	99984	60
74563	94	80022	44	99500	58	99556	59	99985	60
74564	94	80023	44	99501	58	99560	59	99987	60
74565	94	80024	44	99502	58	99563	59	99996	60
75570	95	80025	44	99503	58	99565	58		
75571	95	80026	44	99504	58	99566	59		
75572	95	80027	44	99505	58	99569	59		
75573	95	80028	44	99506	58	99570	58		
75574	95	80038	45	99507	58	99571	58		
75575	95	80039	45	99508	58	99572	59		
75576	95	80040	45	99509	58	99573	59		
75778	96	80041	45	99510	58	99576	58		
76469	93	80042	45	99511	58	99577	58		
76470	93	80043	45	99512	58	99578	58		
76472	93	80044	45	99513	58	99579	58		
76473	93	80045	45	99514	58	99580	58		
76474	93	80075	44	99515	58	99581	58		
76476	93	80076	44	99516	58	99582	58		
76477	93	80078	45	99517	58	99583	58		

# Notes

---

**GOODYEAR**  
GOODYEARBELTING.COM

**Call Toll Free: 1-866-711-4673**  
**International: + 1-727-342-5086**

**We Ship  
World Wide**

**GOODYEAR**  
GOODYEARBELTING.COM

**Call Toll Free: 1-866-711-4673**  
**International: + 1-727-342-5086**

**We Ship  
World Wide**



---

*Partners in Productivity*

2525 Wisconsin Avenue, Downers Grove, Illinois 60515

Phone: 1-630-971-0150 Fax: 1-630-971-1180

[www.flexco.com](http://www.flexco.com)

**GOODYEAR**  
GOODYEARBELTING.COM

**Call Toll Free: 1-866-711-4673**  
**International: +1-727-342-5086**

**We Ship  
World Wide**