



YELLOW BIRD® Air & Water Hose – MSHA Series 7284

YELLOW BIRD® hose is designed for high pressure water service in underground mines. The SBR tube, wire braided construction, and nitrile/PVC cover also makes it an excellent high pressure air or general purpose hose. The flame resistant yellow cover is branded with the MSHA legend.
4:1 Design factor

>> MSHA approved for mine service

Tube	Black SBR
Cover	Yellow NBR/PVC, PIN-PRICKED
Reinforcement	One or multiple wire braids
Temperature Range	-20°F to +212°F (-29°C to +100°C)
Branding	PARKER USA 7284 YELLOW BIRD® HOSE (DATE CODE) DE2 XXXX PSI MAX WP MSHA IC-123/17 - FLAME RESISTANT
Brand Description	Ink Brand - Black letter color
Compare to	Thermoid Hercules 1000; Gates 1000MP/Mine Spray; Boston Concord Yellow Jack

LENGTHS: Random lengths on nominal 500 ft. reels.

COUPLINGS: For permanent crimp specifications, refer to CrimpSource. For assembly guidelines and additional coupling options, refer to NAHAD Industrial Hose Assembly Guidelines.

7284

Applications

- Mines
- Air Tools
- Dust Suppression Systems

Part No.	ID (in.)	ID (mm)	Reinf. Braids	OD (in.)	OD (mm)	Approx. Wt. per 100 Ft.	Min. Bend Radius	Max. Rec. WP
7284-381	3/8	9.5	1	0.688	17.5	25	6.0	1500
7284-501	1/2	12.7	1	0.969	24.6	37	7.0	1000
7284-751	3/4	19.1	1	1.219	31.0	56	9.5	1000
7284-1001	1	25.4	1	1.469	37.3	69	12.0	1000
7284-1252	1 1/4	31.8	2	1.719	43.7	90	15.5	1000